

ORTHO

Arsenical Weed Killer

NET CONTENTS
LIQUID**An Arsenical Weed Killer****SODIUM ARSENITE (Solution), LIQUID**

Active Ingredient	By Wt.
Sodium Arsenite (NaAsO ₂)	55%
Inert Ingredients	45%

Equivalent to 41.9% of arsenic trioxide.
Arsenic expressed as metallic, all in water-soluble form 31.7%
Equivalent Arsenic trioxide per gal. at 68° F. 6 lbs.
U. S. Pat. No. 2,391,299.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.**KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.****DO NOT USE OR STORE IN OR AROUND THE HOME. DO NOT ALLOW DOMESTIC ANIMALS TO GRAZE TREATED AREA.****KEEP THIS DRUM IN THE SHADE**

BEFORE DISCARDING THIS CONTAINER, FILL IT WITH WATER, ADDING 3 TABLESPOONFULS CAUSTIC (ALKALINE) SUBSTANCE, SUCH AS WASHING SODA (SODIUM CARBONATE) OR LIME; ALLOW THE CONTAINER WITH WATER AND CAUSTIC TO STAND OVERNIGHT. BURY THE WASHINGS. EMPTY DRUMS MUST NOT BE USED IN ANY CONNECTION WITH FEED, FOOD OR DRINKING WATER. FOR 5 GALLON SIZE, WASH, PERFORATE AND BURY CONTAINER WHEN EMPTY. NEVER RE-USE.

ORTHO Arsenical Weed Killer is a weed killer for use on ground that will be paved. Apply when air is quiet to avoid possibility of spray drifting onto cultivated plants, causing damage. Care must be taken to keep the weed killer off the roots of valuable plants.

**POISON**

ANTIDOTE. Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Then give two tablespoonfuls of Epsom Salts or milk of magnesia in water and plenty of milk and water. Have victim lie down and keep quiet. CALL A PHYSICIAN IMMEDIATELY.

DANGER:**KEEP OUT OF REACH OF CHILDREN****DO NOT TAKE INTERNALLY****DO NOT INHALE****DO NOT GET ON SKIN****DANGER:**

ORTHO ARSENICAL WEED KILLER IS A HIGHLY CAUSTIC POISON. IT SHOULD BE KEPT AWAY FROM CHILDREN AND ANIMALS. POISONOUS IF SWALLOWED. Do not get in eyes, on skin or on clothing. Wash hands and other exposed skin areas thoroughly after using. Avoid getting ORTHO Arsenical Weed Killer into cuts, sores, etc. Should this occur, wash off at once. Livestock and poultry will be poisoned if allowed to feed on treated areas. Wash application equipment thoroughly with water after use. Dispose of ORTHO Arsenical Weed Killer rinse or wash water so that it cannot contaminate soil or directly or indirectly come in contact with persons or animals. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

This product is toxic to wildlife. Birds and other wildlife in treated areas may be killed. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not contaminate water used for irrigation or domestic purposes. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

TO POISON SOIL AND PREVENT PLANT GROWTH: Use 1 gal. ORTHO Arsenical Weed Killer with 9 gals. water. Ten gallons of diluted material should cover 250 sq. ft. The ground should be bare of weeds. If ground is very dry, it should be moistened before applying ORTHO Arsenical Weed Killer. To wash into soil for application under paving areas, flood with water at rate of 100 gals. to 100 sq. ft. after application of ORTHO Arsenical Weed Killer.

NOTE: ORTHO Arsenical Weed Killer solidifies at close to freezing temperature. When this occurs, place in a warm room to get back into solution.

APPLICATION: ORTHO Arsenical Weed Killer may be applied with low pressure spray equipment (100 to 150 lbs. pressure), sprinkling carts, or on a small scale with a sprinkling can. If a sprinkling can is used or an equivalent device giving poor coverage, apply the material in two directions on each area to be treated, the second application at right angles to the first.

DRUMS: Partially full drums should be kept sealed and the surface of the liquid covered with a thin layer of lubricating oil.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.

ACCEPTED

July 27, 1971

UNDER THE FEDERAL INSECTICIDE ACT
THIS PRODUCT IS REGISTERED AS A PESTICIDE
FOR CONTROL OF WEEDS BY THE R
ED UNDER FEDERAL REGULATION
TO ALL APPLICABLE LAWS

CHEVRON CHEMICAL COMPANY

FORM 201-52

EPA Reg. No. 239-289

ORTHO DIVISION — San Francisco, California 94119

Produc. 174

Made in U. S. A.

RICHMOND, CALIFORNIA

FRESNO, CALIFORNIA



DES MOINES, IOWA

PERTH AMBOY, NEW JERSEY

HONOLULU, HAWAII

ORLANDO, FLORIDA