



## ORTHO-KLOR® 44 ORTHO Chlordane Spray

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS & DOMESTIC ANIMALS

**DANGER:** Corrosive. Causes skin damage. May be fatal if absorbed through the skin. Harmful if swallowed. Causes eye irritation. Do not get on skin or on clothing. Wear rubber gloves when handling. Avoid contact with eyes. Avoid breathing vapor or spray mist. Avoid contamination of feed and foodstuffs. Wash hands after use. Keep children and pets out of treated areas until these areas are dry. A committee of the National Academy of Sciences has stated that "There are no adequate data to show that these compounds are carcinogenic in humans, but because of their carcinogenicity in certain mouse strains and the extensive similarity of the carcinogenic action of chemicals in animals and in humans, the committee concluded that chlordane, heptachlor, and/or their metabolites may be carcinogenic in humans." **STATEMENT OF PRACTICAL TREATMENT:** If Swallowed: Give a large amount of water to drink, make person vomit, and call a doctor. Do not induce vomiting or give anything by mouth to an unconscious person. If Inhaled: Remove victim to fresh air and apply artificial respiration if necessary. If On Skin: Remove contaminated clothing and wash affected areas with soap and water. If In Eyes: Rinse eyes immediately with fresh water for 15 minutes and see a doctor. **Meals to Physicians:** Emergency Information — call (415) 233-3737. This material contains light hydrocarbon liquid and an aspiration hazard may exist.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. **PHYSICAL OR CHEMICAL HAZARDS:** Do not use or store near heat or open flame.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS

#### DIRECTIONS

**TERMITES** — First remove all wood debris and wood forms from around foundation. Around piers, pipes, chimney bases and along perimeter concrete foundations, dig a trench 6 inches wide and 4 inches deep. For brick and concrete block foundations, dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe or rod, about one foot apart that extend from the trench bottom to the footing. Make holes closer in hard-packed clay soils. Never dig holes below the bottom of the footing. Use 4 Tablespoonfuls (2 fl oz) per gallon of water to treat 2 linear feet of soil trench. Apply the solution to the trench at the rate of 1 gallon per 10 linear feet per foot of depth. Apply half of the solution to the trench and half to the back fill. Likewise treating the inside of the foundation or crawl space buildings. The treatment is fast and easy with an ORTHO Lawn Sprayer or ORTHO Lawn and Garden Sprayer (soil setting and "down soil" adjustment). Fill the sprayer jar with 1 qt (32 fl oz) of ORTHO KLOR 44 Chlordane Spray, attach to the sprayer and treat 32 linear feet of trench. Apply double the dosage in heavy clay or muck soils. Cover treated soil with a thin layer of untreated soil and take care to avoid contaminating water supplies. Be careful to have adequate ventilation when treating areas under structures.

For raised porches, terraces and entrance slabs, drill holes at one foot intervals 6 inches from the foundation solution into each hole. Refill holes. Slabs with heat ducts or radiating heat pipes should be treated by professional. The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment if there are inaccessible areas, basements or slab type construction. It is suggested that you contact the Agricultural Service for advice or consult a Professional Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose to reach into the termite chemical solution while filling or mixing this material with water. Use anti-contamination equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Filling (Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If it follows, **Do Not Apply Under Pressure.** Soil should be treated to a safe distance from well or domestic water tanks to stand undisturbed for two to four hours, then returned to the trench which has been lined with 4 mil plastic puncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain cisterns.

Make new dilution for each use.

#### RETREATMENT RESTRICTIONS

Retreatment for subterranean termites should only be made when there is evidence of reinfestation subsequent to or there has been a disruption of the chemical barrier in the soil due to construction, excavations, landscaping or other activities.

Annual retreatment of the entire premises must be avoided.

#### STORAGE AND DISPOSAL

**STORAGE:** Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.

**DISPOSAL:** PRODUCT — Partially filled bottle may be disposed of by securely wrapping original container in a

disposal bag and discarding in trash. CONTAINER — Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

#### Chevron Chemical Company

Ortho Consumer Products Division

San Francisco CA 94120 7114

Richmond CA 94604 0036

Form 1095-D Product 1404 Made in U.S.A.

EPA Reg No 239-478 AA

EPA Est 239 NJ 1 239 MO 1  
Superscript used is first letter of lot number

BEST DOCUMENT AVAILABLE

For raised porches, terraces, and entrance slabs, drill holes at one foot intervals 6 inches from the foundation, and pour one half gallon of solution into each hole. Drill holes. Slabs with heat ducts or radiating heat pipes should be treated by professional pest control operators. The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment particularly if there are accessible areas basements or slab type construction. It is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult a Professional Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with water. Use anti-back flow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-back flow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation treat as follows. **Do Not Apply Under Pressure.** Soil should be removed to an area safe from well or domestic water contamination. Treated soil is allowed to stand undisturbed for two to four hours then returned to the trench which has been lined with 4 mil plastic sheeting. Be careful not to puncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain cisterns or wells.

Make new dilution for each use.  
**RETREATMENT RESTRICTIONS**

Retreatment for subterranean termites should only be made when there is evidence of re-infestation subsequent to the initial treatment - there has been a disruption of the chemical barrier in the soil due to construction, excavations, landscaping, etc. Reapplication should be made as a spot treatment to these areas.

Annual retreatment of the entire premises must be avoided.

**STORAGE AND DISPOSAL**

**STORAGE:** Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.

**DISPOSAL:** **PRODUCT** — Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER** — Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

**Chevron Chemical Company**

The Consumer Products Division  
San Francisco CA 94120 7144

Bronx CA 94604 0036

Farm 10095 D Product 1404 Made in U.S.A.

EPA Est. 239 NJ 1 239 M01

Superscript used is first letter of lot number



RIGHT DOCUMENT AVAILABLE

Chevron

**ORTHO**  
**ORTHO-KLOR® 44**  
**Chlordane Spray**



**Effective Termite Control**

**Active Ingredients**

"Technical Chlordane  
Petroleum Distillate

**Inert Ingredients**

"Equivalent to 26% Octachloro  
4,7-methanotetrahydronadane  
and 18% related compounds

**Keep out of reach of children**

**DANGER**

See side panel for additional precautionary statements.

**NET CONTENTS ½ GAL**

