

1981  
 Ortho Klean Stock  
 Pesticide

... under 3 months of age. Do not spray or dip animals when weather is stormy or heavy rain may be expected. Do not spray or dip ever-heard animals. **DO NOT USE ON DAIRY ANIMALS IN BARRIS, MILK ROOMS, MILK PROCESSING ROOMS OR POULTRY HOUSES.** Do not spray, treat cattle, sheep, or goats within 30 days of slaughter. Do not dip livestock within 60 days of slaughter. Do not treat sows or pigs of farrowing nor for at least 3 weeks thereafter.

**AVOIDANCE:** Agitate spray thoroughly and keep agitated during spraying.

**CATTLE:** **LICE, TICKS, Horn Flies, Stable Flies.** Use Dilution Table No. 4. Spray the animal thoroughly. Do not overspray. Use about 2 quarts of diluted spray per adult animal. Each spray will afford protection for 2 weeks. Repeat as necessary. For tick one treatment will usually be sufficient for a season using Dilution Table No. 4. For longer protection against above listed pests - Use Dilution Table No. 3.

**PIGS:** **Supplemental Control** - Treat animals as above. **Primary Control** - Use Dilution Table No. 3 applying to hogs, piglets and other areas of barns and other outbuildings. **DO NOT USE DILUTION TABLE No. 3 ON PIGS.**

**GOATS:** **Lice and Sheep Keds (Ickick).** Use Dilution Table No. 2. Spray animal thoroughly using dilution to penetrate fleece. **Ticks:** Use Dilution Table No. 1. Spray thoroughly as above. **Scabies on Sheep:** Use Dilution Table No. 4. Spray thoroughly as above. Repeat after 2 or 3 weeks or as needed.

**For Control of Listed Pests:** Use 1 gal. ORTHO Klean Stock Spray or Dip for 100 gal. water (Dilution 1:100). If water first with water then add required amount of ORTHO Klean Stock Spray or Dip. Stir thoroughly. Dip or longer. Any time dipping is stopped longer than 30 minutes, agitate thoroughly, before resuming. Completely submerge animals body, once or twice. Drench head at least twice. Do not use on calves or other animals under 3 months old, nor on dogs, cats or other household pets or poultry. If young animals between 3 and 6 months old, use spray only. Always water animals before dipping so that they will not drink the dipping solution. Prolonged standing or excessive fith contamination in dipping vats, the active chemical agents may separate. Do not use such separated dipping solution, since death to animals may occur. Clean vat and use fresh solution.

**FEEDBACK RUBBERS for Range Cattle to control Horn Flies:** 1.1 ORTHO Klean Stock Spray or Dip for 1 gal. water. **DO NOT USE ON DAIRY ANIMALS.** Do not treat beef cattle within 30 days of slaughter.

**SPRAY - Flies:** **DO NOT USE THIS DOSAGE ON ANIMALS.** Use Dilution Table No. 3. Spray thoroughly on hog pens, calf pens, stables, garbage cans and similar places.

**TABLE**

Ortho Klean Stock Spray or Dip to use

Concentration	Table 1	Table 2	Table 3	Table 4
100%	2 1/2 Tbs	1 1/2 Tbs	1 1/2 cup	1 3/5 Tbs
50%	1 1/2 cup	3/4 cup	1 1/2 cups	5 Tbs
25%	3/4 cup	1/2 cup	1 1/2 qts	1 1/2 cup
10%	2 qts	1 qt	1 1/2 gals	1 1/2 qts

1 cup = 8 ounces = 16 Tablespoons    3 teaspoons = 1 Tablespoon    1 Tbs = 1 Tablespoon

**STORAGE AND DISPOSAL**

**PROHIBITIONS**  
 Do not spray on water, food, or feed by storage, disposal, or cleaning of equipment. Open dumping is prohibited. Do not use empty container.

**STORAGE**  
 Keep pest in original container. Do not dilute concentrate or dilute into food or drink containers. Do not store in plastic or metal feed or food containers.

**PESTICIDE DISPOSAL**  
 Do not spray in water or in water that cannot be used according to label. In this item must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

**CONTAINER DISPOSAL**  
 Triple-rinse, reclean, and dispose of in a sanitary, leak-proof, other approved State or local procedure.

**CONDITIONS OF SALE:** Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative, to make any other warranty, of FITNESS or MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Certain and unforeseeable factors beyond Chevron's control prevent it from eliminating risks in connection with the use of chemicals. Such risks include, but are not limited to, damage from application, lack of complete control and damage caused by drift. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability, except those assumed by Chevron under 1. above, resulting from handling, storage, and use of this material.

**Chevron Chemical Company**  
 Ortho Agricultural Chemical Division  
 2700 Francisco CA 94119, Richmond CA 94704  
 Product 1450, Made in U.S.A.  
 Form 2749-B3, EPA Est. 239-MD-1  
 EPA Reg. No. 239-518-2A



SEE B  
 NET

**ACCEPTED**  
 AUG 19 1981  
 RECEIVED BY: [illegible]  
 FROM: [illegible]  
 EPA Reg. No. [illegible]



# ORTHO Kleen Stock Spray or Dip

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**WARNING**

May be fatal if swallowed. May cause respiratory distress. Do not breathe vapors. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly with soap and water. Water should not be contaminated. Do not eat, drink, or smoke while using.

**STATEMENT OF PRACTICAL TREATMENT**

**IF INHALED:** Remove victim to fresh air. Administer first aid as indicated.

**IF ON SKIN:** Wash immediately with soap and water.

**IF IN EYES:** Flush eyes for at least 15 minutes with water. Call a doctor immediately. Do not induce vomiting unless directed by a physician.

**IF SWALLOWED:** Do not induce vomiting unless directed by a physician. Do not give anyone anything to eat or drink until advised by a physician. Do not give anyone anything to drink until advised by a physician. Do not give anyone anything to eat until advised by a physician.

**ENVIRONMENTAL HAZARDS**

Highly toxic to fish and wildlife. Do not feed or treat animals in streams, rivers, or other aquatic areas. Do not use near water bodies. Do not use near swimming pools, hot tubs, or spas. Do not use near playgrounds or recreation areas. Do not use near schools, day care centers, or other public buildings. Do not use near homes or other residential areas. Do not use near crops or other plants. Do not use near animals. Do not use near birds. Do not use near bees. Do not use near other insects. Do not use near other animals.

**PHYSICAL OR CHEMICAL HAZARDS**

**COMBUSTIBLE. KEEP OUT OF REACH OF CHILDREN. DO NOT USE OR STORE NEAR HEAT, OPEN FLAME, OR OTHER SOURCES OF IGNITION. DO NOT USE IN WELLS OR OTHER UNVENTILATED AREAS. THIS PRODUCT IS EXTREMELY FLAMMABLE. IT IS LIKELY TO CAUSE FIRE OR EXPLOSION IF IT COMES IN CONTACT WITH HEAT, OPEN FLAME, OR OTHER SOURCES OF IGNITION. IT IS EXTREMELY FLAMMABLE. IT IS LIKELY TO CAUSE FIRE OR EXPLOSION IF IT COMES IN CONTACT WITH HEAT, OPEN FLAME, OR OTHER SOURCES OF IGNITION. IT IS EXTREMELY FLAMMABLE. IT IS LIKELY TO CAUSE FIRE OR EXPLOSION IF IT COMES IN CONTACT WITH HEAT, OPEN FLAME, OR OTHER SOURCES OF IGNITION.**

**DIRECTIONS**

**DO NOT USE ON DAIRY ANIMALS**

**INSIDE DRY BARN, MILK ROOMS, MILK PROCESSING ROOMS OR POULTRY HOUSES:** Apply to all surfaces. Repeat every 60 days. Do not use on dairy animals.

**ASA SPRAY:** Use for control of lice, ticks, horn flies, stable flies, and mosquitoes on cattle, horses, mules, and sheep. Apply to all surfaces of the animal. Repeat every 30 days.

**CATTLE, HORSES, MULES:** Lice, Ticks, Horn Flies, Stable Flies.

**STABLE FLIES:** Supplemental Control. Do not use on dairy animals.

**ON ANIMALS:** Use for control of lice, ticks, horn flies, stable flies, and mosquitoes on cattle, horses, mules, and sheep. Apply to all surfaces of the animal. Repeat every 30 days.

**MOGS:** Use for control of mites on sheep and goats. Apply to all surfaces of the animal. Repeat every 30 days.

**SHEEPS AND GOATS:** Lice and Sheep Keds (ticks). Apply to all surfaces of the animal. Repeat every 30 days.

**AS A DIP:** For control of lice, ticks, horn flies, stable flies, and mosquitoes on cattle, horses, mules, and sheep. Apply to all surfaces of the animal. Repeat every 30 days.

**RESIDUAL SPRAY:** Use for control of lice, ticks, horn flies, stable flies, and mosquitoes on cattle, horses, mules, and sheep. Apply to all surfaces of the animal. Repeat every 30 days.

**PROHIBITIONS**

**STORAGE**

**PESTICIDE DISPOSAL**

**CONTAINER DISPOSAL**

**DILUTION TABLE**

Water to use	ORTHO Kleen Stock Spray or Dip to use			
	Table 1	Table 2	Table 3	Table 4
1 gallon	2 Tbs	1 Tbs	1 cup	3.5 Tbs
3 gallons	6 cups	3 cups	3 cups	5 Tbs
5 gallons	10 cups	5 cups	5 cups	1 qt
50 gallons	2 qts	1 qt	1 qt	1 qt

1 cup = 8 ounces = 16 Tablespoons      1 tablespoon = 3 Teaspoons

**CONDITIONS OF SALE**

This product is sold as a pesticide and is not to be used for any other purpose. The user assumes all liability for the use of this product. No warranty is made by Chevron Chemical Company for the use of this product. The user assumes all liability for the use of this product. No warranty is made by Chevron Chemical Company for the use of this product.

**Chevron Chemical**

San Francisco, CA  
 Product 1450, Made in USA  
 Form 2788-B, 10/78

**DIRECTIONS FOR USE**

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE FEDERAL AND STATE REGULATIONS.

ORTHO Kleen Stock Spray or Dip is a pesticide and is not to be used for any other purpose. The user assumes all liability for the use of this product. No warranty is made by Chevron Chemical Company for the use of this product.