



ORTHO Crab Grass Killer

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL DANGER STATEMENTS AND DIRECTIONS. KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

DIRECTIONS

ORTHO Crab Grass Killer can be used to control crab grass, Dallis grass and nut grass on all of the major turf grasses including Dichondra, Bent and Fescue grasses. Do not use on St. Augustine, carpet and centipede grasses. Keep children and animals off treated areas until washed into soil.

CRAB GRASS (Hairy Crab Grass, *Digitaria sanguinalis* or Smooth Crab Grass, *Digitaria ischaemum*): See Dilution Table for dosages. Soil should be moist before treatment. Do not water for two days after treatment; then resume watering, particularly during hot, dry weather. One application may be sufficient if applied when seedlings are less than 2 inches tall. Two applications four to seven days apart are generally needed for control of medium to mature crab grass plants. Follow up spot-sprays may be necessary for newly germinated crab grass. Lawns may be reseeded when crab grass is dead. On newly-seeded lawns, do not commence applications until after two mowings. Bent, Fescue and Dichondra lawns are more sensitive and may be temporarily discolored. Additional wetting agents are not needed.

APPLICATION: Use ORTHO SPRAY-ETTE or tank-type sprayers during summer months. After using sprayer with ORTHO Crab Grass Killer, clean sprayer thoroughly with water before spraying trees, shrubs, flowers or vegetables. Do not store diluted spray. Make new dilution for each use.

SPECIAL COMBINATION SPRAY: Use ORTHO Crab Grass Killer in combination with WEED-B-GON in ORTHO SPRAY-ETTE at recommended rates for both. Use 3 Tablespoonfuls of ORTHO Crab Grass Killer and 4 teaspoonfuls of WEED-B-GON per gallon water on 200 sq. ft. area. For larger areas, increase rate proportionally. Avoid drift to ornamentals when using this combination or injury may result. Do not use this combination on Dichondra. **Note:** When ORTHO SPRAY-ETTE is used for applying WEED-B-GON, it should be rinsed out thoroughly as directed on sprayer jar immediately after applying, to avoid injury to flowers and ornamentals.

DALLIS GRASS in Bermuda, Bluegrass, Dichondra and Zoysia Lawns: Use 2 or 4 Tablespoonfuls per gallon water and cover 200 sq. ft. (20' x 10'). Make 2 or 3 applications at weekly intervals starting in late June. Follow cautions given on label for control of Crab Grass.

DILUTION TABLE For Temperatures 85° F. and above.

ORTHO Crab Grass Killer to Use	Add Water to make	To Cover
3 Tablespoonfuls (1½ oz.)	1 gal.	200 sq. ft.
6 Tablespoonfuls (3 oz.)	2 gals.	400 sq. ft.
8 oz. (1 cup)	5 gals.	1,000 sq. ft.
32 oz. (1 qt.)	20 gals.	4,000 sq. ft.

For Temperatures below 85° F.

Use double the recommended amounts given in above table.

NUT GRASS (*Cyperus rotundus*) in Bermuda Lawns and Zoysia Lawns: Use 3 ounces (6 Tablespoonfuls) per gallon of water and cover 200 sq. ft. (20' x 10'). Make 3 to 4 applications at monthly intervals starting in June. Follow cautions given on label for control of Crab Grass.

DANGER: Harmful if swallowed. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Do not breathe vapor or spray mist. Wear goggles or face shield when handling concentrate. In case of eye contact, immediately flush eyes with plenty of water and see a physician. Wash hands after using. Keep away from children and domestic animals. Keep children and animals away from treated areas until these areas are dry.

ANTIDOTE: If taken internally, induce vomiting and call a physician at once. **Note to Physicians:** Emergency Information—call (415) 233-3737. Avoid storage near food and feed products. When container is empty, immediately wash thoroughly and destroy. Never re-use.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

U.S. PAT. NO. 3,056,821


Manufactured for

Chevron Chemical Company

Ortho Division, San Francisco CA 94119 Richmond CA 94804

Form 8706-B Product 1000 Made in U.S.A.

EPA Reg. No. 239-873-ZA



Use For Temperatures 85° F. and above.

Crab Grass to Use	Add Water to make	To Cover
1/2 pints (1 1/2 oz.)	1 gal.	200 sq. ft.
1 pint (3 oz.)	2 gals.	400 sq. ft.
2 pints (6 oz.)	5 gals.	1,000 sq. ft.
4 pints (12 oz.)	20 gals.	4,000 sq. ft.

Use below 85° F.
Use recommended amounts given in above table.

(Cyperus rotundus) in Bermuda Lawns and Zoysia Lawns: Use 3 ounces (6 Tablespoons) per gallon of water and cover 200 sq. ft. (20' x 10'). Make 3 to 4 applications at monthly intervals starting in June. Follow cautions given on label for control of Crab Grass.

Caution: Harmful if swallowed. Causes eye damage and skin irritation. Do not get in eyes, on skin or clothing. Do not breathe vapor or spray mist. Wear goggles or face shield when handling. In case of eye contact, immediately flush eyes with plenty of water and see a physician. Wash hands after using. Keep away from children and domestic animals. Keep children and pets off treated areas until these areas are dry.

First Aid: If taken internally, induce vomiting and call a physician at once. **Note to Physicians:** For information—call (415) 233-3737. Avoid storage near food and feed products. When container is empty, immediately wash thoroughly and destroy. Never re-use.


Manufacturer assumes all responsibility for safety and use not in accordance with directions.

16.821

Chemical Company


San Francisco CA 94119 Richmond CA 94804
Product 1000 Made in U.S.A.

239-873-ZA



ORTHO Crab Grass Killer

Treats Up To
16,000 Sq. Ft.



Also Kills Dallis Grass & Nut Grass



Active Ingredients	By Wt
Octylammonium methanearsonate	8%
Dodecylammonium methanearsonate	8%
Inert Ingredients	84%
Total arsenic as elemental, all water soluble—4.1%	

DANGER: Keep out of reach of children.
See back panel for additional danger statements.

NET CONTENTS 1 GALLON LIQUID