

0.11000  
(0.11000)

0.11000

0.11000

ACCEPTED  
DEC 12 1970  
239-996

0.11000

Active Ingredients	By Wt.
Chloroform . . . . .	5.0%
Inert -	
Glyceryl Trichloroacetate . . . . .	2.5%
Sulfur . . . . .	40.0%
Inert Ingredients . . . . .	52.5%
*N-[[[trichloroacetyl]amino]ethyl]sulfonamide	
Sulfur 0.11000 (0.11000) = 50%	

0.11000

(0.11000)

0.11000  
(0.11000)

0.11000

0.11000




**CAUTION**

Useful if Caution. Avoid application of dust. May be absorbed through skin.  
Avoid contact with skin and eyes. Wash thoroughly after handling. Keep children  
and pets off treated areas until material is washed into the soil and grass is  
dry. Avoid contamination of food and feedstuffs. Do not use on wet crops, or  
in soils or on other crops grown in rotation with wet crops, including grains.  
Do not use on foliage of white or sweet potatoes. Digging of soilless potatoes  
when empty. Do not eat potatoe leaves, roots, stems, usually do not cause non-  
crop areas.

**NOTICE**

Buyer assumes all responsibility for safety and use in accordance with  
directions.

(Chevron )

Alameda, Calif.

1966

CHLOROPYRIFOS-METHYL

0.5% (100-1000) - 100000000, Calif. 2480

Alameda, Calif. 100-100000000, 100-100000000

100-100000000, 100-100000000, 100-100000000, 100-100000000