

**BEST AVAILABLE COPY**

### ORTHO Lindane Borer & Leaf Miner Spray

#### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**DANGER:** Causes reversible eye damage and skin irritation. May be fatal if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. May cause an allergic skin reaction. Prolonged or frequently repeated skin contact may cause skin reactions in some individuals. Wear rubber gloves and goggles or face shield when handling concentrates. When applying product, wear long-sleeved shirt, long pants, water proof gloves, shoes and a head covering. Avoid exposure to children. Do not allow children to handle or apply this pesticide product. Avoid breathing vapors or spray mist. Wash thoroughly after handling. Do not use on humans or household pets. Do not allow children or pets in treated areas until surfaces are dry. Avoid contamination of feed or foodstuffs. Symptoms of poisoning: headache, nausea, dizziness, loss of equilibrium, muscle spasms, weakness, tremors, hyperexcitability and convulsions. **STATEMENT OF PRACTICAL TREATABILITY:** In case of eye contact, flush eyes with fresh water for at least 15 minutes and see a doctor. If on skin, remove contaminated clothing and wash affected areas with soap and water. If swallowed, give water or milk to drink and telephone for medical advice. DO NOT make your own vomit, unless directed to do so by medical personnel. If medical advice cannot be obtained, then take person and product container to the nearest medical emergency treatment center or hospital. If inhaled, move person to fresh air immediately. Emergency information: Call 1-800-871-2022. This is not a poison. Signs and symptoms of acute and chronic poisoning are listed below. **HAZARDOUS MATERIAL HAZARD:** This pesticide is toxic. It is highly flammable. Do not smoke, drink, eat or use tobacco while handling this product. Do not contaminate food or feed. Do not contaminate areas used for raising or fish in residential areas. Do not contaminate water by cleaning of equipment or disposal of waste. This pesticide is highly toxic to bees exposed to direct application. Application should be made in accordance with periods of minimum bee activity usually between late evening and early morning. **PHYSICAL OR CHEMICAL HAZARD:** Flammable. Keep away from heat and open flame.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

**ACCEPTED**

JAN 25 1994

Federal Pesticide and Fungicide Act

239-1173



# Lindane Borer & Leaf Miner Spray

**KILLS INSECTS** Pine Bark Beetles Flat Headed Borers, Peach Tree Borers Twig Girdlers



**CONTAINS 20% LINDANE**

**DIRECTIONS:** Make new dilution for each use. 1 tsp ... 1 teaspoonful, 1 TBS ... 1 tablespoonful, 2 TBS ... 1 fl oz

For homeowner ornamental and fruit tree use only

BORERS & OTHER INSECTS	TREES OR SHRUBS	DOSAGE AND TIME TO APPLY
Leaf Miners	Elm, Birch, Locust	1 Tbsp/gal. water. For Elm, Birch: Apply when small insects appear in early and mid-May. For Locust: Early July. For leaf miners: destroy old leaves. Apply in April and May.
Twig Girdler Borers (Dogwood, Rhododendron, Lilac)	Junipers, Dogwood, Rhododendron, Lilac	1 TBS/gal. water. For Junipers: Make two applications at 30 day intervals—50 Calif. April and May, No. Calif. June and mid-July. For Borers: Make 2-3 applications 7-10 days apart in May and early June.
Pine Bark Beetles*	Pine	1 TBS/gal. water. Spray trunks thoroughly—wet trunks to run off.
White Pine Weevil	Pine, Spruce	1 TBS/gal. water. Apply late April when buds begin to swell. Spray upper parts of trees thoroughly.
Texas Weevil, Peach Tree Borer, Flat Headed Borers, Elm-Headed Borers	Taxus, Hemlock, Peaches, Apples, Cherries	1 TBS/gal. water. Apply in the spring to the lower joints and around the base of these trees. Dig the dirt and wetting the soil surface. Do not apply to fruit or foliage. Do not apply within 60 days of harvest.
Bark Beetles, Wood Boring Beetles	Maple, Aspen, Poplar, Ash, Willows, Locust, Elms	2 TBS/gal. water. Apply in the spring when buds begin to break. Repeat in 10-14 days. Elim: Apply during summer, repeat in fall. Soak trunks to run off. Do not apply to foliage.

\*NOT FOR USE IN CALIFORNIA

#### STORAGE AND DISPOSAL

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray. **DISPOSAL: PRODUCT**—Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER**—Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.



Chemron Chemical Company © 1988  
 Ortho Consumer Products Division  
 P.O. Box 5047  
 San Ramon, CA 94583-0847  
 Product 1127  
 Form 1074-G  
 EPA Reg. No. 239-1173-AA  
 EPA Est. 238-MO-1

**BEST AVAILABLE COPY**