

Cryolite

[INSECTICIDE] NET WEIGHT 50 LBS.

Active Ingredient	Ву	Wt.
Sodium Fluoaluminate		50%
Inert Ingredients		50%
Fluorine expressed as elemental	27.1%	

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER.

BURN BAG IMMEDIATELY WHEN EMPTY. STAY OUT OF SMOKE.

DIRECTIONS

This product is formulated for application by ground or air eauipment.

Use at rate of 25 to 45 pounds per acre depending on plansize and insect population. Repeat application as necessary. Remove residues remaining at harvest by washing, brushing or other effective means. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

BEANS: Beetles, Bean Loaf Roller Repeat every two weeks



READ THE LABEL

OUT OF REACH OF CHILDREN

Avoid inhalation of dust.

CABBAGE, CAULIFLOWER, BROCCOLI: Flea Beetles, Cabbage Caterpillars—Do not apply to Broccoli after the edible parts start to form. Do not apply to Cabbage after the heads start to form. Do not apply to Cauliflower after the seedling stage.

CARROTS: Vegetable Weevil.

CUCUMBERS: Striped Cucumber Beetle, Twelve-Spotted Cucumber Beetle, Flea Beetle-Dust both sides of foliage at first signs of Beetles.

EGGPLANT: Flea Beetle Dust thoroughly.

LETTUCE: Climbing Cutworms, Alfalfa Looper, Corn Earworm-Apply when Worms first appear. Do not apply after the seedling stage.

MELONS: Cucumber Beetle-Dust both sides of foliage Repeat if necessary.

PEPPERS: Pepper Weevil—Dust thoroughly at first set of fruit. Repeat every 5 days until about 6 applications have been made.

STRAWBERRIES: Leaf Beetle-Dust both sides of leaves.

TOMATOES: Flea Beetle—Apply when plants are first set out and repeat as necessary. If applied after fruit starts to set, remove residue at harvest by washing, brushing or other effective means.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this

2. Critical and unforeseeable factors beyond Chevran's control prevent it from eliminating all risks in connection with the use or chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other mants or crops. Such risks occur even though the promut is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability except those assumed by Chevron under 1 above resulting from handling, storage, and use of this material

CHEVRON CHEMICAL COMPANY

FORM 131 K2

USDA Reg. No. 239-1198

ORTHO DIVISION — San Francisco, California 94119

Product 143

Made in U. S. A.

RICHMOND, CALIFORNIA

FRES.

CALIFORNIA

DES MOINES, IL .

CHERRY HILL, NEW JERSEY