


KELTHANE® 3 Dust



(MITICIDE)

Active Ingredient 1,1-bis p-chlorophenyl-2,2,2-trichloroethanol 3%
Inert Ingredients 97%

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER.

BURN BAG IMMEDIATELY WHEN EMPTY. STAY OUT OF SMOKE

This product is formulated for application by ground or air equipment.

APPLES: Spider Mites—60 to 70 lbs. per acre. Apply at petal fall to first cover or whenever mite population appears. If repeat application is necessary, wait 30 days. Do not apply within 14 days of harvest.

RASPBERRIES: Two-Spotted Mite, Pacific Mite—40 lbs. per acre. Apply just after bloom or whenever mites appear and repeat as necessary. Do not apply within 2 days of harvest.

CANTALOUPEs, CUCUMBERS, SQUASH, MELONS, WATER-MELONS: Two-Spotted Mite, Pacific Mite—50 lbs. per acre. Apply at first sign of mites and repeat as necessary. Do not apply within 2 days of harvest.

CITRUS: Citrus Red Mite, Citrus Flat Mite, Six-Spotted Mite, Yuma Mite, Two-Spotted Mites, Pacific Mite—60 to 70 lbs. per acre. Apply when mites first appear and repeat as necessary. Do not apply within 7 days of harvest.

COTTON: Pacific Mite, Atlantic Mite, Two-Spotted Mite, Red Spider Mites—40 lbs. per acre. Do not apply within 14 days of harvest. Do not graze treated fields by meat or dairy animals.

FIGS, PLUMS, PRUNES, GRAPES: Spider Mites—50 pounds per acre. Apply at petal fall to first cover or whenever mite population appears. Do not apply within 7 days of harvest. If repeat application is necessary on Figs, Plums and Prunes wait 30 days.

PEACHES, NECTARINES: Spider Mites—50 to 60 lbs. per acre. Do not apply within 14 days of harvest.

STRAWBERRIES: Two-Spotted Mite, Pacific Mite—50 lbs. per acre. Apply when mites appear and repeat as necessary. Do not apply within 2 days of harvest.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, expressed or implied, concerning this material.

2. This material is not a food, drug, or medicine, and is not intended for use as such. It is not to be used in any way which might result in its being applied to or ingested by man, animal or poultry. Drift to other plants or crops, if any, occurs even though the product is reasonably fit for the specified use, and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability, except those assumed by Chevron under Federal or state law, from the use of this material.



READ THE LABEL

KEEP OUT OF REACH OF CHILDREN

CAUTION: Avoid breathing dust. Do not store or transport near food or feed. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

This product is toxic to fish. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste.

NET WEIGHT 50 LBS.

Chevron Chemical Company

Ortho Division/San Francisco, Calif. 94119
Richmond, California Fresno, California Honolulu, Hawaii
Des Moines, Iowa Perth Amboy, New Jersey Orlando, Florida

Form 5650 P Product 2789 Made in U.S.A.

EPA Reg. No. 239-1300-AA