

239-1349

4-22-2008

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

April 22, 2008

Sheila Kendrick
The Scotts Company
14111 Scottslawn Road
Marysville,
Ohio 43041

Subject: Ortho Sevin 5 Dust
EPA Reg. No. 239-1349
Carbaryl-Remove Poultry/Label Received April 16, 2008

Dear Ms. Kendrick,

The label referred to above, submitted in connection with the registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the following changes:


- Under the ENVIRONMENTAL HAZARDS add "This product is extremely toxic to aquatic invertebrates"
- Delete all the directions for use on corn.
- Revise the sentence "Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, bulbous duster, or rotary duster" to read "Wearing household latex or rubber gloves, use this ready-to-use shaker can to apply product."
- Revise the sentence "Apply when air is calm to avoid drift and contact with eyes and skin" to read "Apply when air is calm."
- Revise "Start applying the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces." to read "Start applying the farthest corner of the treatment area and work backward."

- Delete reference to the company website on the label.
- Under Disclaimer, add "To the extent consistent with applicable law, buyer assumes..."

A stamped copy is enclosed for your records. Please submit on copy of the final printed label before releasing the product for shipment.

Approval of this label does not constitute approval of your application for reregistration of this product. Product reregistration is currently pending, and future labeling changes and/or additional data may be required.

If you have questions, email me at edwards.joanne@epa.gov or by telephone at (703) 305-6736.

Sincerely,

Joanne S. Edwards, Entomologist
Insecticide-Rodenticide Branch
Registration Division (7505C)

3/5

[/COM] OUTDOOR USE ONLY

ORTHO® SEVIN® 5 Dust, EPA Reg. No. 239-1349

KILLS GARDEN PESTS IN THE GARDEN: Armyworms, Cutworms, Squash Bugs, Tomato Hornworms, Certain Beetles And Other Garden Pests As Listed.

IN THE GARDEN Kills: Beetles, Bugs, Leafhoppers and Caterpillars/Worms as Listed On Vegetables.

Active Ingredient

Carbaryl.....5%
Other Ingredients95%

KEEP OUT OF REACH OF CHILDREN
CAUTION

See additional precautionary statements on back of bag.

Specially formulated for residential use.

READ ENTIRE LABEL BEFORE EACH USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

4/22/08

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.**

239-1349

IN THE GARDEN

PLANTS	PESTS	AMOUNT TO USE (per 1000 sq ft)	DAYS TO WAIT TO RE-TREAT	DAYS TO WAIT TO HARVEST
Beans (fresh and dried)	Mexican Bean Beetle	¼ lb	7	3 (succulent) 21 (dried) 14 (forage)
	Bean Leaf Beetle, Cucumber Beetle, Flea Beetle, Japanese Beetle, Leafhopper, Velvet Bean Caterpillar, Western Bean Cutworm	½ lb		
	Armyworm, Corn Earworm, Stink Bug, Tarnished Plant Bug	¾ lb		
Cabbage, Broccoli, Brussels Sprouts, Cauliflower, Kohlrabi	Flea Beetle, Harlequin Bug Notes: Application is permitted only within 30 days from the date of crop emergence or the date of transplanting.	½ lb	3	3

	Armyworm, Corn Earworm, Imported Cabbageworm, Salt Marsh Caterpillar, Young Cabbage Looper	1 lb		
Corn (field and pop)	Corn Earworm, Corn Rootworm Adult, European Corn Borer, Fall Armyworm, Flea Beetle, Japanese Beetle, Leafhopper, Sap Beetle	1 lb	14	14 (forage, silage) 48 (grain, fodder)
Cucumbers, Melons*, Squash	Cucumber Beetle, Flea Beetle, Leafhopper, Melonworm, Pickleworm, Squash Bug	½ lb	7	3
Carrots, Lettuce(Head and Leaf)	Flea Beetle, Harlequin Bug, Leafhopper	½ lb	7 7	Carrots: 7 Lettuce: 14
	Six-spotted Leafhopper	¾ lb		
	Armyworm, Cabbage Caterpillar, Corn Earworm, Lygus Bug, Spittlebug, Stink Bug, Tarnished Plant Bug	1 lb		
Potatoes, Eggplant, Peppers	Colorado Potato Beetle, Flea Beetle, Leafhopper	½ lb	7 7	Potatoes: 7 Eggplant, Pepper: 3
	European Corn Borer, Lace Bug, Tomato Fruitworm, Tomato Hornworm	1 lb		
Strawberries	Meadow Spittlebug, Strawberry Leafroller, Strawberry Weevil	1 lb	7	7
Tomatoes	European Corn Borer, Fall Armyworm, Flea Beetle, Leafhopper, Tomato Fruitworm, Tomato Hornworm	1 lb	7	3

Do not use this product on watermelons in Florida.

HOW TO APPLY

- Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, bulbous duster, or rotary duster. Dust lightly to cover upper and lower leaf surfaces with a thin, even film of dust.
- Apply when air is calm to avoid drift and contact with eyes and skin.
- Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering.

WHEN TO APPLY

- Apply dust at the first signs of insects/pests.
- Dust in early morning or late evening when temperature is low.
- Apply/Repeat/Reapply as noted.
- CORN:** Application of this product to the tassel region of corn during the pollen shed period will seriously reduce bee populations. For insects attacking silks and ears apply when first silks appear and continue until silks begin to dry. Three or more applications may be required depending on severity of infestation.

•**CUCUMBERS, MELONS, SQUASH:** Avoid excessive applications. Some leaf injury may occur if treatments are made when tender foliage is wet or in the presence of prolonged high humidity.

STORAGE AND DISPOSAL

STORAGE: Store in original container in a safe place. **DISPOSAL: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the restroom. Remove and wash contaminated clothing before reuse.

FIRST AID: If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Note to Physicians & Veterinarians: Emergency Information call 1-800-225-2883. Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water when disposing equipment washwaters or rinsate. This product is extremely toxic to aquatic invertebrates. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions. Questions, Comments, or Medical Information? Call 1-800-225-2883 <http://www.ortho.com>

Manufactured for
The ORTHO Group
P.O. Box 190
Marysville, OH 43040
EPA Reg. No. 239-1349
EPA Est 58996-MO-1^A, 769-GA-1^G
Superscript is first letter of lot number
Made in USA

Expiration date _____

[Note to PM: Expiration date will be applied at time of production. The date will be four months from the date of production.]