



FOR ECONOMIC PUISOR

ED UNDER NO.

235-1468

Blend No. 4

[INSECTICIDE-FUNGICIDE]
NET WEIGHT 20 LBS.

CONTAINS 12.5% ORTHOCIDE AND 59% LEAD ARSENATE

Active Ingredients	By W
Captan*	12.59
Standard Lead Arsenate (PbHAsO ₄)	
Inert Ingredients	
N-[(trichloromethyl)thio]-4-cyclohexene-1,2-dicar Lead expressed as metallic—35.2% Arsenic expressed as metallic—12.7% Water soluble arsenic, expressed as metallic, not more than	rboximide.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

HEFF PERMITTED TO ORIGINAL TOTAL THINER, DO NOT PUT CONTENTS TRAITED RESIDENCE FOR DRINK ONTAINERS

STORE IN COOL, DRY PLACE, PROTECT FROM EXCESSIVE HEAT

The first thinking in a series before the Authority of the St.

DIRECTIONS

The street of the control of the con



POISON

ANTIDOTE.FOR ARSENIC—Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Then give two tablespoonfuls of Epsom Salts or Milk of Magnesia in water and plenty of milk and water. Have victim lie down and keep quiet. CALL A PHYSICIAN IMMEDIATELY.

DANGER:

KEEP OUT OF REACH OF CHILDREN

DO NOT INHALE

DO NOT GET ON SKIN

DO NOT TAKE INTERNALLY

DANGER:

Poisonous if swallowed Avoid breathing dust or spray mist. Avoid contact with skin, eyes or clothing. Wash thorough!, after using Do not store or transport near feed or food. Seep Evestock off treated areas. Foliage injurities, at times occur to Red Delicious, Winesap and other sensitive varieties of apples in early season sprays. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

This product is take to file and while Bid and cover a determine the median in the north and a constant of the second and a constant

the state of the s

APPLES: Apple Snob and Apple Maggot— 1944 per la constitución de la co

SOUR CHERRIES: Cherry Leafspot, Plum Curculio, Cherry Fruit Flies, Rose Chafer 1864 this per 100 pair spray in combination with 12 pt. of CRTHO Spray Sticker. Make applications in petal fall, shuck fall, and three to four additional applications at ten-day intervals starting about Jone 10 in western New took Follow the advice of your agricultural Experiment Station for control of Cherry, Fruit Flie. The effectiveness of ORTHO Custom Blend No. 4 on Cherry Leafspot is dependent upon the use of ORTHO Spray Sticker in each spray. For Pre-bloom and Pre-harvest Control of Brown Rot Use 2 lbs. of ORTHOCIDE 50 Metable per 100 gats spray. For Post-harvest Control of Cherry Leafspot Apply 2 lbs ORTHO PHALTAN 50 Wettable fungicide: p.r. 190 gats, spray to soon as harvest is complete. Lead Arsenate may may Morello cherries.

COMPATIBILITY: The material may be combined with most commonly used insecticides, adjuvants and functions with the exception of strongly alkaline material such as hydrated lime, Schlam Hydroxide (Caustic), Lime Sulfur and Bordeaux Mixture. It is all that he used in combination with or closely following max:

CONDITIONS OF SALE: The real of the control of the

The control of the co

CHEVRON CHEMICAL COMPANY

FORM 6019 I

RICHMOND, CALIFORNIA

USDA Reg. No. 239 1463

ORTHO DIVISION

ÉSNO, CALIFORNIA

San Francisco, California

DES MOIL

04120

IOWA

Product No. 3019

Made in U S A

CHERRY HILL, NEW JERSEY

<u>.</u>

PORTLAND, OREGON

ray

re than two consecutive applications of ORTHENE combination with any of the above fungicides.

is product only as specified on this label. Do not an Elm, Flowering Crabapple, Sugar Maple, Red rood, Redbud and Weigela as foliage injury may caution on Hibiscus, Gloxinia, Philodendron and peated applications are required. Clean sprayer thing with water, do not use household bleach as t.

Harmful if swallowed, may be irritating to the eathe spray mist. In case of eye or skin contact, y of clear water. If eye irritation persists, see a

ns: Emergency Information—call (415) 233-3737. nolinesterase inhibitor. If signs of cholinesterase r, atropine is antidotal. 2-PAM may also be used ith atropine but should not be used alone.

ate food or foodstuffs. DO NOT USE, POUR, SPILL I HEAT OR OPEN FLAME. Do not reuse container and measuring cap when empty.

ody of water. Do not contaminate water by cleant or disposal of wastes. Apply this product only his label.

assumes all responsibility for safety and use not ith directions.

34119 34 3de in U.S A

2436-AA

Uninu

32 Gallons Spray

ORTHENE® Insect Spray

