



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

Sheila R. Kendrick The Scotts Company 14111 Scottslawn Road Marysville, Ohio 43041 OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

JAN 3 2000

Subject: Ortho Sevin 10 Dust

EPA Registration No. 239-1513 Amendment dated October 22, 1999

Label amendments as per the GDE dated August 6, 1999.

Dear Ms. Kendrick:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you make the labeling change indicated below before you release the product for shipment bearing the amended labeling:

1. The statement "May be used up to harvest unless otherwise noted" on the first page must be deleted since no crops listed on the label have a zero day PHI.

A stamped copy of the labeling is enclosed for your records. Submit two copies of your final printed labeling before you release the product for shipment.

Sincerely,

George Tompkins, Ph.D., Entomologist Insecticide-Rodenticide Branch

Registration Division (7505C)

Leage Tour

TO OPEN-CUT HERE [ICOM] OUTDOOR USE ONLY

ORTHO® SEVIN® 10 DUST, EPA Reg. No. 239-1513

[ABN: ORTHO® SEVIN® Brand Carbaryl Insecticide 10 Dust]

In the Garden: Kills: Beetles, Bugs, Leafhoppers and/& Caterpillars Worms as Listed On Vegetables.

May be Used up to Harvest Unless Otherwise Noted.

KILLS FLEAS & TICKS ON DOGS AND CATS, AND IN DOGHOUSES

KILLS GARDEN PESTS: Armyworms, Cutworms, Squash Bugs, Tomato Hornworms, Certain Beetles And Other Garden Pests As Listed.

Active Ingredient

KEEP OUT OF REACH OF CHILDREN CAUTION

See additional precautionary statements on back of bag.

Specially formulated for residential use.

NET WT 4 LB / 1.81 kg

JAN 3 2000

rmyles. ns moss.

239-1513

TO OPEN-CUT HERE

TO CLOSE - FOLD TOP OF BAG. SECURE WITH A CLIP.

READ ENTIRE LABEL BEFORE EACH USE. WHEN USING THIS PRODUCT FOR FLEA CONTROL, USE ONLY ON DOGS AND CATS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IN THE GARDEN/VEGETABLES & FRUITS

PLANTS	INSECTS/PESTS	DAYS TO WAIT TO RE-TREAT	DAYS TO WAIT TO HARVEST
BEANS (FRESH ND DRIED)	Mexican Bean Beetles, Leafhoppers, Bean Leaf Beetles, Cucumber Beetles, Western Bean Cutworms, Velvet Bean Caterpillars, Flea Beetles, Japanese Beetles, Corn Earworms, Armyworms, Tarnished Plant Bugs, Stink Bugs	7	3 (succulent) 21 (dried) 14 (forage)
CABBAGE, BROCCOLI, BRUSSELS SPROUTS, CAULIFLOWER KOHLRABI	Flea Beetles, Harlequin Bugs, Armyworms, Imported Cabbageworms, Corn Earworms	3	3
CORN (sweet)	Corn Earworms, Corn Rootworm Adults, European Corn Borers, Fall Armyworms, Sap Beetles, Japanese Beetles, Leafhoppers, Flea Beetles	3	3 (ears) 14 (forage) 48 (fodder)
PORN (field and pop)	Corn Earworms, Corn Rootworm Adults, European Corn Borers, Fall Armyworms, Sap Beetles, Japanese Beetles, Leafhoppers, Flea Beetles	14	14 (forage, silage) 48 (grain, fodder)
CUCUMBERS MELONS, SQUASH Do not use this product on watermelons in Florida.	Pickleworms, Melonworms, Cucumber Beetles, Flea Beetles, Leafhoppers, Squash Bugs	7	3
CARROTS	Flea Beetles, Harlequin Bugs, Leafhoppers, Sixspotted Leafhoppers, Armyworms, Imported Cabbageworms, Corn Earworms, Spittlebugs, Tarnished Plant Bugs, Lygus Bugs, Stink Bugs	7	7

POTATOES,	Colorado Potato Beetles, Flea Beetles,	7	Potatoes: 7
EGGPLANT,	Leafhoppers, Tomato Fruitworms, Fall		Eggplant,
PEPPERS	Armyworms, Tomato Hornworms, European		Peppers: 3
	Corn Borers, Lygus Bugs, Stink Bugs, Lace] . [
	Bugs, Tarnished Plant Bugs		
STRAWBERRIES	Meadow Spittlebugs, Strawberry Leafrollers,	7	7
	Strawberry Weevils		
TOMATOES	Flea Beetles, Leafhoppers, Tomato	7	3
	Fruitworms, Fall Armyworms, Tomato		1
	Hornworms, European Corn Borers		

HOW TO APPLY

- •. Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, bulbous duster, or rotary duster. Dust lightly to cover upper and lower leaf surfaces with a thin, even film of dust.
- . Apply when air is calm to avoid drift and contact with eyes and skin.
- •. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering.
- •. For plants above chest height, consider using ORTHO Sevin Liquid.

WHEN TO APPLY

- . Apply dust at first signs of insects/pests.
- •. Dust in early morning or late evening when temperature is low.
- •. Apply/Repeat/Reapply as noted.
- •. CORN: For insects attacking silks and ears apply when first silks appear and continue until silks begin to dry. Three or more applications may be required depending on severity of infestation.
- •. CUCUMBERS, MELONS, SQUASH: Avoid excessive applications. Some leaf injury may occur if treatments are made when tender foliage is wet or in the presence of prolonged high humidity.

ON DOGS AND/& CATS (To control Ticks and/& Fleas)

HOW TO APPLY

Use product only outside or in a well-ventilated area. Wearing household latex or rubber gloves, lightly dust entire animal, avoiding pet's eyes, nose, mouth and genital areas. Rub or brush pet's hair to work dust down to the skin. Dust bedding and doghouse lightly using a shaker can or other dust applicator.

WHEN TO APPLY

Apply/Repeat/Reapply as necessary to dogs and cats but not more often than once a month. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing dogs or cats. Do not use on animals under 12 weeks of age.

Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur, baths your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

NOTE: This product may stain rugs or carpets. Do not apply to rugs or carpets, or allow treated pets back on rugs or carpets. DO NOT USE IN THE HOME. This product should not be applied by children.

STORAGE AND DISPOSAL

STORAGE: Store in original container in a safe place.

239-1513.NE

EPA Approved 2/12/98

Notification of 2/24/98

STORAGE: Store in original container in a safe place.

DISPOSAL: Do not reuse container. Securely wrap partially filled or empty container in newspaper and discard in

trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes eye irritation. Avoid contact with eyes or clothing. Avoid breathing dust.

USER SAFETY REQUIREMENTS

- Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product.
- •. Change clothing as soon as possible after use.
- •. Wash the outside of gloves before removing. As with any pesticide product, wash thoroughly immediately after handling and before eating, smoking or using the toilet.

(reentry icon) Do not allow children or pets to contact treated area until dust has settled.

FIRST AID: IF SWALLOWED: immediately telephone a poison control center, emergency treatment center or a physician for advice. DO NOT make person vomit unless directed to do so by medical personnel. If medical advice cannot be obtained, then immediately take person and product container to an emergency treatment center or hospital. IF IN EYES: flush eyes with plenty of water. Call a physician if irritation persists. IF INHALED: remove person from exposure area. Note to Physicians & Veterinarians: Emergency Information call 1-800-225-2883. Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming plants. Do not apply this product or allow it to drift to blooming plants if bees are visiting the treatment area.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[or]

Questions, Comments, or Medical Information?
Call 1-800-225-2883 http://:www.ortho.com

ORTHO®, SOLARIS® Registered Trademarks of Monsanto Company

239-1513.N1

EPA Approved 2/12/98

Notification of 2/24/98

 $\mathsf{SEVIN}^{\mathfrak{D}}$ is the registered trademark of Rhone-Poulenc for carbaryl insecticide.

[®]Monsanto Company 1998

Manufactured for
The SOLARIS Group of
Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form 8-747-02
EPA Reg. No. 239-1513
EPA Est. 58996-MO-1^A, 769-GA-1^G
Superscript is first etter of lot number
Made in USA