



[MITICIDE]

NET WEIGHT 50 LBS.

Active Ingredient: Tetradifon 3%
Inert Ingredients: 97%
P-chlorophenyl, 2,4,5-trichlorophenyl sulfone
U. S. Pat. No. 2,812,281

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

DIRECTIONS

APPLES, CRABAPPLES, PEARS, QUINCES: European Red Mite, Two-Spotted Spider Mite, McDaniel Mite, Canadensis Mite, Carpini Mite, Schoenii Mite

APRICOTS, CHERRIES, PEACHES, PLUMS, PRUNES, NECTARINES: European Red Mite, Two Spotted Mite, McDaniel Mite

BUSHBERRIES: Blackberries, Boysenberries, Blueberries, Gooseberries, Loganberries, Raspberries. Two Spotted Mite. Post harvest treatment

TEDION 3 Dust

KEEP OUT OF REACH OF CHILDREN

CAUTION: Avoid inhalation or contact with skin. Keep away from children, domestic animals, birds and foodstuffs. Do not allow livestock to graze treated areas. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

COTTON: Pacific Spider Mite, Two-Spotted Spider Mite - 45 lbs. per acre. Apply when mites appear and repeat at 7-10 day intervals. Do not apply after the cotton begins to open. Do not apply to cotton bolls.

FIGS: Pacific Mite, Two-Spotted Spider Mite - 45 lbs. per acre. Apply when mites first appear and repeat at 7-10 day intervals. Do not apply after the figs are ready for harvest.

FILBERTS: Two-Spotted Mite, McDaniel Mite - 45 lbs. per acre.

GRAPES: Pacific Mite, Two-Spotted Mite, Willamette Mite - 45 lbs. per acre. Apply before bud break and repeat at 7-10 day intervals. Do not apply after the grapes are ready for harvest.

HOPS: Two-Spotted Mites - 45 lbs. per acre. Apply when mites first appear and repeat at 7-10 day intervals. Do not apply after the hops are ready for harvest.

MELONS, PUMPKINS, WINTER SQUASH: Two Spotted Spider Mite - 45 lbs. per acre. Apply when mites first appear and repeat at 7-10 day intervals. Do not apply after the melons are ready for harvest.

ORNAMENTALS: Citrus Red Mite, Two Spotted Mite - 45 lbs. per acre. Apply when mites first appear and repeat at 7-10 day intervals. Do not apply to plants that are stressed or in bloom.

STRAWBERRIES: Two-Spotted Spider Mite - 45 lbs. per acre. During the fruiting period do not make applications at intervals less than 15 days. Do not apply within 3 days of picking time.


TOMATOES: Tropical Mite, Two-Spotted Spider Mite - 20 to 25 lbs. per acre. Apply when mites first appear and repeat as necessary. Do not apply more than 3 applications during the fruiting period. Do not apply to tomatoes to be used for canning.

WALNUTS: European Red Mite, Two-Spotted Mite - 45 lbs. per acre. Apply when mites appear and repeat at 7-10 day intervals. Do not apply after the walnuts are ready for harvest.

NOTE: This product is toxic to fish and aquatic life. Do not apply to water bodies or areas that drain into water bodies. Do not apply to plants that are stressed or in bloom.

CONDITIONS OF SALE

This product is sold as a concentrate and must be diluted before use. The user must read and understand the label directions and warnings. The user must be licensed to use this product. The user must be at least 18 years of age. The user must be a resident of the United States. The user must be a resident of the state where the product is used. The user must be a resident of the county where the product is used. The user must be a resident of the city where the product is used. The user must be a resident of the zip code where the product is used.



CHEVRON CHEMICAL COMPANY

ORTHODIVISION San Francisco, California 94120 Phone No. 3040

- RICHMOND, CALIFORNIA PORTLAND, OREGON FRESNO, CALIFORNIA DES MOINES, IOWA CHERRY HILL, NEW JERSEY DALLAS, TEXAS HONOLULU, HAWAII ORLANDO, FLORIDA