

# DIBROM<sup>®</sup> KELTHANE<sup>™</sup> 2-3 Dust



# ORTHO



## (INSECTICIDE-MITICIDE)

Active Ingredients	By Wt.
**Naled	2%
1,1-bis(p-chlorophenyl)-2,2,2-trichloroethanol	3%
Inert Ingredients	95%
**1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	
U. S. Pat. No. 2,971,882	

Use within \_\_\_\_\_ days of manufacture only, as this product decomposes.

Date of Manufacture \_\_\_\_\_

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER.

STORE IN COOL, DRY PLACE,  
OUT OF DIRECT SUNLIGHT.

BURN BAG IMMEDIATELY WHEN EMPTY. STAY OUT OF SMOKE.

## NET WEIGHT 50 LBS.

### Chevron Chemical Company

Ortho Division/San Francisco, Calif. 94119  
 Richmond, California    Fresno, California    Honolulu, Hawaii  
 Des Moines, Iowa    Perth Amboy, New Jersey    Orlando, Florida  
 Form 6193-Q    Product 3923    Made in U.S.A.

EPA Reg. No. 239-1595-AA

### DIRECTIONS

This product is formulated for application by ground or air equipment. Begin applications at first sign of insects. Repeat as necessary. Apply for contact and thorough coverage to obtain control of insects.

**COTTON:** Lygus, Cotton Leaf Perforator, Spider Mites—35 lbs. per acre. Apply at 7 to 10-day intervals while pests persist. Do not apply within 14 days of harvest. Do not graze treated fields by meat or dairy animals.

**GRAPES:** Leafhoppers, Spider Mites—40 to 50 lbs. per acre. Apply at petal fall to first cover or whenever pests appear. Do not apply within 7 days of harvest.



## READ THE LABEL

KEEP OUT OF REACH OF CHILDREN.

**CAUTION:** Harmful if swallowed. May cause irritation of eyes, nose and throat. Avoid breathing dust. Avoid contact with skin and eyes. Wash thoroughly after using. Do not store or transport near feed or food. **Note to Physicians:** Atropine is antidotal. 2 PAM is also antidotal and may be administered in conjunction with atropine. Do not use on cherries as injury may result. May corrode metal dust equipment, clean equipment after use. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

This product will kill fish. Keep out of any body of water. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

ACCEPTED

NOV 30 1972

**MELONS** (Cantaloupes, Honeydews, Muskmelons, Watermelons), **PUMPKINS, WINTER SQUASH:** Cabbage Loopers, Armyworms, Leafhoppers, Spider Mites—40 to 50 lbs. per acre. Do not apply within 2 days of harvest.

**ORANGES, LEMONS, GRAPEFRUIT:** Aphids, Red Spider Mites—50 to 60 pounds per acre. Do not apply within 7 days of harvest.

**STRAWBERRIES:** Red Spider Mites, Aphids—50 lbs. per acre. Do not apply within 4 days of harvest.

**TOMATOES:** Spider Mites, Aphids—25 lbs. per acre. Hornworms—50 lbs. per acre. Do not apply within 2 days of harvest.

**CONDITIONS OF SALE:** 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.

KELTHANE<sup>®</sup> trademark of Rohm & Haas Co.

# DIBROM<sup>®</sup> KELTHAN

## 2-3 Dust

### (INSECTICIDE-MITICIDE)

Active Ingredients	By Wt.
**Naled .....	2%
1,1-bis(p-chlorophenyl)-2,2,2-trichloroethanol .....	3%
Inert Ingredients .....	95%
**1,2-dibromo-2,2-dichloroethyl dimethyl phosphate U. S. Pat. No. 2,971,882	

Use within \_\_\_\_\_ days of manufacture only, as this product decomposes.

Date of Manufacture \_\_\_\_\_

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER.

STORE IN COOL, DRY PLACE,  
OUT OF DIRECT SUNLIGHT.

BURN BAG IMMEDIATELY WHEN EMPTY. STAY OUT OF SMOKE.

## NET WEIGHT 50 LBS.

### Chevron Chemical Company

Ortho Division/San Francisco, Calif. 94119

Richmond, California

Fresno, California

Honolulu, Hawaii

Des Moines, Iowa

Perth Amboy, New Jersey

Orlando, Florida

Form 6193 Q

Product 3973

Made in U.S.A.

EPA Reg. No. 239-1595-AA

### DIRECTIONS

This product is formulated for use with standard application equipment. Begin application as necessary. Apply for control to obtain control of insects.

**COTTON:** Lygus, Cotton Leafhopper, etc. Apply at 7 lbs. per acre. Apply at 7 days before harvest. Do not apply within 7 days of harvest. Do not graze treated fields by mechanical means.

**GRAPES:** Leafhoppers, Spider Mites, etc. Apply at petal fall to first harvest. Do not apply within 7 days of harvest.



RE

KEEP OUT OF RE

**CAUTION:** Harmful if in contact with eyes, nose and throat. Avoid contact with skin and eyes. Do not store or transport near food. Antidote: Atropine is antidotal. Do not be administered in conjunction with other drugs on cherries as injury may result. Wash application equipment, clean equipment thoroughly under conditions involving possible contamination of plantings that might be rendered unfit for sale, use or consumption. This product will kill fish. Kill fish. This product is highly toxic to aquatic life. Do not permit or residues on crops. Obtain information from your Cooperative Extension Service.