ORTHO Dibrom Lawn Insect Spray ETA Reg. No. 239-1607
November 30, 1983

COPY A

When applying product, wear long-sleeved shirt, long pants, water proof gloves, shoes and a head covering. Avoid exposure to children. Do not allow children to handle or apply this pesticide product. Do not allow children or pets in treated areas until surfaces are dry.

COPY B

Symptoms of poisoning: headache, nausea, dizziness, loss of equilibrium, muscle spasms, difficulty in breathing, hyperexcitibility and convulsions.

CONFIDENTIAL

PROPERTY OF

CHEVROII CHEMICAL COMPANY
UNTIL ACCEPTED BY EPA

ACCEPTED
with COMMENTS
in EPA Letter Dead:

FEB 2 7 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 239-1607



Treats Up To 4,000 Sq. Ft.

DIBROM® Lawn Insect Spray

वैश्वीकृतिस्तर क्षेत्राकृतिस्तर स्थान स्य



Assessment	1.			
	· · · · · · · · · · · · · · · · · · ·			
Ganna Isamer of Bear Aromatic Peticleum Ganes Inert Impedients 1, 2-dorome Z 2-dichlerse in U S. Pat. No. 2,971,882	me Herschlande 4.5% two Soliens 68.0% 10.0% and demand phenomics			

DANGER: Keep out of reach of children. Read danger statements on back ponel.

NET CONTENTS 1 QUART LIQUID

237-1601

ORTHO DIBROM' Lawn Insect Spray

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL DANGER STATEMENTS AND DIRECTIONS
KLEP PESTICIDE IN GRIGINAL CONTAINER DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS
DIRECTIONS Place required amount of DIBROM Lawn Insect Spray in ORTHO Lawn Sprayer for (see thart) fill for with water, mix, attach to sprayer and apply as recommended. Use as once. Do not let stand overnight

pry as recommended use of which the number strong control of AH Species of Resistant and Non Resistant Cockroaches. Jung German, Brown Banded, Oriental and American Roaches Around Outside Oxiellings, Barns and Other Buildings where Roaches East—Use to put per 1 gat water Decet as wet spray at building foundations. Interg cracks and creeces also under preter and standars, around sents upon ducts doorways window sills, garbage containers and other outside areas frequented by roaches. Do not apply usude buildings.

DANGER May be harmful if swallowed or absorbed through skin. Concentrate may cause skin or eye damage. Do not get in eyes, on skin, or in clothing. Aund breathing spray mist. Die waterproof gloces and face sheld or gogyles when handling concentrate may cause skin or eye damage. Do not get in eyes, on skin, or in clothing. Aund breathing spray mist. Die waterproof gloces and face sheld or gogyles when handling concentrates in contact immediately flush skin or eyes with plenty of water for eyes, get medical attrictional contact immediately flush skin or eyes with plenty of water for eyes, get medical attrictional contact immediately already and in a storage near or contamination of feed and food products. Keep thicken and pets of to flam until signay is wasted completely into soil. Did not use on household pets of humans. OD NOT USE POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. Do not use on Not used contamination of this poods. Wash equipment thereughly after use to avoid cortesion. When container is empty immediately wash thoroughly and cestroy. Never reuse.

This product will first and waldide. Keep out of any body of water. Buds feeding on treated areas may be killed. Do not apply where runoff is tally to occur. Do not apply when weather conditions favor drift from weas treated. Do not contaminate water by cleaning of egogyment or dasposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops Protective information may be chranced from your Croperaine Agricultural Extension Service.

NOTICE. Buyer assumes at responsibility for safety and use not in accordance with STORE IN COOL, DRY PLACE

Chevron Chemical Company

On D. Franks Centralis Bit of Centralis District Perhant and Resid Ga FC 6071 in Unishin Water 654 EPA Reg No 239 1607 ZB

Laws Insect Spray To Use Pests Comments LAWN LEAF FEEDERS AND SURFACE PESTS Alow lawn and water well 1 to 2 days before treatment. On Dichondra and matted grass lawns sprinkle lightly immediately after treatment to improve effectiveness. Heavy watering or irrigation should be withheld for 2 to 3 days following treatment Repeat treatments may be necessary at 4 to E week intervals. Sprais are most effective it appeal during 2 hour period prior to darkness when lawn insects become active. One Cup (8 II or) in 15 gals water to treat 1000 sq. ft. of Izan One Tablespoonful in 1 gal coxers 15 sq. ft. One Pint in 30 gals coxers 2,000 sq. ft. Larvae Leathoppers. Sod Webworms. ROOT FEEDERS AND SOIL PESTS One Cup (8 ff oz) in 15 gals water per 750 sq ft Bildug Grubs For lawns and soil in flower beds, water for lawns and soil in flower beds, water beauty immediately after treatment to wash spray area soil. Do not wash spray away by flooding. Note This treatment with normally stop damage However with extremely severe infestations of cutworms (particularly midchondra lawns) a repeat application may be required in 1 to 2 days. Sprays are most effective if applied during 2 hour period prior to darkness when weselfs become active. Brachyrlanus Grubs, Cutworms Symphilids White Grubs. HOME INVADING PESTS Brown Dog Ticks Ants Clover Mites One Cop (8 ff or) in 15 gals, water to treat 1000 sq. ft, of fawn Treat lawn. Also spray foundation and sold around buildings, along fences, etc. Do not use inside divelings. Earwigs, Soutugs PATIO AND OTHER OUTDOON LIVING AREAS Use ORTHO SPRAY ELLE Apply spray 4 lat espoonfuls Gal water Mosquitoes and Gnars

Amount DIBROM

to all pasio surfaces and immediate sur-rounding areas I to 3 hours before start ing cook out

(≉,

BRP

435/11/68/

27Fc3 34

Mr. W. L. Chase
Chevron Chemical Company
Ortho Agricultural Chemicals Division
940 Hensley Street
Richmond, CA 94804-0036

300 117216

Dear Mr. Chase:

Subject: Conditional Registration Application

Amendments - Update jer Lindanc PD-4; Replacement Pormula

Dibrom Lawn Insect Spray
FPA Registration No. 239-1607

Application Dated November 30, 1983

The amendments referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable, provided that you make the labeling changes listed below before you release the product for shipment hearing the amended labeling:

- 1. While the proposed additions to comply with the provisions of the Lindane Position Document 4 are acceptable, the label itself should be updated to be in compliance with 40 CFR § 162.10. Please reformat, reorganize and additional headings and subheadings as necessary.
- 2. The label storage and disposal advice should appear in one location on the label and should be updated to rescribe that appearing on your other current labels.

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

If you hold a Federal registration, a supplemental registration, or a Special Local Needs registration, you may continue to produce new stocks of such products, using current labeling, until April 1, 1984. After that date, all

CONCURRENCES								
SYMBOL								
SURNAME		 						
DATE								
77.4 7	200 1 44 04			 		 		SIA! EU E @

EPA Form 1320-1 (4-81)

OFFICIAL FILE COPY

-2-

remaining inventories of offected products will fall under the Existing Stocks provisions stated in our letter cr Cctober 28, 1983.

Sincerely yours,

Ceorge W. IaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767)

Enclosure

P.S. The replacement formula is currently being reviewed. Comments or acceptance of the proposed revisions will follow as soon as this review is completed.

DCR-05448:LaRocca:Raven:557-2226:CBI-21:tar:2/10/84:Del.2/27/84