


THIODAN[®] 4

Dust



(INSECTICIDE)

Active Ingredient: Endosulfan 4%
 Inert Ingredients: 96%
 *Hexachlorocyclopentadiene-2,4,3-benzodioxathiepin oxide
 U. S. Pat. No. 2,799,685

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

BURN BAG IMMEDIATELY WHEN EMPTY. STAY OUT OF SMOKE.
 Not for use or storage in or around the home.

APPLES: Apple Aphid, Apple Leaf Miner, Apple Leaf Rollers, Apple Leaf Curler, Apple Tree Weevil, Apple Bark Scale, Apple Root Weevil. Apply to the trunk of the tree.

ARTICHOKE: Artichoke Aphid, Green Peach Aphid, Artichoke Plume Moth. Apply to the underside of leaves first, and to the top as required.

BEANS: Dry and Succulent: Black Bean Aphid, Bean Leaf Skeletonizer, Cucumber Beetles, Green Stink Bug, Mexican Bean Beetle—10 to 25 lbs. per acre. Apply to the underside of leaves. Do not apply within 3 days of harvest.

BROCCOLI, CABBAGE, BRUSSELS SPROUTS, CAULIFLOWER: Cabbage Aphids, Cabbage Looper, Imported Cabbageworm, Diamond-Back Moth Larvae, Cross Striped Cabbageworms, Flea Beetle, Harlequin Bug, Stink Bug—10 to 25 lbs. per acre. Apply to the underside of leaves. Do not apply within 7 days of harvest.

CARROTS: Green Peach Aphid, Carrot Root Weevil. Apply to the top of the carrot.

CELERY: Green Peach Aphid, Celery Leaf Miner, Green Peach Aphid, Cabbage Looper.

COLLARDS: Cabbage Looper, Diamond-Back Moth Larvae, Harlequin Bug, Imported Cabbageworm. Apply to the underside of leaves. Do not apply within 7 days of harvest.

CORN (SWEET): For Fresh Vegetable Use Only. Corn Leaf Aphid, Corn Earworm. Apply to the underside of leaves first, and to the top of the ear as required. Do not apply within 3 days of harvest.

NET WEIGHT 50 LBS.

Chevron Chemical Company
 Ortho Division, San Francisco, Calif. 94119
 Richmond, California Fresno, California
 Des Moines, Iowa Perth Amboy, New Jersey Orlando, Florida
 Form 6263-D Product 2993 Made in U.S.A.
 EPA Reg. No. 239-1626-AA

Do not use on crops grown in greenhouses. Do not use on crops used forage or for animal feed.

COTTON: Boll Weevil, Cotton Flea Beetle, Cotton Stink Bugs, Lygus Bug, Bollworm, Cabbage Looper, Cotton Leaf Perforator—15 to 25 lbs. per acre. Apply to the underside of leaves. Do not apply within 7 days of harvest.

CUCUMBERS, PUMPKINS, SUMMER AND WINTER SQUASH: Aphids, Cucumber Beetles, Striped Flea Beetle, Squash Vine Borer—10 to 25 lbs. per acre. Apply to the underside of leaves. Do not apply within 7 days of harvest.

FILBERTS: Filbert Aphid, Filbert Leaf Roller—27 lbs. per acre. Apply to the underside of leaves. Do not graze livestock in treated groves.

GRAPES: Grape Leafhopper—25 to 35 lbs. per acre. Do not use on Concord grapes as severe injury is likely to occur. Do not apply within 7 days of harvest.

HEAD LETTUCE: Cabbage Looper, Green Peach Aphid, Diamond-Back Moth Larvae, Imported Cabbageworm—10 to 25 lbs. per acre. Do not apply within 3 days of harvest. Do not apply within 14 days of harvest.

KALE: Cabbage Flea Beetle, Imported Cabbageworm, Harlequin Bug—10 to 25 lbs. per acre. Do not apply within 7 days of harvest.

MELONS: Aphids, Cucumber Beetles, Striped Flea Beetle—10 to 25 lbs. per acre. Apply to the underside of leaves. Do not apply within 7 days of harvest.

MUSTARD GREENS, TURNIP GREENS: Aphids, Cabbage Looper, Imported Cabbageworm—10 to 25 lbs. per acre. Do not apply within 7 days of harvest.

ORNAMENTALS (Greenhouse and Out-of-Doors): Aphids, Whitefly—10 to 25 lbs. per acre. In greenhouse applications, wear mask or goggles to protect eyes from dust. Do not use for indoor use.

CAUTION

READ THE LABEL

KEEP OUT OF REACH OF CHILDREN

CAUTION: This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply to any area not protected by this label.

Do not apply to bees and birds. Do not be applied when bees are active in the area.

Do not use on crops grown in greenhouses. Do not use on crops used forage or for animal feed.

PEACHES, APRICOTS, NECTARINES: Green Peach Aphid, Peach Leaf Curler, Peach Leaf Weevil, Peach Tree Weevil. Apply to the underside of leaves. Do not apply within 7 days of harvest.

PEAS (SEED CROPS ONLY): Pea Aphids, Pea Weevil. Apply to the underside of leaves. Do not apply within 7 days of harvest.

PEPPERS: Green Peach Aphid, Flea Beetles, Hornworms, Pepper Midge—10 to 25 lbs. per acre. Apply to the underside of leaves. Do not apply within 7 days of harvest.

POTATOES: Flea Beetle, Colorado Potato Beetle, Leafhopper, Aphids, Potato Psyllid, Colorado Potato Beetle, Southern Armyworm, Green Stink Bug, Leaf-footed Plant Bugs, and Other Plant Bugs, Potato Tuberworm, Whitefly, Colorado Potato Beetle, False Chinch Bug, European Corn Borer—10 to 25 lbs. per acre. Apply to the underside of leaves. Do not apply within 7 days of harvest.

SAFFLOWER: Green Peach Aphid, Flea Beetle, Hornworm. Do not apply within 7 days of harvest.

SPINACH: Green Peach Aphid, Crown Mite—10 to 25 lbs. per acre. Do not apply within 7 days of harvest.

STRAWBERRIES: Strawberry Aphid, Meadow Spittlebug—10 to 25 lbs. per acre. Apply to the underside of leaves. Do not apply within 7 days of harvest.

SUGAR BEETS: Green Peach Aphid, Sugar Beet Webworm, Meadow Spittlebug. Apply to the underside of leaves. Do not apply within 7 days of harvest.

TOBACCO: Flea Beetle, Hornworm, Budworm, Green Peach Aphid, Cabbage Looper—SEED BED: 10 to 25 lbs. per acre. FIELD: 10 to 25 lbs. per acre.

EGGPLANTS: Colorado Potato Beetle, Flea Beetle, Green Peach Aphid, Green Stink Bug, Whitefly—10 to 25 lbs. per acre. Apply to the underside of leaves. Do not apply within 7 days of harvest.

TOMATOES (Field and Greenhouse): Bester Beetles, Colorado Potato Beetle, Flea Beetles, Green Peach Aphid—10 to 25 lbs. per acre. Apply to the underside of leaves. Do not apply within 7 days of harvest.

WALNUTS: Walnut Aphid, Walnut Leaf Miner. Apply to the underside of leaves. Do not apply within 7 days of harvest.

CONDITIONS OF SALE: This product is sold on the basis of a contract between the buyer and the seller. The contract is the label on the container of this product. The contract contains the terms and conditions of sale. The contract is a legal document and it is the responsibility of the buyer to read and understand the contract before buying this product.

ORTHO is a registered trademark of Cyanamid Chemical Corporation.