



**DORMANT
spray**

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

SHAKE WELL BEFORE USING

ORTHO Dormant Spray contains a combination of oil insecticide and sulfur fungicide for use in controlling insects and diseases on dormant (deciduous) ornamental shrubs and fruit trees. **For Dormant Use Only.** Apply in fall, winter or spring only when plants are completely dormant. If applied in spring after buds begin showing new growth, injury may result. For easy application, use ORTHO SPRAY-ETTE. Do not store diluted spray. Make new dilution for each use.

DIRECTIONS

MIXING DIRECTIONS: Shake well before using. Pour small amount of water into SPRAY-ETTE, add recommended amount of ORTHO Dormant Spray, mix and add remainder of water as specified. Keep mixture agitated while spraying. Use forceful spray, wetting pests and all parts of plants thoroughly. Use 1 pint ORTHO Dormant Spray in 6 gallons water (5 Tablespoonfuls per gallon).



CHEVRON CHEMICAL COMPANY

ORTHO DIVISION — San Francisco, Calif. 94120

RICHMOND, CALIF. Atlanta, Georgia Des Plaines, Illinois
Form 6551-F USDA Reg. No. 239-1664 Product 3216 Made in U.S.A.

Jan 25, 1968 No comment - 1/24/68

ROSES, ORNAMENTALS, SHADE TREES (Dormant deciduous only)—To control Rose Scale, San Jose Scale, Black Scales, Spider Mite Eggs, Mealy Bugs, Insect Eggs and Overwintering Fungus Spores or Plant Diseases such as Black Spot, Rust Blights and Leaf Spots—Prune and destroy all old leaves and branches. Spray plants using 1 pint ORTHO Dormant Spray per 6 gallons of water (5 Tablespoonfuls per gallon). See mixing directions.

FRUIT TREES (such as Almonds, Apples, Cherries, Nectarines, Peaches, Apricots, Plums, Prunes, Raspberries, Walnuts): San Jose Scale, Italian Pear Scale, Crown Scale, Mite Eggs, Insect Eggs and Overwintering Plant Diseases, Peach Leaf Curl—Use 1 pint in 6 gals. water (5 Tablespoonfuls per gal.). See mixing directions.

CAUTION: Harmful if swallowed. Wash hands after use. Do not apply when freezing temperatures are expected. Do not use on Evergreens. If separation occurs in bottle, product quality is not impaired. Shake well before using. Avoid spraying on painted surfaces to avoid staining. (However, if ORTHO Dormant Spray is sprayed on painted surfaces, considerable bleaching out will occur.) Keep bottle tightly closed when not in use. When container is empty, immediately wash thoroughly and destroy. Never re-use.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.



**DORMANT
spray**

**KILLS
OVERWINTERING
INSECTS &
DISEASES**

OIL and LIME SULFUR

SPIDER MITES • SCALE • MEALYBUGS
• PEACH LEAF CURL and certain others



**DORMANT
spray**

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

SHAKE WELL BEFORE USING

ORTHO Dormant Spray contains a combination of oil insecticide and sulfur fungicide for use in controlling insects and diseases on dormant (deciduous) ornamental shrubs and fruit trees. For Dormant Use Only. Apply in fall, winter or spring only when plants are completely dormant. If applied in spring after buds begin showing new growth, injury may result. For easy application, use ORTHO SPRAY-ETTE. Do not store diluted spray. Make new dilution for each use.

DIRECTIONS

MIXING DIRECTIONS: Shake well before using. Pour small amount of water into SPRAY-ETTE, add recommended amount of ORTHO Dormant Spray, mix and add remainder of water as specified. Keep mixture agitated while spraying. Use forceful spray, wetting pests and all parts of plants thoroughly. Use 1 pint ORTHO Dormant Spray in 6 gallons water (5 Tablespoonfuls per gallon).



CHEVRON CHEMICAL COMPANY

ORTHO DIVISION — San Francisco, Calif. 94120

RICHMOND, CALIF. Atlanta, Georgia Des Plaines, Illinois
Form 8561-F USDA Reg. No. 239-1664 Product 3216 Made in U.S.A.

ACCEPTED

JUL 25, 1968

no comment
239-1664

ROSE, ORNAMENTALS, SHADE TREES (Dormant deciduous only)—To control Rose Scale, San Jose Scale, Black Scales, Spider Mite Eggs, Mealy Bugs, Insect Eggs and Overwintering Fungus Spores or Plant Diseases such as Black Spot, Rust Blights and Leaf Spots—Prune and destroy all old leaves and branches. Spray plants using 1 pint ORTHO Dormant Spray per 6 gallons of water (5 Tablespoonfuls per gallon). See mixing directions.

FRUIT TREES (such as Almonds, Apples, Cherries, Nectarines, Peaches, Apricots, Plums, Prunes, Raspberries, Walnuts): San Jose Scale, Italian Pear Scale, Brown Scale, Mite Eggs, Insect Eggs and Overwintering Plant Diseases, Peach Leaf Curl—Use 1 pint in 6 gals. water (5 Tablespoonfuls per gal.). See mixing directions.

CAUTION: ~~Harmful if swallowed.~~ Wash hands after use. Do not apply when freezing temperatures are expected. Do not use on Evergreens. If separation occurs in bottle, product quality is not impaired. Shake well before using. Avoid spraying on painted surfaces to avoid staining. (However, if ORTHO Dormant Spray is sprayed on painted surfaces, considerable leaching out will occur.) Keep bottle tightly closed when not in use. When container is empty, immediately wash thoroughly and destroy. Never re-use.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.



**DORMANT
spray**

**KILLS
OVERWINTERING
INSECTS &
DISEASES**

OIL and LIME SULFUR

SPIDER MITES • SCALE • MEALYBUGS
• PEACH LEAF CURL and certain others



spray

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

SHAKE WELL BEFORE USING

ORTHO Dormant Spray contains a combination of oil, insecticide and sulfur fungicide for use in controlling insects and diseases on dormant deciduous, ornamental shrubs and fruit trees. For Dormant Use Only. Apply in fall, winter or spring only when plants are completely dormant. If applied in spring after buds begin showing new growth, injury may result. For easy application, use ORTHO SPRAYETTE. Do not store diluted spray. Make new dilution for each use.

ROSES, ORNAMENTALS, SHADE TREES (Dormant deciduous only) - To control Rose Scale, San Jose Scale, Black Scales, Spider Mite Eggs, Mealy Bugs, Insect Eggs and Overwintering Fungus Spores or Plant Diseases such as Black Spot, Rust Blights and Leaf Spots. For use on trees, shrubs, vines and bare-root plants using ORTHO Dormant Spray. See label for directions.

FRUIT TREES (Apple, Pear, Peach, Plum, Nectarines, Peaches, Apricots, etc.) - To control San Jose Scale, Black Scales, Spider Mite Eggs, Mealy Bugs, Insect Eggs and Overwintering Fungus Spores or Plant Diseases such as Black Spot, Rust Blights and Leaf Spots. For use on trees, shrubs, vines and bare-root plants using ORTHO Dormant Spray. See label for directions.

CAUTION: Harmful if swallowed. Wash hands after use. Do not apply when freezing temperatures are expected. Do not use on Evergreens. If separation occurs in bottle, product quality is not impaired. Shake well before using. Avoid spraying on painted surfaces to avoid staining. (However, if ORTHO Dormant Spray is sprayed on painted surfaces, considerable bleaching out will occur.) Keep bottle tightly closed when not in use. When container is empty, immediately wash thoroughly and destroy. Never re-use.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

CHEVRON CHEMICAL COMPANY
ORTHO DIVISION San Francisco, Calif. 94104
RICHMOND, CALIF. Atlanta, Georgia Des Plaines, Illinois
Form 6551-E USDA Reg. No. 1291564 Product 3216 Made in U.S.A.



spray

KILLS OVERWINTERING INSECTS & DISEASES

OIL and LIME SULFUR

SPIDER MITES • SCALE • MEALYBUGS
• PEACH LEAF CURL and certain others

2-413116 6812544