

DIBROM[®] Cryolite 3-40 Dust



ORTHO

(INSECTICIDE)

[239-1779]

ACCEPTED

Active Ingredients	By Wt.
*Naled	3%
Sodium Fluoaluminate	40%
Inert Ingredients	57%
*1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	
Fluorine expressed as elemental	21.7%
U. S. Pat. No. 2,971,882	

Use within 3 days of manufacture only, as this product decomposes.

Date of Manufacture _____

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

BURN BAG IMMEDIATELY WHEN EMPTY. STAY OUT OF SMOKE.

DIRECTIONS

This product is formulated for application by ground or air equipment.

LETTUCE: Aphids, Climbing Cutworms, Alfalfa Looper, Corn Earworm—45 lbs. per acre. Apply when worms first appear while still small and before they get down into the head. Do not apply to lettuce after the seedling stage.

NET WEIGHT 50 LBS.

Chevron Chemical Company

Ortho Division/San Francisco, Calif. 94119
Richmond, California Fresno, California
Des Moines, Iowa Perth Amboy, New Jersey Orlando, Florida
Form 6593-1 Product 3331 Made in U.S.A.

No. 239-1779-AA



READ THE LABEL

KEEP OUT OF REACH OF CHILDREN

CAUTION: Harmful if swallowed. May cause irritation of eyes, nose and throat. Avoid breathing dust. Avoid contact with skin and eyes. Wash thoroughly after using. Do not store or transport near feed or food.
Note to Physician: Atropine is antidotal. 2 PAM is also antidotal and may be administered in conjunction with atropine. Do not use on cherries as injury may result. May corrode metal dust equipment, clean equipment after use.
Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

JUL 20 1973

UNDER THE FEDERAL INSECTICIDE ACT
FUNGICIDE AND RELATED PRODUCTS
FOR ECONOMIC POLICY REVISION
ED UNDER NO. 239-1779

TOMATOES: Flea Beetle, Leafminers, Tomato Fruitworms, Hornworms—30 lbs. per acre. Apply when plants are first set out and repeat as necessary. Do not apply within 1 day of harvest. If applied after fruit starts to set, remove residue at harvest by washing, wiping or other effective means.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.