



# Kelthane\* 5 Dust

[MITICIDE]

NET WEIGHT 50 LBS.

Active Ingredient: 1,1-bis(p-chlorophenyl)-2,2,2-trichloroethanol  
Inert Ingredients: 95%

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.



READ THE LABEL

KEEP OUT OF REACH OF CHILDREN

### CAUTION:

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

**HOPS:** Two-spotted and Pacific Mite. Apply when first mites appear. Do not apply within 7 days of harvest.

**PEACHES, NECTARINES:** Spider Mites. Do not apply within 14 days of harvest.

**PEARS:** European Red Mites, Two-Spotted Mites, Brown Almond Mites, Pacific Mites. Apply when first mites appear.

**STRAWBERRIES:** Two-Spotted Mite, Pacific Mite. Apply when first mites appear.

### CONDITIONS OF SALE:

**APPLES:** Spider Mite. Apply when first mites appear.

**CANEBERRIES:** Blackberries, Raspberries, Boysenberries. Two-Spotted Mites, Pacific Mite. Apply when first mites appear.

**CANTALOUFES, CUCUMBERS, SQUASH, MELONS, WATERMELONS:** Two-Spotted Mite, Pacific Mite. Apply when first mites appear.

**CITRUS:** Citrus Red Mite, Citrus Flat Mite, Six-Spotted Mite, Yuma Mite, Two-Spotted Mites, Pacific Mite. Apply when first mites appear.

**COTTON:** Pacific Mite, Atlantic Mite, Two-Spotted Mite, Red Spider Mites. Apply when first mites appear.

**FIGS, PLUMS, PRUNES:** Spider Mites. Apply when first mites appear.

**GRAPES:** Spider Mite. Apply when first mites appear.

ACCEPTED  
Jul 20, 1971

## CHEVRON CHEMICAL COMPANY

EPA Reg. No. 239-1992

ORTHO DIVISION — San Francisco, California 94119

Product 1579

RICHMOND, CALIFORNIA

HONOLULU, HAWAII

FRESNO, CALIFORNIA



DES MOINES, IOWA

ORLANDO, FLORIDA

CHERRY HILL, NEW JERSEY