



ORNAMENTAL CUSTOM BLEND No. 63

[INSECTICIDE-FUNGICIDE]

CONTAINS

25% PHALTAN[®] AND
25% SEVIN*

NET WEIGHT 24 POUNDS

Active Ingredients	By Wt.
Folpet**	25%
Carbaryl (1-naphthyl N-methylcarbamate)	25%
Inert Ingredients	50%
**N-(trichloromethylthio) phthalimide	
U. S. Pat. Nos.	2,903,478-3,009,855

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

STORE IN COOL, DRY PLACE.
PROTECT FROM EXCESSIVE HEAT.

BURN BAG IMMEDIATELY WHEN EMPTY. STAY OUT OF SMOKE.

DIRECTIONS

ORTHO Ornamental Custom Blend No. 63 is a wettable powder combination insecticide-fungicide product for use on Ornamentals and other listed plants. When used at 4 lbs. per 100 gallons of water the active ingredients will equal those contained in 2 lbs. of ORTHO PHALTAN 50 Wettable, and 2 lbs. of ORTHO SEVIN 50 Wettable. The blend is readily dispersible in water and adaptable for any type of ground sprayer. Must be agitated during application.

ORNAMENTALS, FLOWERS, SHRUBS, SHADE TREES: Apple Aphid, Bagworm, Birch Leaf Miner, Blister Beetles, Boxelder Bug, Boxwood Leaf Miner, Elm Leaf Aphid, Elm Leaf Beetle, Flea Beetle, Gypsy Moth, Japanese Beetle, June Beetles, Lace Bugs, Leaf-



READ THE LABEL

KEEP OUT OF REACH OF CHILDREN

CAUTION: HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. Avoid Breathing Dust or Spray. Do Not Take Internally. Skin Contact May Be Harmful. Avoid Unnecessary Contact. Wash Hands and Face Before Eating. Take Shower or Bath After Work. Wear Regular Long Sleeved Work Clothing. Change to Clean Clothing Daily. Do not use on sweet cherries as injury may occur. Note for Physicians: Carbaryl is a moderate, reversible, Cholinesterase inhibitor. Atropine is antidotal. AVOID CONTAMINATION OF FOOD, FEED, FEEDING TROUGHS AND WATERING RECEPTACLES. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

This product is toxic to fish. Keep out of any body of water. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

ACCEPTED

Feb 7, 1970

239-2105

no comments

hoppers, Leaf Rollers, Mealy Bugs, Mimosa Webworm, Oak Leaf Miners, Orange Tortrix, Periodical Cicada, Plant Bugs, Puss Caterpillars, Psyllids, Rose Aphid, Rose Slug, Scale Insects, Tent Caterpillars, Thorn Bugs, Exposed Thrips, Willow Leaf Beetles—4 lbs. per 100 gals. water. Apply at first signs of insects. Repeat as necessary. Do not use on Boston Ivy.

LAWNS, TURF: Ants, Chinch Bugs, Earwigs, Fall Armyworm, Fleas, Leafhoppers, Millipedes, Mosquitoes, Sod Webworms (Lawn Moths)—4 lbs. per 100 gals. water to 5,000 sq. ft.

ORNAMENTAL DISEASES: Powdery Mildew, Black Spot and Rust on ROSES; Septoria Leafspot, Didymellina Leafspot on CHRYSANTHEMUMS and IRIS; Rust and Alternaria Leafspot on CARNATIONS; Alternaria Leafspot, Powdery Mildew and Anthracnose

on ZINNIAS, MARIGOLDS, CHRYSANTHEMUMS, ASTERS, PHLOX and SNAPDRAGONS—4 lbs. per 100 gals. water. Apply when young leaves first appear. Repeat at 7 to 10-day intervals or as necessary throughout the season. Thorough coverage is required.

APPLES, CRABAPPLES: Bitter Rot, Botryosphaeria, Alternaria Spot, Brooks Fruit Spot, Sooty Blotch, Black Rot, Fly Speck, Scab—4 lbs. per 100 gals. water. Apply at delayed dormant and repeat at 7 to 14-day intervals until harvest. Caution—East—Use during the critical period (just before bloom until 30 days after petal fall) may cause russeting to sensitive varieties such as Golden Delicious, Red Delicious and Stayman Winesap. May be used up to 1 day of harvest.

APPLES: Codling Moth, Apple Mealybug, Green Apple Aphid, White Apple Leafhopper, Apple Maggot, Bagworm, Eastern Tent Caterpillar, European Apple Sawfly, Eye-Spotted Bud Moth, Red-Banded Leaf Roller, Fruit Tree Leaf Roller, Green Fruitworm, Japanese Beetle, Periodical Cicada, Plum Curculio, Rosy Apple Aphid, Woolly Apple Aphid, Apple Rust Mite, Tarnished Plant Bug, Tentiform Leaf Miners, Forbes Scale, Lecanium Scale, Oyster-shell Scale, San Jose Scale—4 lbs. per 100 gals. water. Apply on schedule for disease control. May be used up to 1 day of harvest.

COMPATIBILITY: This product is compatible with commonly used insecticides, adjuvants and fungicides with the exception of strongly alkaline material such as hydrated lime. This product should not be used in combination with or closely following oil sprays. Do not use with Lime, Bordeaux, Lime-sulfur, Casein-lime spreaders or other alkaline materials.

CONDITIONS OF SALE. 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.

*Trade Mark of Union Carbide Corporation for the active ingredient, 1-naphthyl N-methylcarbamate.

CHEVRON CHEMICAL COMPANY

ORTHO DIVISION — San Francisco, California 94120

FORM 7117-A

USDA Reg. No. 239-2105

Product 3717

Made in U. S. A.

RICHMOND, CALIFORNIA

PORTLAND, OREGON
HONOLULU, HAWAII

FRESNO, CALIFORNIA



DES MOINES, IOWA

CHERRY HILL, NEW JERSEY
ORLANDO, FLORIDA

DALLAS, TEXAS