

[INSECTICIDE-MITICIDE] NET CONTENTS 5 GALS.

LIQUID

Active Ingredients	By Wt.
Dioxathion (2,3-p-dioxanedithiol S,S-bis (O,O-diethyl phosphorodithioate))	56%
Related Compounds	24%
Inert Ingredients	20%

Contains 8 lbs. Delnav per gallon.
*DELNAV and this product are covered by United States Patent No. 2,725,328.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS. BEFORE DISCARDING THIS CONTAINER, FILL IT WITH WATER, ADDING 3 TABLESPOONFULS CAUSTIC (ALKALINE) SUBSTANCE, SUCH AS WASHING SODA (SODIUM CARBONATE) OR LIME. ALLOW THE CONTAINER WITH WATER AND CAUSTIC TO STAND OVERNIGHT. BURY THE WASHINGS. EMPTY DRUMS MUST NOT BE USED IN ANY CONNECTION WITH FEED, FOOD OR DRINKING WATER FOR 5 GALLON SIZE. WASH, PERFORMATE AND BURY CONTAINER WHEN EMPTY. NEVER RE-USE

APPLES, PEARS, QUINCES: Mites—6 ozs. to 1½ pint in 100 gals. water. **Codling Moth**—Apply in cover sprays at rate of ½ pint in 100 gals. water. **Apple Maggots**—4 to 8 ozs. in 100 gals. water. Do not apply more than 7 times after fruit starts to form. Do not apply within 7 days of harvest. Do not feed produce from treated fruit to meat or dairy animals. Do not feed produce from treated orchards to man or other animals.

CITRUS (Oranges, Grapefruit, Lemon, Lime, Tangelos, and Tangerines): Citrus Thrips, Citrus Red Mite, Six-spotted Mite, Yuma Mite, Rust Mite, Texas Citrus Mite—½ to 1½ pint in 100 gals. water. One application will usually bring mite infestations under control. Do not make re-applications to Oranges, grapefruit, Tangelos, and Tangerines within 3 months of first application. Do not apply to lemons and limes. Do not make a second application to lemons and limes within 4 months of first application. Do not feed or market produce from treated orchards.

DANGER:

KEEP OUT OF REACH OF CHILDREN
DO NOT INHALE
DO NOT GET ON SKIN
DO NOT TAKE INTERNALLY



POISON



FIRST-AID TREATMENT

ANTIDOTE: If swallowed, induce vomiting with warm salty or soapy water. If on the skin, remove contaminated clothing and immediately wash skin with soap and water.

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING: If symptoms or signs of poisoning include loss of appetite, nausea, vomiting, abdominal cramps, diarrhea, excessive sweating, constriction of pupils, blurred vision, dizziness, and restlessness, give two atropine tablets (1, 100 gr. each) at once. Remove patient immediately from the area where Delnav is present. Have patient lie down and keep quiet. **PHYSICIAN'S NOTE:** Warning symptoms include loss of appetite, nausea, vomiting, abdominal cramps, diarrhea, excessive sweating, constriction of pupils, blurred vision, dizziness, and restlessness. **TREATMENT:** Give 1/30 to 1/40 gr. atropine, preferably in injection, or two or three tablets at once and parenterally or orally every hour as required up to 30 tablets or until pupils dilate. 2-PAM is also antidotal and may be administered in conjunction with atropine. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause an allergic sensitivity to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase reactivation has been ascertained as determined by blood tests.

DANGER:

Poisonous by Skin Contact, Inhalation, or Swallowing. Absorbed Through Skin. Repeated Exposure May, Without Symptoms, Be Increasingly Hazardous. Do not Breathe Vapors. Use this material with care. It is a cholinesterase inhibitor. Do not get in eyes or on skin or clothing. Use a respirator approved by the U.S. Department of Agriculture for Delnav protection. Wear clean protective clothing, heavy rubber gloves, and goggles. Remove contaminated clothing and wash skin thoroughly with soap and water. Wash hands and face after handling. Rinse mouth. After use, bathe thoroughly and change to clean clothing. Wash all contaminated clothing with soap and hot water before re-use. During application keep unprotected persons away

GRAPES: Grape Leafhoppers, Mites—½ to ¾ pint per acre in sufficient water to insure coverage of all parts of the vines. Do not apply more than twice after grape fruit stems have begun to form and do not apply within 14 days of harvest. Do not feed produce from treated orchards to man or other animals.
OR FOR CALIFORNIA ONLY: Use 1 pint per acre in sufficient water to insure coverage of all parts of the vines. Do not apply more than once after berries begin to form and do not apply within 30 days of harvest.

ORNAMENTALS (Dahlias, Roses, Hillbush Juniper, Chinese Evergreen, Philodendrons, Peperomia, Dichorisandra, Aralia, Podocarpus, Ferns, Stagehorn Ferns, Gladiolus, Chrysanthemums, Carnations, Crotons, Seersucker Plants, African Violets, Anthurium and Orchids): Two-Spotted Mite, European Red Mite, Clover Mite, Spruce Spider Mite—½ pint per 100 gals. water. A second application may be applied 1 week later if necessary.

WALNUTS: Mites—½ pint in 100 gals. water. Apply at rate of 400 to 800 gals. per acre. Treat when damaging numbers of mites are found. Do not apply after husks split. Do not feed or plant lower crops grown in treated orchard.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability, except those assumed by Chevron under 1 above, resulting from handling, storage, and use of this material.

Do not store in areas where there is a possibility of fire. Use a storage bin or barrel that is lined. Do not store in a room with a fire or fuel. In case of spillage, clean with soap and water. Do not use in areas where there is a possibility of fire. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

Do not use in areas where there is a possibility of fire. Do not apply in areas where there is a possibility of fire. Do not use in areas where there is a possibility of fire. Do not use in areas where there is a possibility of fire. Do not use in areas where there is a possibility of fire.

