



**[INSECTICIDE-MITICIDE]**  
**NET CONTENTS 5 GALS.**  
**LIQUID**

Active Ingredients	By Wt.
Dioxathion [2,3-p-dioxanedithiol S,S-bis (O,O-diethyl phosphorodithioate)]	56%
Related Compounds	24%
Inert Ingredients	20%
Contains 8 lbs. Delnav per gallon.	
*DELNAV and this product are covered by United States Patent No. 2,725,328.	

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS BEFORE DISCARDING THIS CONTAINER, FILL IT WITH WATER, ADDING 3 TABLESPOONFULS CAUSTIC (ALKALINE) SUBSTANCE, SUCH AS WASHING SODA (SODIUM CARBONATE) OR LIME. ALLOW THE CONTAINER WITH WATER AND CAUSTIC TO STAND OVERNIGHT. BURY THE WASHINGS. EMPTY DRUMS MUST NOT BE USED IN ANY CONNECTION WITH FEED, FOOD OR DRINKING WATER. FOR 5 GALLON SIZE, WASH, PERFORMATE AND BURY CONTAINER WHEN EMPTY. NEVER RE-USE.

APPLES, PEARS, QUINCES: Mites—6 ozs. to 1/2 pint in 100 gals. water. **Codling Moth**—Apply in cover sprays at rate of 1/2 pint in 100 gals. water. **Apple Maggots**—4 to 8 ozs. in 100 gals. water. Do not apply more than 7 times after fruit starts to form. Do not apply within 7 days of harvest. Do not feed produce from the same fruit to market, if it is sprayed. Do not feed produce from the same crop, unless the treated orchard.

CITRUS (Oranges, Grapefruit, Lemon, Lime, Tangelos, and Tangerines): **Citrus Thrrips, Citrus Red Mite, Six-spotted Mite, Yuma Mite, Rust Mite, Texas Citrus Mite**—1/2 to 1/4 pint in 100 gal. water. Do not apply within 7 days of harvest. Do not feed produce from the same fruit to market, if it is sprayed. Do not feed produce from the same crop, unless the treated orchard.

**DANGER:**

KEEP OUT OF REACH OF CHILDREN  
 DO NOT INHALE  
 DO NOT GET ON SKIN  
 DO NOT TAKE INTERNALLY



**POISON**



**FIRST-AID TREATMENT**

**ANTIDOTE:** If swallowed, induce vomiting with warm salty or soapy water. If on the skin, remove contaminated clothing, and immediately wash skin with soap and water.  
**CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING:** If symptoms or signs of poisoning include loss of appetite, nausea, vomiting, abdominal cramps, diarrhea, excessive sweating, constriction of pupils, blurred vision, giddiness, and restlessness, give two atropine tablets (1/100 gr. each) at once. Remove patient immediately from the area where Delnav is present. Have patient lie down and keep quiet. **PHYSICIAN'S NOTE:** Warning symptoms include loss of appetite, nausea, vomiting, abdominal cramps, diarrhea, excessive sweating, constriction of pupils, blurred vision, giddiness, and restlessness. **TREATMENT:** Give 1/30 to 1/40 gr. atropine, preferably in injection, or two or three tablets at once and parenterally or orally every 30 minutes required up to 30 tablets or until pupils dilate. 2-PAM is also antidotal and may be administered in conjunction with atropine. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause a long-term sensitivity to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase re-examination has been allowed as determined by blood tests.

**DANGER:**

Poisonous by Skin Contact, Inhalation, or Swallowing. Absorbed Through Skin. Repeated Exposure May, Without Symptoms, Be Increasingly Hazardous. Do not Breathe Vapors. Use this material with care. It is a cholinesterase inhibitor. Contact with eyes or on a mucous membrane may cause irritation. Avoid contact with the eyes. U.S. Department of Agriculture for Delnav product. Wear clean protective clothing, heavy rubber gloves, and goggles. Remove contaminated clothing and wash in hot soapy water with soap and water. Wash hands and face with soap and water. After use, bathe thoroughly and change to clean clothing. Wash all contaminated clothing with soap and hot water before wearing. During application keep unprotected persons away

GRAPES: Grape Leafhoppers, Mites—1/2 to 3/4 pint per acre in sufficient water to assure coverage of all parts of the vines. Do not apply more than twice after grape fruit stems have begun to form and do not apply within 14 days of harvest. Do not feed produce from the same vine to market. **OR FOR CALIFORNIA ONLY:** Use 1/2 pint per acre in sufficient water to assure coverage of all parts of the vine. Do not apply more than once after berries begin to form and do not apply within 30 days of harvest.

ORNAMENTALS (Dahlias, Roses, Hillbush Juniper, Chinese Evergreen, Philodendrons, Peperomia, Dichorisandra, Aralia, Podocarpus, Ferns, Stagehorn Ferns, Gladiolus, Chrysanthemums, Carnations, Crotons, Seersucker Plants, African Violets, Anthurium and Orchids): Two-Spotted Mite, European Red Mite, Clover Mite, Spruce Spider Mite—1/2 pint per 100 gals. water. A second application may be applied 1 week later if necessary.

WALNUTS: Mites—1/2 pint in 100 gals. water. Apply at rate of 400 to 800 gals. per acre. Treat when damaging numbers of mites are found. Do not apply after basket split. Do not feed or graze cover crops, grown in treated orchard.

CONDITIONS OF SALE: 1. Chevron Chemical Company, Chevron warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty, of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material. 2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability, except those assumed by Chevron under 1 above, resulting from the use of this material.

Do not apply to plants that are known to be susceptible for use as a storage or processing area. Do not store in the most vulnerable part of the plant. In case of spillage, use water to dilute and remove the spillage. Do not use if you are pregnant, nursing, or have children. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

Do not apply to plants that are known to be susceptible for use as a storage or processing area. Do not store in the most vulnerable part of the plant. In case of spillage, use water to dilute and remove the spillage. Do not use if you are pregnant, nursing, or have children. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

