


ACCEPTED


FEB 19 1971

UNDER THE FEDERAL INSECTICIDE ACT  
FOR ECONOMIC ENTOMOLOGY  
ATTACHED COMMENTS

239  
2228



# GOLF & TURF fungicide



- Controls** BROWN PATCH  
 MELTING OUT • DOLLAR SPOT  
 RED THREAD • FADING OUT  
 COTTONY BLIGHT • COPPER SPOT  
 SNOW MOLD • FUSARIUM PATCH

Active Ingredients	By Wt.
Folpet*	60%
Cadmium Carbonate**	5%
Thiram***	10%
Inert Ingredients	25%
* N (trichloromethylthio) phthalimide	
** Cadmium (expressed as metallic) - 3.1%	
*** Tetramethylthiuram disulfide	

CAUTION: KEEP OUT OF REACH OF CHILDREN.  
SEE BACK PANEL FOR ADDITIONAL CAUTIONS.

NET WEIGHT 2 LBS. 8 OZS.



# GOLF & TURF Fungicide

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

STORE IN COOL DRY PLACE. PROTECT FROM EXCESSIVE HEAT

ORTHO Golf & Turf Fungicide is a wettable powder formulation with a broad range of effectiveness on the common diseases of turf grasses such as Brown Patch (*Rhizoctonia*), Melting Out (*Helminthosporium*), Fusarium Patch (*Fusarium*), Cottony Blight (*Pythium*), Dollar Spot (*Sclerotinia*), Red Thread (*Corticium*), Fading Out (*Curvularia*), Copper Spot (*Uromyces*), Snow Mold (*Fusarium* sp. and *Typhula* spp.)

### DIRECTIONS

Certain turf diseases are more prevalent in early spring while others are prevalent in summer or fall. For control of all listed diseases, start treatment in April and continue through September.

### SOFT GREENS & FINE TURF AREAS

**PREVENTIVE PROGRAM**— Use contents of this bag (2 1/2 pounds) in 50 gallons water to thoroughly spray 10,000 sq. ft. Under normal conditions, apply at intervals of 7 to 14 days. During periods of high humidity with abundant rainfall, it may be necessary to repeat applications every 3 to 4 days.

**CURATIVE PROGRAM**— Use contents of 2 of these bags (5 pounds) in 50 gallons water to thoroughly spray 10,000 sq. ft. Make at least 3 successive applications at 5 to 7 day intervals and continue until disease is halted. Reseed areas destroyed by disease and continue treatments using the PREVENTIVE PROGRAM.

### SOFT TURF AREAS

Use 2 1/2 pounds in 50 gallons of water to thoroughly spray 10,000 sq. ft. **SPRING AND FALL**— Make applications at 10 to 14 day intervals. **SUMMER**— Applications needed depending upon moisture conditions favorable to diseases. Where diseases are prevalent, use curative program listed above.

**SNOW MOLD PROGRAM**— Snow mold may be controlled by fall or early spring applications. The best time to apply is just before the first fall or snow. Additional treatments at the preventive rate may be needed if the snow melts in mid winter or early spring.

**COMPATIBILITY**— Do not use ORTHO Golf & Turf Fungicide with highly alkaline materials. ORTHO Golf & Turf Fungicide is compatible with wettable powder formulations of insecticides such as Dieldrin, Aldrin, Methidathion and Tepp. Avoid use with DDT.

**CAUTION**— Irritant. Avoid contact with skin. If irritation is taken internally, stop vomiting and call a physician at once. If in contact with eyes, flush with water. Do not get in eyes or on clothing. Wash thoroughly after handling. Avoid contamination of food and foodstuffs. Keep out of reach of children and domestic animals. Dispose of container promptly when empty.

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

**CONDITIONS OF SALE**— 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is suitable for use as directed thereon. Chevron neither makes nor authorizes any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemical products. Risks are limited to damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is registered for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.



## CHEVRON CHEMICAL COMPANY

ORTHO DIVISION — San Francisco, California 94120

RICHMOND, CALIF. PORTLAND, ORE. FRESNO, CALIF. DES MOINES, IOWA CHERRY HILL, N.J.

HONOLULU, HAWAII ORLANDO, FLA.

Form 11-11 1-11-58 No. 249-22-8 Printed in U.S.A. Made in U.S.A.

Camcraman's Note

Poor Copy