

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision
and only for those uses covered by the Certified Applicator's certification



ORTHO
Methyl Parathion
THIODAN[®] 2-3 Emulsive

(INSECTICIDE)

Active Ingredients

O,O dimethyl O-p-nitrophenyl thiophosphate

*Endosulfan

Aromatic Petroleum Derivative Solvent

Inert Ingredients

*Hexachlorohexahydromethane 2,4,3 benzodioxathiopeoxide

Contains 2 lbs. Methyl Parathion and 3 lbs. Thiodan per ga.

U.S. Pat. No. 2,799,685

Ev. Wt.

20.4%

30.5%

39.0%

10.1%



POISON

DANGER: KEEP OUT OF REACH OF CHILDREN.

DO NOT TAKE INTERNALLY.

DO NOT INHALE. DO NOT GET ON SKIN.

READ DANGER AND ANTIDOTE STATEMENTS ON SIDE PANEL.

NET CONTENTS 5 GALS. LIQUID

A M E N D E D

APR 19 1978

Unit
Fungicides, and Rodenticides Act
as amended, for the pesticide
registered under 239-2231

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH DANGER STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS

KEEP PESTICIDE IN ORIGINAL CONTAINER DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS

WASH EMPTY CONTAINER WITH ALKALI AND DESTROY BY BURYING IN A SAFE PLACE AWAY FROM WATER SUPPLIES AND RUNOFF NEVER REUSE

AN

STORE AT TEMPERATURES ABOVE 32° F.

Apply when insects first appear and repeat as necessary. Use the following recommended rates in sufficient water for thorough coverage (By ground apply a minimum of 10 gals. by air apply a minimum of 5 gals. of finished spray per acre.)

Not for use or storage in or around the home

DIRECTIONS

USE DESIGNATED AMOUNT OF PRODUCT IN THE FOLLOWING GALLONS WATER PER ACRE UNLESS OTHERWISE NOTED:

GROUND APPLICATION - Vegetable and Field Crops 30 to 250 gals. Cotton - 3 to 20 gals.
Where Recommended for **AIR APPLICATION** - Field Crops 3 to 10 gals.

BROCCOLI CABBAGE, CAULIFLOWER - Cabbage Looper, Cross-striped Cabbage Worm, Imported Cabbage Worm, Diamondback Moth Larvae, Flea Beetles, Stink Bugs, Aphids, Leafhoppers - Broccoli, Cabbage - 2 to 2 1/2 pts. per acre. Cauliflower - 1 qt. per acre. Do not apply within 21 days of harvest.

ical
not

COTTON - Boll Weevil, Bollworm, Cabbage Looper, Stink Bugs, Lygus Bugs, Cotton Leaf Perforator, Aphids, Armyworms, Thrips, Flea Hoppers, Cotton Leafworm - 2 qts. per acre. Do not apply after bolls open. Do not graze meat or dairy animals in treated fields. Workers entering fields within 24 hours after application should wear protective clothing. Do not plant root crops other than carrots, potatoes, sugar beets and sweet potatoes as follows on crops.

HEAD LETTUCE - Cabbage Looper, Aphids, Diamondback Moth Larvae, Imported Cabbage Worm, Armyworms, Flea Beetles, Leafhoppers - 2 to 2 1/2 pts. per acre. Do not apply more than 3 times after thinning. Do not apply within 21 days of harvest. Remove wrapper leaves at harvest. Do not feed crop waste to livestock.

POTATOES - Aphid, Leafhopper, Flea Beetle, Colorado Potato Beetle, 3-Lined Potato Beetle, European Corn Borer, Mites, Potato Tuberworm, Stinkbug, Armyworm, Potato Psyllid, False Chinch Bug, Plant Bugs (including Shield-shaped Bug) - 1 1/2 qts. per acre. Do not apply within 5 days of harvest. Do not plant root crops other than carrots, potatoes, sugar beets and sweet potatoes as follows on crops.

TOMATOES - Blister Beetle, Colorado Potato Beetle, Flea Beetle, Green Peach Aphid, Tomato Hornworm, Whitefly - Use 1 1/2 pts. to 1 gal. per acre. Cabbage Looper, Stink Bug - use 1 to 1 1/2 gal. per acre. Tomato Fruit Worm, Armyworm, Flea Beetle, Leafhopper, Aphid and Tomato Russet Mite - Use 1 gal. per acre. Do not apply within 15 days of harvest.



ANTIDOTE - If Swallowed Give a tablespoon of salt in a glass of warm water and repeat until vomit is obtained. Have victim lie down and keep quiet. **CALL A PHYSICIAN IMMEDIATELY!**

Note to Physicians: Emergency Information: call (415) 233-3737. Methyl Parathion is a cholinesterase inhibitor and treatment of poisoning should include the use of atropine. 2-PAM is also antidotal and may be administered in conjunction with atropine. **Treat Symptomatically.** **If On Skin** In case of contact remove contaminated clothing and immediately wash skin with soap and water.

DANGER: Poisonous if Swallowed, Inhaled or Absorbed Through Skin. Wear a pesticide respirator (only approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11 for methyl parathion protection). Rapidly Absorbed Through Skin. Do not get in eyes, on skin or in clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash any contaminated clothing with soap and hot water before reuse. Keep all unprotected persons out of operating areas or areas where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticides and volatile residues have dissipated. Do not store next to feed or food or transport in or on vehicles containing foodstuff or feeds. **DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE. DO NOT USE IN UNDILUTED FORM. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.**

Highly toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated. Do not contaminate any body of water by direct application, cleaning of equipment or disposal of wastes and containers, nor apply to any area not specified on the label.


This product is highly toxic to bees exposed to direct treatment or residues on crops. For toxic information may be obtained from your Cooperative Agricultural Extension Service.

CONDITIONS OF SALE 1. Chevron Chemical Company, if any, warrants that this material conforms to the chemical description on the label and is reasonably fit for the use as described thereon, neither maker nor authorizes any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control are present in the use of this material in the field with the use of chemicals. Such risks include, but are not limited to, damage to crops and property when the material is applied, lack of complete control, and damage caused by drift to other crops. Such risks exist even though the product is reasonably fit for the use stated hereon and the user is advised of such risks. Buyer and user acknowledge and assume all risks and liability for the use of this material, including damage caused from handling, storage, and use of this material.

HIDDAN Trademark of Canadian International Inc.

Chevron Chemical Company



**METHYL PARATHION MIXTURE, LIQUID
(CONTAINING 25% OR LESS METHYL PARATHION)**