

AMENDED

APR 19 1978

Unit
Fungicide
as shown
on label
234-2236
to Acu
Landscape

RESTRICTED USE PESTICIDE

This product may be applied only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

DANGER - POISON - PRECAUTIONS



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amount. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or sprayed or splashed on skin or eyes or on clothing. Do not touch eyes or mouth.



POISONOUS IF BREATHED

Breathing, inhaling spray or fumes may be fatal.

DO NOT BREATHE

POISONOUS TO FISH AND WILDLIFE

This product is highly toxic to fish and birds. Do not apply where fish or birds may be killed. Keep out of any body of water. Do not contaminate water by rinsing equipment or disposal of wastes. Do not apply when weather conditions favor fish migration. Do not apply where runoff is likely to occur.

This product is highly toxic to bees. Avoid application during bloom.

Protective information may be obtained from your local Agri-Service Agent.



ORTHO THIODAN[®] Parathion 2-1 CO Emulsive

STOP • READ LABEL BEFORE USING!

POISON

See Side
Panels for
Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children

NOT FOR HOME USE
NET CONTENTS 5 GALLONS LIQUID

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof pants (coat, hat, rubber boots or rubber over shoes) (2) Wear safety goggles (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection (4) Wear heavy duty natural rubber gloves

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician) clinic or hospital - immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE. DO not store or transport near feed or foo!

POISON SIGNS & Symptoms:

Parathion is a very dangerous poison. Parathion is one of the poisons which can cause death if contact is made with the body or skin surfaces and eyes. If you have any contact with the poison, it must be removed immediately. Exposed person must receive prompt medical treatment or they may die.

Some of the signs and symptoms of parathion are: Headache, dizziness, cramps, weakness, blurred vision, difficulty breathing, diarrhea, salivation, breathing nervousness, sweating, watering of eyes, drooling, frothing of mouth and nose, muscle spasms, and convulsions.

FIRST AID TREATMENT

Call a doctor (physician) clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. If breathing has stopped, start artificial respiration immediately. If heart has stopped, do mouth-to-mouth respiration.

If swallowed and victim is awake, induce vomiting. If victim is unconscious, do not induce vomiting. Do not give any liquid to a victim who is unconscious. Report all cases of parathion exposure to your supervisor.

If you by mouth: Do not induce vomiting. Do not give any liquid to keep vomit from entering lungs.

In case of contact: Immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIANS

Emergency Information: Call 415-733-3737

In this product mixture, ethyl parathion is the dominant toxic ingredient exerting muscarine-like effects, that is, stimulation of the parasympathetic nervous system. Poisoning victims should be treated promptly with sufficient atropine to alleviate signs and symptoms of poisoning. 2-PAM may be administered in conjunction with atropine. The administration of morphine is helpful. Morphine should not be given to persons suspected of parathion poisoning. THIODAN produces central nervous system excitation which ordinarily responds to the barbituric acid derivatives, but this drug should be considered only if complete atropinization fails to relieve symptoms.

POST TREATED AREA

Consult your State Agriculture Experiment Station or Experiment Station regarding posting treated area.

CONTAINER DISPOSAL

See attached booklet for proper disposal.

CROP USE DIRECTIONS

Use only as directed in attached label (linked to this page).

Chevron Chemical Company

EPA Est. 239-CA 1

EPA Reg. No. 239-2236-AA