

APR 28 1992

Chevron Chemical Company
Consumer Products Division
940 Hensley Street
Richmond, CA 94804-0036

Gentlemen:

Subject: Ortho Citrus Insect Spray
EPA Registration No. 239-2257
Your Labeling Submitted March 30, 1992

This is in response to your subject labeling which was revised to incorporate the labeling requirements imposed under the Ethion Registration Standard.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. Submit the following items within 6 months from the date of this letter.
 - a. Acute dermal toxicity study (31-2)
 - b. A revised Confidential Statement of Formula showing the percentage of ethion in the form of pure active ingredient rather than the technical or concentrate.
 - c. The dermal sensitization study requirement must be addressed. This study was required in Table C of the Ethion Reregistration Standard. Your Product Specific Data Report dated July 20, 1990 however, failed to address this requirement.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

63602:I:Mautz:WF14-1:KEVRIC:04/21/92:05/17/92:dd

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

ORTHO Citrus Insect Spray
EPA REG. NO. 239-2257

COPY A

*O,O,O',O' - Tetraethyl S, S' - methylene bisphosphorodithioate

COPY B

*Ethion

COPY C

This product contains an organophosphate insecticide.

COPY D

This pesticide is toxic to fish and aquatic invertebrates. Fish and aquatic invertebrates may be killed in areas where this pesticide is used. Do not contaminate water when disposing of equipment washwaters.


COPY E

FOR HOME USE ONLY

ACCEPTED
with COMMENTS
in EPA Letter Dated:

APR 28 1992

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
239-2257





ORTHO Citrus Insect Spray

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING

May be fatal if swallowed, inhaled or absorbed through the skin. May cause eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing vapors or spray mist. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, give a large amount of water to drink, make person vomit and call a doctor. Never give anything by mouth to an unconscious person. In case of eye contact, wash eyes immediately with fresh water for at least 15 minutes. See a doctor if irritation persists. For skin contact, remove contaminated clothing immediately and wash skin thoroughly with soap and water.

Note to Physicians: Emergency information - call 1-800-457-2022. Ethion is a cholinesterase inhibitor. Atropine is antidotal. 2-PAM is also antidotal and may be used in conjunction with atropine but should not be used alone.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, wildlife and crops. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

ORTHO Citrus Insect Spray is designed to control the following insects and mites on Citrus: Black Scale, Chaff Scale, Florida Red Scale, Glover Scale, Purple Scale, Snow Scale, Yellow Scale, Whiteflies, Aphids, Citrus Rust Mite, Citrus Red Mite and Texas Citrus Mite.

Thorough coverage of branches and upper and lower leaf surfaces is necessary to control insects. Where Snow Scale is a problem, it is important that trunk, limbs and twigs be thoroughly sprayed. Do not apply when the trees are in a drought stress. Do not use within 30 days before or after sulfur application. Do not use when the temperature is below 40°F or when freezing temperatures are expected. Avoid spraying when temperature is above 90°F. Do not apply to any citrus suffering from lack of moisture. **DO NOT APPLY to Kumquat or Citron.** Apply ORTHO Citrus Insect Spray at a rate of 1 Table

spoonful (1.2 oz) per gallon of water (3 pts per 100 gals. of water) for best results, use an ORTHO SPRAYETTE hose applicator or a tank-type sprayer.

ORANGES, GRAPEFRUIT, TANGELOS—Do not repeat application within 90 days. May be applied up to harvest.

TANGERINES—Do not apply more than twice per season. Do not repeat application within 90 days. May be applied up to harvest.

LEMONS, LIMES—Do not apply more than once per season. Do not apply within 21 days of harvest.

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.

DISPOSAL: PRODUCT—Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

CONTAINER—Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Chevron Chemical Company © 1985

Ortho Consumer Products Division
P.O. Box 5047
San Ramon, CA 94583 0947
Product 3913
Form 10572 B
EPA Reg. No. 239-2257
EPA Est. 239 MO 1



ORTHO Citrus Insect Spray

CONTROLS: Scale, Whiteflies, Aphids,



BEST AVAILABLE COPY