
DIFOLATAN BOTRAN 35-35 Seed Protectant EPA Reg. No. 239-2273 Submitted: October 10, 1985

#### COPY A

If in eyes, wash eyes for at least 15 minutes and see a doctor. For skin contact, wash immediately with soap and water. See a doctor if irritation occurs or rash develops. If swallowed, give water or milk to drink and telephone for medical advice. Consult medical personnel before inducing vomiting. If medical advice cannot be obtained, then take person and product container to the nearest medical emergency treatment center or hospital. If inhaled, remove person from exposure area.



CONFIDENTIAL

PROPERTY OF

CHEVRON CHEMICAL COMPANY

UNTIL ACCEPTED BY EPA

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS **DANGER**

Causes irreversible eye damage and causes skin irritation. Can cause allergic skin reactions. Harmful if swallowed, inhaled, or absorbed through the skin. May be harmful following prolonged or repeated exposure. Do not get in eyes, on skin or on clothing. Wear goggles, mid-forearm to elbow length chemiol resistant gloves, long sleeve shirt and long pants when handling. Avoid breathing dust or spray mist. Mixer/loaders must wear dust mask. Contaminated clothing should be laundered separately in hot water before reuse. Persons in treated areas engaged in activities such as pruning, thinning, cultivation, weeding, harvesting or packing and grading operations may become sensitized and suffer allergic contact dermatitis. Exposure during these operations can be reduced by wearing a long sleeve shirt, long pants and gloves.

STATEMENT OF PRACTICAL TREATMENT

For skin contact, wash immediately with soop and water. Seea doctor-if-irritation occurs or rash develops. If swallowed, immediately drink a large quantity of water and induce vomiting. See a doctor immediately.

Note to Physicians: Emergency Information - call (415) 233-3737

#### ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish.

#### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

#### STORAGE AND DISPOSAL

#### PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

#### STORAGE

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Do not store or transport near feed or food. Store in cool, dry place. Protect from excessive heat.

For help with any spitl, leak, fire or exposure involving this material, call day or night (415) 233-3737.

#### PESTICIDE DISPOSAL

This product is acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to tabel in-structions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### CONTAINER DISPOSAL

Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Emply residue into application equipment. Do not reuse container, Olspose of liner to a sanitary landfill or by incineration if ollowed by State and local authorities. If drum is contaminated and cannot be reused dispose of in the same manner.

# \* ORTHO

# **DIFOLATAN® BOTRAN® 35-35 Seed** Protectant

# (FUNGICIDE)

Active Ingredients	By W
*Captafol	359
2,6-Dichloro-4-nitroaniline	359
Inert Ingredients	30
*cis-N-[(1,1,2,2-tetrachloroethyl)thio]-4-cyclohexene	-1,2-

### KEEP OUT OF REACH OF CHILDREN **DANGER**

FOR AGRICULTURAL USE ONLY, DO NOT STORE IN AREAS ACCESSIBLE TO CHILDREN. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

## NET WEIGHT

Chevron Chemical Company © 1984

Ortho Agricultural Chemicals Division

San Francisco CA 94120-7144

Richmond CA 94804-0036 Made in U.S.A.

7.F EPA Reg. No. 239-2273

Product 3938

Fore

EPA Est. 239-MO-147



DIFOLATAN BOTRAN 35mulation developed for d used to prevent seed ro Rhizoput and Aspergillus seedlings.

Wear mid-forearm to elbo body clothing during hand

#### DIRECTIONS

PEANUTS: Use 5 oz. per commercial treating machi providing uniform coverag

Do not use treated seed with DIFOLATAN BOTRAN as feed or foodstuffs, m state and federal laws. follows: "TREATED SEED. OIL".

CONDITIONS OF SALE: ron) warrants that this ma tion on the label and is re Chevron neither makes, ne tive to make, any other w ABILITY, guarantee or receining this material. 2. Critical and unforesee prevent it from eliminating of chemicals. Such risks in to plants and crops to y complete control, and do or crops. Such risks occur fit for the uses stated he are followed. Buyer and

resulting from handling, s BOTRAN® - Reg. TM of

and liability (except those