

# ORTHO ORTHOCIDE® DIBROM® 10-4 Dust

**BEST AVAILABLE COPY**

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.**

### REENTRY STATEMENT

Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Do not allow persons to enter treated areas within 4 days following application unless wearing a coverall that covers all parts of the body except the head, hands and feet and chemically resistant gloves or more. Conspicuously post reentry information at site of application. Certain states may require more restrictive reentry intervals; consult your State Department of Agriculture for further information. Written or oral warnings regarding use of protective clothing and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated.

**Directions:** When applying and loading this product must wear a long-sleeved coverall that covers all parts of the body except the head, hands and feet and chemically resistant gloves or more. Wear chemically resistant gloves when handling and loading. Do not enter treated areas within 4 days following application unless wearing a coverall that covers all parts of the body except the head, hands and feet and chemically resistant gloves or more. Wash thoroughly with soap and water when handling and loading. Do not enter treated areas from a tractor within 4 days following application. Do not use this product on plants or crops that are susceptible to phytotoxicity. Do not use this product on plants or crops that are susceptible to phytotoxicity. Do not use this product on plants or crops that are susceptible to phytotoxicity.

This product is formulated for application by ground or air equipment.

**GRAPES:** Leafhoppers, Bunch Rot—Use 40 lbs. per acre. Make 2 applications before bloom and 1 application just after bloom. Repeat periodically up to 3 applications before bunches close. Do not use within 4 days of harvest.

Do not apply under conditions involving possible drift to forage or other plantings that might be damaged or the crop thereof rendered unfit for sale, use or consumption.

**COMPATIBILITY:** Do not use this product on foliage closely following oil sprays.

### STORAGE AND DISPOSAL

#### PROHIBITIONS

May corrode metal dust equipment, clean equipment after use. Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

#### STORAGE

Keep pesticide in original container. Store in cool dry place. Protect from excessive heat. Do not store or transport near feed or food. For help with any spill, leak, fire or exposure involving this material, call day or night (415) 233-3737.

#### PESTICIDE DISPOSAL

This product is acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### CONTAINER DISPOSAL

Completely empty bag into application equipment. Do not reuse container. Dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**CONDITIONS OF SALE:** 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risk and liability (except those assumed by Chevron under 1 above resulting from handling, storage, and use of this material).

## (INSECTICIDE-FUNGICIDE)

Active Ingredients	By Wt.
*Captan	0.2%
Related Derivatives	4.0%
**Naled	86.0%
Inert Ingredients	
2-N-Trichloromethyl-2,2-Dichloroethyl 1,2-dichloroethyl	
**1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	

**KEEP OUT OF REACH OF CHILDREN  
DANGER-PELIGRO  
FOR AGRICULTURAL USE ONLY. DO NOT  
STORE IN AREAS ACCESSIBLE TO  
CHILDREN  
PRECAUCION A! USUARIO: Si usted no lee  
ingles, no use este producto hasta que la  
etiqueta le haya sido explicada ampliamente.  
SEE SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.**

Use within \_\_\_\_\_ days of manufacture only, as this product decomposes.

Date of Manufacture \_\_\_\_\_

**Chevron Chemical Company** © 1985  
Ortho Agricultural Chemicals Division  
San Francisco CA 94120-7144  
Product 3918 Made in U.S.A.  
Form 7628-T

EPA Est. 239-CA-2  
EPA Reg. No. 239-2291-AA

# NET WEIGHT 5<sup>0</sup> POUNDS

DELETED ENDANGERED SPECIES STATEMENT

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS & DOMESTIC ANIMALS DANGER

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Avoid inhalation of dust. Remove and separately launder clothing before reuse.

#### STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, immediately flush eyes with fresh water for 15 minutes and see a doctor. If swallowed contact physician, poison control center, or emergency clinic before inducing vomiting. Give water or milk to drink and induce vomiting by touching back of throat with finger, or by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. If medical advice cannot be obtained, take person and a copy of the label or technical bulletin to the nearest emergency treatment facility.

If on skin, wash skin thoroughly with soap and water. If inhaled, remove person from exposure area. Note to Physicians: Emergency Information — call (415) 233-3737. Naled is an organophosphorus, cholinesterase inhibitor. If signs and symptoms of cholinesterase inhibition develop, atropine sulfate is antidotal. 2-PAM may also be given in conjunction with atropine, but should never be used alone.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates and wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

This pesticide is highly toxic to bees exposed to direct treatment or residues remaining on the treated areas. Do not apply when bees are actively visiting the crop, cover crop or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

Per self test. ef  
OCT 23 1987  
239-2291