



Ortho



ORTHO

**Chickweed,
Spurge &
Oxalis
Killer**

Chickweed, Spurge & Oxalis Killer



Active Ingredients
Isobutyl ester of Salicylic Acid (2-(2,4,5-trichlorophenoxy) propionic acid) 15.1%
Inert Ingredients 84.9%

(Equivalent to 10.7% Salts (2-(2,4,5-trichlorophenoxy) propionic acid) by weight)

Covers
Up To
3,000
Sq. Ft.



ORTHO

**Chickweed,
Spurge &
Oxalis
Killer**

ACCEPTED

DEC 16 1975

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. **239-2296**

CAUTION: Keep out of reach of children.
See back panel for additional cautions.

**NET CONTENTS 1 PINT
LIQUID**

ORTHO Chickweed, Spurge & Oxalis Killer

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS.
KEEP PESTICIDE IN ORIGINAL CONTAINER DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS**

ORTHO Chickweed, Spurge & Oxalis Killer is for the control of the following weeds in grass lawns: Spurge, Oxalis, Common Chickweed, Mouse ear Chickweed, Clover, English Daisies and Nettle. It will not harm lawn grasses if used according to directions. Do not store diluted spray.

DIRECTIONS: For control of Chickweed, Spurge and Oxalis and other listed weeds apply **ORTHO Chickweed, Spurge & Oxalis Killer** any time weeds are actively growing. Applications made in the spring and fall when the weeds are small and the temperature is low are most effective.

HOW TO USE: For best results use an **ORTHO** hose sprayer. Refer to table for recommended dilution. If lawn needs watering water thoroughly before application.

DO NOT WATER FOR 48 HOURS AFTER APPLICATION. Spray entire lawn, including weeds and lawn grasses. do not overpray. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants.

NEWLY SEEDED LAWNS may be treated after they have been mowed at least 3 times.

BENT GRASSES, FESCUES, CENTIPEDE, AND CARPET GRASS Use one-half recommended rate (1/2 fluid ounce or 1 Tablespoonful per gallon water). Make 2 applications 10 days apart. Temporary injury may occur. Do not apply when temperature is above 80° F. Do not apply to Dichondra, Lippia, Clover and St. Augustine grass lawns.

DILUTION TABLE

Area to Treat.	Water to Use	Amount of Chickweed, Spurge & Oxalis Killer to Use **
200 sq. ft.	1 gallon	1 fluid ounce (2 Tablespoonfuls)
1200 sq. ft.	6 gallons	6 fluid ounces (12 Tablespoonfuls)
1600 sq. ft.	8 gallons	8 fluid ounces (1 cup)
3000 sq. ft.	15 gallons	16 fluid ounces (2 cups)

****NOTE:** Use one half rate listed for Bent Grasses, Fescues, Centipede, and Carpet Grass. **A**

IMPORTANT: DO NOT USE THIS PRODUCT FOR CONTROLLING WEEDS IN FLOWER OR VEGETABLE BEDS OR AROUND SHRUBS OR ORNAMENTAL PLANTINGS

Do not reseed for 3 to 4 weeks after use.

CAUTION: Harmful if Swallowed. Avoid contact with skin, eyes and clothing. In case of contact, flush with plenty of water. For eyes, get medical attention. Wash hands after use. Note to Physicians: Emergency Information - call (415) 233-3737. Avoid contamination of food and feedstuffs. Keep away from children and domestic animals. **DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.** Vapors from this product may injure susceptible plants in the immediate vicinity. Avoid spray contact or drift to susceptible plants as this product may injure flowers, shrubs, garden vegetables, fruit trees and other crops. Coarse sprays are less likely to drift. When container is empty immediately wash thoroughly and destroy. Never re-use. Do not store near feed, foodstuffs, fertilizers, seeds, insecticides or fungicides. When **ORTHO** Sprayer is used and rinsed thoroughly as directed on sprayer jar immediately after applying **ORTHO Chickweed, Spurge & Oxalis Killer**, it can be used to apply insecticides, fungicides and liquid fertilizers to ornamental plants.

This product is toxic to fish. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Fish in ornamental pools may be harmed by direct application, cleaning of equipment or disposal of waste and containers.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Chevron Chemical Company

Ortho Division San Francisco, CA 94119 Richmond, CA 94804

Product 3906 Made in U.S.A.

Form #750-A

EPA Est. 239-CA-1

EPA Reg. No. 239-2296-ZA