


COPY OF FINISHED LABEL

PER PR NOTICE 69-11



NET WEIGHT 4



GRANULES C-12-4

A

GUARANTEED FERTILIZER ANALYSIS, MIN.	
Total Nitrogen (N)	8%
4.056% Ammonic Nitrogen	
2.65% Urea Nitrogen	
1.35% Water Soluble Nitrogen*	
* Nitrogen derived from Ureaform	
Available Phosphoric Acid (P ₂ O ₅)	12%
Derived from Ammonium Polyphosphate	
Soluble Potash (K ₂ O)	4%
Derived from Potash	
Calcium (Ca) as elemental	10.00 %
Sulfur (S) (Ca-SO ₄) as elemental	6.00 %
Boron (B) as elemental	0.022%
Iron (Fe) as elemental	0.135%
Manganese (Mn) as elemental	0.050%
Molybdenum (Mo) as elemental	0.001%
Zinc (Zn) as elemental	0.052%
Potential Acidity 300 lbs. Calcium Carbonate Equivalent per ton	

Ingredient Statement as a Herbicide

Active Ingredient	By Wt.
*S-methyl diisopropylcarbamate	0.6%
Inert Ingredients	99.4%

*ERTAM—Reg. TM of Stauffer Chemical Company
U.S. Pat. No. 2,913,327

CHEVRON CHEMICAL COMPANY
ORTHO DIVISION — San Francisco, Calif. 94120
RICHMOND, CALIFORNIA Atlanta, Georgia Des Plaines, Illinois

Farm Chem. Dept. 1000 Reg. No. 231-0200 Product No. 3102 Made in U.S.A.
ORTHO is a registered trademark of Chevron Chemical Company. Wash the spray equipment and containers of all structures, tools and fasteners.

NOTICE: Do not use on areas where people, pets, livestock, fire hydrants and use not in accordance with directions.

SEE REVERSE SIDE FOR COMPLETE DIRECTIONS



6697622030

\$1.00

NET WT. 4 LBS.

COPY OF FINISHED LABEL


PER PR NOTICE 69-11

EX-CELL-O CORPORATION, By

INTERNATIONAL PAPER
SINGLE SERVICE DIV., NEW YORK, N.Y. 10017
Patent Re. 26,305

2

PUSH UP TABS
FOR SUMMER



GARDEN WEED &
FEED
GRANULES C-12-4

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS,
WARNINGS AND DIRECTIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER.

DIRECTIONS: ORTHO GARDEN WEED AND FEED is designed to perform two important functions:

1. Feeds Flowers: Ageratum, Amaranthus, Aster, Begonia, Chrysanthemum, Dahlia, Daylilies, Dianthus, Marigold, Nasturtium, Penny, Petunia, Zinnia. Ground Covers: Ajuga, Calathea, Hypericum, Ice Plant, Ivy, Pachysandra, Periwinkle, Sedum, Strawberry (ornamental).

Trees & Shrubs: Camellia, Chamaecyparis, Citrus, Dogwood, Euonymus, Fir, Hemlock, Holly (American & Japanese), Juniper, Leucathoe, Lilac, Linden, Magnolia, Maple, Oak, Pines, Pine, Podocarpus, Rhododendron, Rose, Spruce, Viburnum, Yew (Taxus).

2. Prevents over 20 species of Broadleaf and Grassy Weeds such as Bermudagrass, Crabgrass, Florida Pusley, Goosegrass, Nutsedge, Purslane, and Sedge from getting started in rose beds and around flowering plants, trees and shrubs listed above. ORTHO GARDEN WEED AND FEED WILL NOT KILL WEEDS THAT ARE ALREADY GROWING.

WHEN TO APPLY: ORTHO GARDEN WEED AND FEED can be applied any time during the growing season but for maximum weed control, the first application should be made in the spring when roses and other plants start to grow.

A second application in 8 weeks will assure continued weed control. Wait one week after transplanting shrubs and flowers before applying ORTHO GARDEN WEED AND FEED to avoid injuring the young plants. After seeding annual flowers wait until growth is 3 to 5 inches high.

HOW TO APPLY: For best results, follow these directions carefully:

1. Before applying, REMOVE ALL EXISTING BROADLEAF AND GRASSY WEEDS, since ORTHO GARDEN WEED AND FEED kills sprouting seeds, not established weeds.


2. Spread product EVENLY over the area to be treated. Contains of this container will cover 200 square feet for control of most small seedling annual weeds to control Nutsedge and Bermudagrass. COVER ONLY 160 SQ. FT. WITH CONTENTS.

3. Within minutes after spreading the granules, ORTHO GARDEN WEED AND FEED should be thoroughly mixed into the top 2 to 3 inches of soil with a rake or other garden tool.

4. After mixing into the soil, water the treated area liberally for 3 to 5 minutes. When watering, remove any of the product adhering to plant foliage.

USE PRECAUTIONS: ORTHO GARDEN WEED AND FEED may cause injury under certain soil and climate conditions if directions are not followed. Use only for recommended purposes and at recommended rates. Do not use around Alyssum, Balsam, Citrus, Lavender, Scented bedding plants, flowering bulbs, Winter shrubs or other plants not listed on this label as severe injury may result.

DO NOT USE ON LAWNS



FOR USE ON:
ROSES
FLOWERS
SHRUBS

Prevents Certain Broadleaf and Grassy Weeds Including Bermuda Grass and Nutsedge

Fertilizes for Better Plant Growth

ACTIVE INGREDIENT	BY WT.
*S-methyl diisopropylcarbamate	0.6%
Inert Ingredients	99.4%
*ERTAM—Reg. TM of Stauffer Chemical Company U.S. Pat. No. 2,913,327	

DO NOT USE ON LAWNS
SEE REVERSE SIDE FOR DIRECTIONS

COPY A

GUARANTEED FERTILIZER ANALYSIS, MIN.

Total Nitrogen (N) 8%

Amoniac 5.6%

Water Soluble* 1.1%

Water Insoluble* 1.3%

Available Phosphoric Acid (P_2O_5) 12%

Soluble Potash (K_2O) 4%

Primary Nutrients from Urea, Ureaform*, Ammoniated Superphosphate, Ammonium Phosphate, and Muriate of Potash

Calcium (Ca) 10.0%

Magnesium (Mg) 1.0%

Sulfur (S) 9.5%

Boron (B) 0.02%

Iron (Fe) 0.4%

Manganese (Mn) 0.05%

Molybdenum (Mo) 0.0008%

Zinc (Zn) 0.05%

Secondary and Trace Nutrients from Sulfate Salts, Magnesium Oxide, and Fritted Sources

Potential Acidity 600 lbs. Calcium Carbonate Equivalent per ton

10
SIS

BZ 10000
TO OVER

ORLANDO
SIS
TO OVER

ORLANDO
SIS

Aug 25, 1970

PARADES L-32-A

A
CIVIL RIGHTS

10
475
2
13
H
S
C
S
E
P
F
Z
P

ORLANDO SIS L-32-A

ROBERTS

HICKMAN

CHADWICK

25 CIVIL RIGHTS C-1000