

1028-682
289-2305

DO NOT USE IN AREAS WHERE CHILDREN OR ANIMALS ARE KEPT. KEEP OUT OF REACH OF CHILDREN. SEE SIDE PANEL FOR PRECAUTIONS.

8628-0155
ORTHO



KEEP OUT OF REACH OF CHILDREN. THIS PRODUCT IS TO BE USED ONLY ON THE LAWN GRASSES SPECIFIED ON THE LABEL. IT IS NOT TO BE USED ON OTHER PLANTS OR TREES. CHEVRON CHEMICAL COMPANY, SAN FRANCISCO, CALIF. 94103.

KEEP BAG CLOSED WHEN NOT IN USE — STORE IN A DRY PLACE
NET WEIGHT 55 POUNDS
ORTHO GRO BAHIA WEED AND FEED
21-4-4 PLUS IRON
Florida Registration No. 04 1002

MINIMUM GUARANTEED ANALYSIS		INGREDIENT STATEMENT AS A HERBICIDE	
Total Nitrogen	1.5%	Active Ingredients	By Wt.
Water Soluble Nitrogen	1.1%	2,4-D (2,4-Dichlorophenoxyacetic acid)	1.5%
Water Soluble Organic Nitrogen	0.4%	2,4-DEP (2,4-Dichlorophenoxyacetic acid) (Dependent on lot)	0.45%
Water Insoluble Nitrogen	0.0%	Iron (as Iron Oxide)	1.05%
Available Phosphorus	4.0%		
Water Soluble Phosphorus	2.0%		
Total Available Phosphorus	6.0%		
Water Soluble Potash	12.0%		
Total Available Potash	12.0%		
Iron as FeO	2.0%		
Iron as Fe	1.4%		
Derived from Ferrous Sulfate			
Residual Acidity equivalent 800 lbs. Calcium Carbonate per ton			

CHEVRON CHEMICAL COMPANY
ORTHO DIVISION — San Francisco, Calif. 94103
NEW YORK, N.Y. 10020 — Dallas, Texas — Los Angeles, Calif. 90008 — St. Louis, Mo. 63103 — Phoenix, Ariz. 85001 — Portland, Ore. 97208 — Seattle, Wash. 98101

MONEY BACK GUARANTEE
SEE SIDE PANEL

ORTHO-GRO
BAHIA WEED AND FEED

FOR USE ON BAHIA, BERBERIS AND ZOYSIA LAWN GRASSES ONLY

- 1. KILLS LAWN WEEDS:**
Florida Pussley, Dandelion, Plantain, Creeping Charlie, Chickweed, Clover and many other Broadleaf Weeds.
- 2. FERTILIZES GRASS**

ORTHO-GRO
BAHIA WEED AND FEED
COVERS 10,000 SQ. FT.

ACCEPTED
MAR 18, 1970
ORTHO-GRO
BAHIA WEED AND FEED
COVERS 10,000 SQ. FT.

SHIPPER'S NOTICE

CAUTION
DO NOT DROP

WEEDS AND FEEDS 10,000 SQ. FT.

PLUS IRON

ORTHO GRO BAHIA WEED AND FEED



READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS. KEEP PESTICIDE IN ORIGINAL CONTAINER.

DIRECTIONS
ORTHO-GRO Bahia Weed and Feed requires mowed and weedy lawns to:
1. Provide a fast acting fertilizer that will give you a green lawn.
2. Control unwanted broadleaf weeds such as Florida Pussley, Chickweed, Creeping Charlie, Dandelion, Florida Pussley, Plantain, Lambquarters, Clovers and Rabbit Foots that compete with your grass for water and nutrients.

WHEN TO APPLY
ORTHO-GRO Bahia Weed and Feed should be applied in the spring when weeds are young and growing vigorously. To avoid injury to the new growth, new lawns should not be treated until after the third mowing. This may be varied if treated in periods of high heat and humidity. For this reason, apply only when 7" diameter lawn cuttings are not expected to exceed 80° within 48 hours. To avoid rain, apply when rain is not expected for 24 hours.

HOW TO APPLY
The contents of this bag will cover an area of 10,000 sq. ft. Apply to lawn when grass is well after rain, spreading or blowing pellets uniformly to the weeds of SOFT (LAWNS) or HARD (LAWNS) (AT LEAST) 2 DAYS AFTER TREATMENT. Do not apply to wet lawns.

IMPORTANT NOTICE
TO AVOID BLEEDING: Use a 100% ORTHO-GRO Bahia Weed and Feed only on Bahia, Berberis and Zoysia lawns. Do not use on other lawn grasses, ornamentals and trees. Do not exceed recommended rate. Avoid contact with flower buds or shrubs if a quantity equivalent to 1/2 ounce of this product is applied to the foliage. Avoid contact with Florida Pussley, Chickweed, Creeping Charlie, Dandelion, Florida Pussley, Plantain, Lambquarters, Clovers and Rabbit Foots. Do not use on Bahia, Berberis, Zoysia, St. Augustine, Centipede, or other grasses. Do not use on lawns that are being treated with other lawn care products.

FAST EASY APPLICATION

3 WHEEL SPREADER SETTINGS
Spreader settings listed are for covering lawns in one direction. Do not use cross-wise pattern. To insure complete coverage, overlap wheel tracks of all spreaders except the Cyclone Spreader™ and ORTHO Lawn Spreader™. Spreader adjustment may cause actual application rates to vary slightly. Therefore, Chevron makes no warranty as to uniformity of coverage obtained from the settings listed below. Check the user manual for ORTHO Lawn Spreader and Cyclone 2 Wheel Spreader for application rates, wheel tracks, speeds and flows.

Spreader	Settings	Spreader	Settings
Cyclone Spreader™	4 1/2"	Control Spreader™	4"
Scotts™	4"	Blades™	6"
Scotts™	4"	Greenbelt™	6"
Scotts™	4"	Leaf Blower™	3 1/2"

ORTHO WHEELING SPREADER
Use setting No. 1. Apply 2" ORTHO GRO Bahia Weed and Feed to 10,000 sq. ft. (100' x 100') lawn in one direction. Do not use cross-wise pattern.

ORTHO LAWN SPREADER™
Use setting No. 4 1/2". Apply 2" ORTHO GRO Bahia Weed and Feed to 10,000 sq. ft. (100' x 100') lawn in one direction. Do not use cross-wise pattern. To insure complete coverage, spread in criss-cross pattern by applying the second ORTHO GRO Bahia Weed and Feed to the first. For application on uneven areas and along borders, overlap 1" wheel track on 1" wheel track by holding the ORTHO GRO Bahia Weed and Feed to the ground.

CAUTION
Hazardous if swallowed. Avoid contact with skin, eyes or clothing. In case of contact, flush with plenty of water. For eyes, get medical attention. Wash hands after use. Avoid contamination of foodstuffs, fish ponds, swimming pools or water used for irrigation. Wash thoroughly after using. Keep out of reach of children. Do not allow near food, feedstuffs, seeds, fertilizer, insecticides or fungicides. Dispose of container promptly when empty.

WEED AND FEED

USE ON BAHIA, BERMUDA AND ZOYSIA LAWN GRASSES ONLY

KILLS LAWN WEEDS:

Florida Pussley, Dandelion, Plantain, Creeping Charlie, Chickweed, Clover and many other Broadleaf Weeds

FERTILIZES GRASS

BAHIA WEED AND FEED

COVERS 10,000 SQ. FT.



Super Concentrate of Ortho Weed and Feed and use only in accordance with directions.

CAUTION

Keep out of reach of children. Do not use on lawns containing Bermuda grass, Zoysia grass, or Bahia grass. Do not use on lawns containing St. Augustine grass, Centipede grass, or any other grasses. Do not use on lawns containing any other plants or shrubs. Do not use on lawns containing any other plants or shrubs. Do not use on lawns containing any other plants or shrubs.

ORTHOMERICAL PRODUCTS

KEEP BAG CLOSED WHEN NOT IN USE — STORE IN A DRY PLACE

NET WEIGHT 55 POUNDS

ORTHO GRO[®] BAHIA WEED AND FEED

21-4-4 PLUS IRON

Florida Registration No. 84-1022

MINIMUM GUARANTEED ANALYSIS

Total Nitrogen		21%
Nitrate Nitrogen	9.3%	
Ammoniac Nitrogen	11.7%	
Water Soluble Organic Nitrogen	none %	
Water Insoluble Nitrogen	none %	
Available Phosphoric Acid		4%
Water Soluble Potash		4%
Total Available Primary Plant Food		29%
Chlorine, not more than		0.2%
Derived from:		
Ammonium Nitrate, Ammoniated Superphosphate and Sulfate of Potash		
Statement of Secondary Plant Food		
Iron as Fe ₂ O ₃		2.8%
Derived from Ferric Sulfate		
Potential Acidity equivalent 800 lbs. Calcium Carbonate per ton		

INGREDIENT STATEMENT AS A HERBICIDE

Active Ingredients	By Wt.
*Isocetyl ester of 2,4-dichlorophenoxyacetic acid	0.95%
**Isocetyl ester of Silver [2 (2,4,5-trichlorophenoxy) propionic acid]	0.45%
Inert ingredients	98.60%
*Equivalent to 0.63% 2,4-dichlorophenoxyacetic acid	
**Equivalent to 0.32% Silver [2 (2,4,5-trichlorophenoxy) propionic acid]	
Equivalent 12.6 lbs. 2,4-dichlorophenoxyacetic acid per ton	
Equivalent 6.4 lbs. Silver per ton	

NEVER TAKE CHEMICALS
Chevron Chemical Company, Ortho Division, guarantees satisfaction or money back. If you are not satisfied, return label receipt to your Ortho Dealer or to Chevron Chemical Company at any of the listed addresses.

CHEVRON CHEMICAL COMPANY
ORTHO DIVISION — San Francisco, Calif. 94102
RICHMOND, CALIFORNIA Atlanta, Georgia Des Plaines, Illinois
Form No. 7883 USDA Reg. No. 739 2385 Product No. 3884 Made in USA

FLORIDA ONLY

MONEY BACK GUARANTEE

SEE SIDE PANEL

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER

DIRECTIONS

ORTHO GRO BAHIA Weed and Feed rejuvenates starved and weedy lawns by

1. Providing a fast acting fertilizer that will give you a green lawn
2. Controlling unsightly broadleaf weeds such as Plantain, Carpetweed, Chickweed, Clover, Creeping Charlie, Dandelion, Florida Pussey, Henbit, Lambsquarters, Lippia and Rabbit Tobacco that compete with your grass for water and nutrients.

WHEN TO APPLY

ORTHO GRO BAHIA Weed and Feed should be applied in the spring when weeds are young and growing vigorously. To avoid injury to the new growth, new lawns should not be treated until after the third mowing. Grass may be injured if treated in periods of high heat and humidity. For this reason, apply only when the daytime temperature is not expected to exceed 80° F within 48 hours. To avoid drift, apply when air is calm. Do not apply if rain is expected within 24 hours.

HOW TO APPLY


The contents of this bag will cover an area of 10,000 sq. ft. Apply to lawn when grass is wet (after rain, sprinkling or dew) so pellets will stick to the weeds. IF SOIL IS DRY, WATER THOROUGHLY BEFORE TREATMENT. DO NOT WATER OR MOW LAWN FOR AT LEAST 2 DAYS AFTER TREATMENT. THEN RESUME WATERING PROGRAM.

IMPORTANT NOTICE

TO AVOID INJURY: Since ORTHO GRO BAHIA Weed and Feed kills desirable as well as undesirable broadleaf plants, it may injure flowers, ornamentals and trees. Do not exceed recommended rate. Vapors from this product may injure susceptible plants in the immediate vicinity. Avoid contact with flower beds or shrubs. If accidentally deposited on flowers or shrubs, hose off immediately. Do not use on Bentgrass, Hybrid Bermudagrass, Dichondra, Centipedegrass, Carpetgrass, St. Augustine or ground covers. Delay planting grass seed until 4 weeks after treatment. Read and follow directions carefully.



FAST, EASY APPLICATION



2 WHEEL SPREADER SETTINGS

Spreader settings below are for covering lawns in one direction. Do not use cross-area pattern. To insure complete coverage overlap wheel tracks of all spreaders except the Cyclone Spreader[®] and ORTHO Lawn Spreader[®]. Variables inherent in equipment, as well

ORTHO Lawn Spreader[®]

Use setting No. 4 1/2. Apply 55 lbs. to cover 10,000 sq. ft. (100' x 100'). Cover lawn in one direction. Do not use cross area pattern.

ORTHO GRO[®]
BAHIA WEED AND FEED
COVERS 10,000 SQ. FT.

AD

B ONLY

Charlie, reds

ORTHO-BRO.
WEEED™ FEED
COVERS 10,000 SQ. FT.
BANIA WEED™ FEED
VINYL

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.
KEEP PESTICIDE IN ORIGINAL CONTAINER

DIRECTIONS

ORTHO GRO BANIA Weed and Feed rejuvenates starved and weedy lawns by

1. Providing a fast acting fertilizer that will give you a green lawn
2. Controlling unsightly broadleaf weeds such as Plantain, Carpetweed, Chickweed, Clover, Creeping Charlie, Dandelion, Florida Pussley, Henbit, Lambsquarters, Lippia and Rabbit Tobacco that compete with your grass for water and nutrients

WHEN TO APPLY

ORTHO-GRO BANIA Weed and Feed should be applied in the spring when weeds are young and growing vigorously. To avoid injury to the new growth, new lawns should not be treated until after the third mowing. Grass may be injured if treated in periods of high heat and humidity. For this reason, apply only when the daytime temperature is not expected to exceed 90°F within 48 hours. To avoid drift, apply when air is calm. Do not apply if rain is expected within 24 hours.

HOW TO APPLY

The contents of this bag will cover an area of 10,000 sq. ft. Apply to lawn when grass is wet (after rain, sprinkling or dew) so pellets will stick to the weeds. IF SOIL IS DRY, WATER THOROUGHLY BEFORE TREATMENT. DO NOT WATER OR MOW LAWN FOR AT LEAST 2 DAYS AFTER TREATMENT. THEN RESUME WATERING PROGRAM.

IMPORTANT NOTICE

TO AVOID BURN: Since ORTHO GRO BANIA Weed and Feed kills desirable as well as undesirable broadleaf plants, it may injure flowers, ornamentals and trees. Do not exceed recommended rate. Vapors from this product may injure susceptible plants in the immediate vicinity. Avoid contact with flower beds or shrubs. If accidentally deposited on flowers or shrubs, hose off immediately. Do not use on Bentgrass, Hybrid Bermudagrass, Bichondra, Centipedegrass, Carpetgrass, St. Augustine or ground covers. Delay planting grass seed until 4 weeks after treatment. Read and follow directions carefully.



FAST, EASY APPLICATION

ORTHO Lawn Spreader*

Use setting No. 4½. Apply 55 lbs. to cover 10,000 sq. ft. (100'x100'). Cover lawn in one direction. Do not use criss-cross pattern.



2-WHEEL SPREADER SETTINGS

Spreader settings below are for covering lawns in one direction. Do not use criss-cross patterns. To insure complete coverage, overlap wheel tracks of all spreaders except the Cyclone Spreader* and ORTHO Lawn Spreader*. Variables inherent in equipment, as well as accuracy of machine adjustment, may cause actual application rates to deviate slightly. Therefore, Chevron makes no warranty as to uniformity of coverage obtained from the settings listed below. *Due to the wide swath, use ORTHO Lawn Spreader and Cyclone 2 Wheel Spreader in open areas only; avoid trees, shrubs and flowers.



ORTHO WHIRLYBIRD SPREADER

Use setting No. 3. Apply 2 WHIRLYBIRDS full (5½ lbs.) to 1,000 sq. ft. (50'x20'). Start cranking the WHIRLYBIRD handle before depressing thumb lever. To insure complete coverage, spread in criss-cross pattern by applying the second WHIRLYBIRD full at right angles to the first. For application in confined areas and along border plantings, control of swath width can be obtained by holding the WHIRLYBIRD closer to the ground.

Spreader	Settings	Spreader	Settings
Cyclone Spreader	4½	Central Imperial	5
Scotts	5	Wards	6
Sears	5	Greenfield	6
Jackson	5	Lawn Beauty	3½

FREIGHT SHIPPING BAG
Meeting requirements of
APPLICABLE FREIGHT CLASSIFICATION
Guaranteed by ST. JOSEPH PAPER CO.

BAG SPEC. 1629

ORTHO

9820-0155

BAV

ORTHO-BRO
BANIA WEED AND FEED
COVERS 10,000 SQ. FT.

SHIPPER'S NOTICE

MAR 18, 1970

ACCEPTED

9820-0155

ORTHO-800 WEEED - FEED

COVERS 10,000 SQ. FT.

MONEY BACK GUARANTEE

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTION, WARNINGS AND DIRECTIONS.
KEEP PESTICIDE IN ORIGINAL CONTAINER.

DIRECTIONS

- ORTHO-800 BAWA Weed and Feed repurposes stored and woody lawn by:
1. Providing a fast acting herbicide that will give you a green lawn.
 2. Controlling unsightly broadleaf weeds such as Purslane, Carpetweed, Chickweed, Clover, Creeping Charlie, Dandelion, Florida Pusley, Henbit, Lambsquarters, Ligula and Rabbit Tobacco that compete with your grass for water and nutrients.

HOW TO APPLY

ORTHO-800 BAWA Weed and Feed should be applied in the spring when weeds are young and growing vigorously. To avoid injury to the new growth, new lawns should not be treated until after the third mowing. Grass may be required if treated in periods of high heat and humidity. For the winter, apply only when the daytime temperature is not expected to exceed 80° F. within 48 hours. To avoid dry, apply when it is calm. Do not apply if rain is expected within 24 hours.

HOW TO APPLY

The contents of this bag will cover an area of 10,000 sq. ft. Apply to lawn when grass is wet (either rain, sprinkling or dew) so pellets will stick to the weeds. **IF GRASS IS DRY, WATER THOROUGHLY BEFORE TREATMENT. DO NOT WATER OR MOW LAWN FOR AT LEAST 2 DAYS AFTER TREATMENT. THEN RESUME WATERING PROGRAM.**

IMPORTANT NOTICE

TO AVOID INJURY: Since ORTHO-800 BAWA Weed and Feed kills desirable as well as undesirable broadleaf plants, it may injure flowers, ornamentals and trees. Do not exceed recommended rate. Vapors from this product may injure susceptible plants in the immediate vicinity. Avoid contact with flower beds or shrubs. If accidentally deposited on flowers or shrubs, hose off immediately. Do not use on Bluegrass, Hybrid Bluegrass, St. Augustine, Centipede, Bermuda, St. Augustine or ground covers. Delay planting grass seed until 4 weeks after treatment. Feed and water structure carefully.

FAST, EASY APPLICATION



ORTHO Lawn Spreader*

Use setting No. 6 1/2. Apply 55 lbs. to cover 10,000 sq. ft. (100'x100'). Cover lawn in one direction. Do not use CRIS-CROSS pattern.



2-WHEEL SPREADER SETTINGS

Spreader settings below are for covering lawns in one direction. Do not use criss-cross pattern. To insure complete coverage, overlap wheel tracks of all spreaders except the Cyclone Spreader* and ORTHO Lawn Spreader*. Variables inherent in equipment, as well as accuracy of machine adjustment, may cause actual application rates to deviate slightly. Therefore, Chemron makes no warranty as to uniformity of coverage obtained from the settings listed below. *Due to the wide swath, use ORTHO Lawn Spreader and Cyclone 2 Wheel Spreader in open areas only; avoid trees, shrubs and flowers.

Spreader	Settings	Spreader	Settings
Cyclone Spreader	4 1/2	Central Imperial	5
Scotts	5	Wards	6
Seers	5	Greenfield	6
Jackson	5	Lawn Beauty	3 1/2



ORTHO WHEEL SPREADER

Use setting No. 3. Apply 2 WHEEL WARD'S full (5 1/2 lbs.) to 1,000 sq. ft. (50'x20'). Start cranking the WHEEL WARD'S handle before depressing thumb lever. To insure complete coverage, spread in criss-cross pattern by applying the second WHEEL WARD'S full at right angles to the first. For application in confined areas and along border plantings, control of swath width can be obtained by holding the WHEEL WARD'S closer to the ground.