WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CON TAINERS.

SHAKE WELL BEFORE USING.

ORTHO Dormant Peach Disease Control is an easy-to-use liquid fungicide designed to control Peach Leaf Curl on Peaches and Nectorines, Coryneum Blight on Peaches, Nectarines and Apricots. Only one application is required

## **DIRECTIONS**

Spray dormant tree thoroughly to point of runoff. For easy application use an ORTHO SPRAY-ETTE. Do not store CAUTION: May cause irritation of eyes, nose, throat and diluted spray.

RINES: Make on application anytime during the dormant cal attention. To avoid drift, do not spray when wind is season after leaves have dropped in the fall and before blowing. Avoid contamination of feed or foodstuffs. When the buds open in the spring. See dilution table for rates. The fall application also controls Coryneum Blight.

CORYNEUM BLIGHT - Control on PEACHES, NECTARINES and APRICOTS: Make one application in the fall after the ponds or streams leaves have dropped or before the winter rains begin. Peach Leaf Curl on Peaches and Nectarines.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE COMBINATION INSECT AND DISEASE CONTROL: To Control Overwintering Scale Insects, Spider Mites, Mealybugs, Peach Leaf Curl and Coryneum Blight-Add VOLCK Supreme Oil Spray to the spray mixture at 2½ fl. oz. 5 Tablespoonfuls in 1 gallon spray mixture 16 fl oz. in 6 gals. Apply as directed for Disease Control.

DILUTION TABLE	
Amount ORTHO Dormant Peach Disease Control to use	Add Water To Make
1 <sup>1</sup> 2 fl. oz. (3 Tablespoonfuls) 9 fl. ozs.	1 gal. 6 gals.

skin. Avoid contact with eyes, skin and clothing. In case of contact, flush skin and eyes with plenty of water. Avoid PEACH LEAF CURL Control on PEACHES and NECTA- breathing spray mist. For any irritation get prompt medicontainer is empty, immediately wash thoroughly and destroy. Never re-use.

This product is toxic to fish. Do not contaminate lakes,



## ONE APPLICATION GUARANTEED TO CONTROL PEACH LEAF CURL AND CORYNEUM BLIGHT

Active Ingredient cis-N-[(1,1,2,2-tetrachloroethylathio]-4cyclohexene-1,2-dicarboximide Inert Ingredients

27°° 73%

By Wt.

\*DIFOLATAN R. U.S. Pat. No. 3,178,447 APPLY AS A DORMANT SPRAY ONLY

CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE BACK PANEL FOR ADDITIONAL CAUTION STATE-MENTS.

**NET CONTENTS** 1 QUART LIQUID STORE IN A COOL, DRY PLACE, PROTECT FROM EX-CESSIVE HEAT AND FREEZ-ING.

