


# ORTHO 3-Way Rose and Flower Care



# ORTHO 3-Way Rose and Flower Care



1. Kills Sucking Insects
2. Prevents Weeds
3. Feeds Plants




FOR ENTIRE CARE, USE ORTHO 3-WAY ROSE AND FLOWER CARE GRANULES ON ALL ROSES AND FLOWERS.

Ingredient	Br. Wt.
Ortho 3-Way S (2-yr. rtho ethyl)	1.000%
Ortho 3-Way F (2-yr. rtho ethyl)	0.174%
Ortho 3-Way N (2-yr. rtho ethyl)	98.826%
<b>Total</b>	<b>100.000%</b>

**WARNING:** Keep out of reach of children.  
Read labeling on 1 and 4-oz. containers on back panel.

**NET WEIGHT 11 POUNDS**

# ORTHO 3-Way Rose and Flower Care



ORTHO  
3-WAY  
ROSE AND  
FLOWER CARE

ORTHO  
3-WAY  
ROSE AND  
FLOWER CARE

# ORTHO

## 3-Way Rose and Flower Care



**WARNING** Keep out of reach of children.  
Read warning on candidate statement on back.  
**NET WEIGHT 1.1 POUNDS**

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

**DIRECTIONS**

**METHOD OF APPLICATION -PLANTER-BOX TREATMENT**

**CORN- Seed Corn Beetles**-Mix 4 1/2 oz. per bushel of seed as a dry mixture in the planter box as a seed treatment prior to planting.

**CORN, PEAS, SOYBEANS AND BEANS (Lima, Snap, White and Kidney): Seed Corn Weevils**-Mix 1 1/2 to 3 oz. per bushel of seed as a dry mixture in the planter box as a seed treatment prior to planting.

**PLANTER-BOX MIXING INSTRUCTIONS:** Stir seeds lightly using a mixing stick. Add and mix dry mixture from top opening of the planter. **DO NOT MIX WITH BARE HANDS.**

Note: This material is not to be used on seeds treated with other pesticides.

**WARNING:** May be fatal if swallowed. Do not breathe dust. May be absorbed through skin. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of children. Do not use on treated seed. Do not be used for feed for humans or animals. Do not use on products for human consumption.

Do not get dust on face, hands, or clothing. Do not get dust on soil surface. Do not get dust on food and water. Do not get dust on clothing. Do not get dust on hands. Do not get dust on face. Do not get dust on clothing. Do not get dust on hands. Do not get dust on face. Do not get dust on clothing.

**CONDITIONS OF SALE:** 1. Chevron Chemical Company, Chevron, warrant that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes nor authorizes any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY, and the absence of such warranty, express or implied, concerning this material.

2. Chevron and its authorized representatives and Chevron's agents prevent it from eliminating claims in connection with the use of this material. Such claims include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such claims are covered by the product's registration with the EPA as stated herein, and even though such claims are covered by law, Chevron does not acknowledge and assume any liability for such claims. Chevron's agents, Chevron, neither makes nor authorizes any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY, and the absence of such warranty, express or implied, concerning this material.

ACCEPTED  
JUN 24, 1970

IN ACCORDANCE WITH CAUTIONS,  
WITH APPLICABLE STATE AND FEDERAL

INER. DO NOT PUT CONCENTRATE OR  
AINERS

CTIONS

**BCX TREATMENT**

z. per bushel of seed as a dry mixture  
prior to planting

(Lima, Snap, White and Kidney): Seed  
bushel of seed as a dry mixture in the  
to planting

Stir seed slightly using a mixing stick  
operation of the planter. DO NOT MIX

usi, keep treated with a tarp and

allowed. Do not breathe dust. May be  
t with skin, eyes and clothing. Wash  
mination of food and feed. Keep out of  
reated seed cannot be used for feed for  
ducts for human consumption

e. Treated seed exposed on soil surface  
ife. Dispose of excess treated seeds by  
reating of equipment, or disposal at

**CONDITIONS OF SALE:** 1. Chevron Chemical Company, (Chevron) warrant  
that this material conforms to the chemical description on the label and is  
reasonably fit for use as directed hereon. Chevron neither makes nor authorizes  
any agent or representative to make any other warranty of FITNESS or of  
MERCHANTABILITY, or guarantee or representation, express or implied, concern-  
ing this material.

2. Critical and interested factors beyond Chevron's control prevent it from  
eliminating all risks in connection with the use of chemicals. Such risks include  
but are not limited to, damage to plants and crops to which the material  
applied, lack of complete control, and damage caused by drift to other plants  
or crops. Such risks exist even though the product is reasonably fit for the  
uses stated hereon and even though the directions are followed. Buyer and  
user acknowledge and assume all risks and liabilities, except there is a need  
Chevron under no circumstances to be held liable for damage and loss of the  
material.

[INSECTICIDE]



For Treating  
Corn,  
Beans  
Corn M  
Seed Co

Active Ingredient  
C,O-diethyl O-2-isopropyl-6-methyl-  
4-pyrimidinyl phosphorothioate  
Inert Ingredients  
Diazinon--registered trademark Geigy, Chemical Corp.  
2,754,243

**STOP** DO NOT INHALE  
DO NOT GET ON SKIN  
DO NOT TAKE INTERNALLY  
**WARNING: KEEP OUT OF REACH OF CHILDREN**  
SEE BACK PANEL FOR ADDITIONAL WARNINGS

NET WEIGHT  
1 POUND



ACCEPTED  
JUN 24, 1970  
SEALED FOR YOUR PROTECTION  
AND POTENTIALITY OF A