

239-23325

17019

10, 4

DRP

305 / 147033
17 / 2

MAR 8 1985

Ms. W. I. Chase
Chevron Chemical Company
ORTHO Agricultural Chemicals Division
940 Hensley Street
Richmond, CA 94804-0036

Dear Mr. Chase:

Subject: Revised Precautionary Text
ORTHO Diazinon Soil & Foliage Dust
EPA Registration No. 239-2332
Your submission dated February 13, 1985

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Revise "Wash thoroughly after handling." to "Wash thoroughly after handling and before smoking or eating."
 - b. Revise the third sentence of the If Swallowed advice to read:
"If this is not possible, telephone a physician, or emergency hospital, or Poison Control Center for medical advice."
 - c. Delete "DIRECTIONS" which currently appears above "SOIL APPLICATION".
2. Submit five (5) copies of your final printed labeling before you release the product for shipment under the amended labeling.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

26, 4
1



ORTHO Diazinon Soil & Foliage Dust



ACCEPTED
EPA COMMENTS
EPA Letter Dated:

ORTHO Diazinon Soil & Foliage Dust

MAR 8 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for registration purposes under U.S.A. Reg. No. 239-2332

READ ENTIRE LABEL - USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS

KEEP PESTICIDE IN ORIGINAL CONTAINER

DIRECTIONS

SOIL APPLICATION To control Cutworms and Wireworms prior to planting the following vegetable tables:

Beans	Carrots	Cucumbers	Melons	Peas	Spinach
Broccoli	Cauliflower	Endive	Onions	Peppers	Squash
Cabbage	Corn	Lettuce	Parsnips	Potatoes	Tomatoes

Apply evenly as a broadcast treatment over the surface of the soil. The contents of this package (1 lb.) should be spread evenly over 450 sq. ft. Immediately after spreading, mix thoroughly with the soil to a depth of 6 to 8 inches.

Special Uses

Onions: To control Onion Maggot apply in furrow at rate of 8 Tablespoonfuls per 100 ft. of row at time of planting.

Radishes: To control Root Maggot apply in furrow at rate of 9 Tablespoonfuls per 100 ft. of row at time of planting.

FOLIAGE APPLICATION: Apply dust at first signs of insects. Repeat as necessary. For best results, dust in early morning or late evening when temperature is low and air is still. Apply dust so that all parts of plants are contacted, especially upper and lower leaf surfaces. Do not shake directly on foliage of plants from container. Use an ORTHO Whurly Duster or similar type applicator to avoid over application which may damage young tender foliage. Number in () indicates days required between last application and harvest.

PLANTS	INSECTS
Beans (7)	Aphids, Western Spotted Cucumber Beetles
Broccoli (5) Cabbage (7) Cauliflower (5)	Aphids, Diamondback Moth Larvae, Imported Cabbage Worm
Carrots (10)	Aphids
Cucumbers (7)	Aphids, Cucumber Beetles, Leafhoppers, Leaf Miners, Mites, Thrips
Melons (3) Squash (7)	
Onions (10)	Onion Thrips
Peppers (5) Potatoes (35)	Aphids, Flea Beetles, Leaf Miners, Leafhoppers
Tomatoes (3)	Aphids, Leaf Miners, Banded Cucumber Beetles
Strawberries (5)	Aphids, Cyclamen Mites, Two-spotted Mites, Spittlebugs
Roses, Flowers, Shrubs	Aphids, Mites, Leafhoppers, Mealybugs, Whiteflies, Scale, Crawlers, Lacebugs

NOTE: Do not use on ferns, poinsettias, hibiscus and gardenias since injury may occur. Not effective against certain Spider Mites on evergreens.

CAUTION: Keep out of reach of children. Harmful if swallowed. Avoid breathing dust. May be absorbed through skin. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.

Note to Physicians: Emergency Information: call (415) 753-3261.

Read container label of food and feed crops. Avoid spraying near food and feed products. Dispose of container promptly when empty.

This product is toxic to fish, birds, and other wildlife. Birds landing on treated areas may be killed. Also kill aquatic animals, including snails. Do not apply where animals likely to enter. Never apply when wind drifts from lower dusts from areas treated. Do not concentrate dusts by cleaning of equipment, or discharge of vehicles. Apply this product only as specified on this label.


This product is highly toxic to bees exposed to direct treatment or drifting treatment on nearby crops. Protective information may be obtained from your Cooperative Agricultural Extension Office.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Chevron Chemical Company

Ortho Consumer Products Division
San Francisco CA 94120 7144
Richmond CA 94804 D036
Product 5074 Made in U.S.A.
Form 8044 R
EPA Reg. No. 239-2332-AA

EPA Est. 239 CA 1 239 NJ 1 239 MO 1
Superscript used is first letter of lot number



COPY A

PRECAUTIONARY STATEMENTS 10 pt.

HAZARDS TO HUMANS & DOMESTIC ANIMALS 10 pt.

CAUTION 10pt.

Harmful if swallowed or absorbed through the skin. Causes eye irritation. Avoid contact with eyes, skin and clothing. Avoid inhalation of dust. Avoid contamination of food and feed. Wash thoroughly after handling. Keep children and pets off treated area until completely dry. Kitchen utensils such as measuring cups should not be used for food purposes after use in measuring pesticides.

STATEMENT OF PRACTICAL TREATMENT 10pt.

In swallowed, DO NOT make person vomit unless directed to do so by a doctor. Immediately take person and container to a doctor or an emergency hospital. If this is not possible, telephone for medical advice. In case of eye contact, immediately flush eyes with fresh water for 15 minutes. If irritation persists, see a doctor. If on skin, wash thoroughly with soap and water. **Note to Physicians:** Emergency Information - call (415) 233-3737. Diazinon is an organophosphorus cholinesterase inhibitor. If signs and symptoms of cholinesterase inhibition develop, atropine sulfate is antidotal. 2-PAM may also be given in conjunction with atropine, but should not be used alone.

ENVIRONMENTAL HAZARDS 10pt.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

COPY B

Keep out of reach of children 10 pt.

CAUTION 14 pt.

See back panel for additional precautionary statements.

CONFIDENTIAL

PROPERTY OF

CHEVRON CHEMICAL COMPANY

UNTIL ACCEPTED BY EPA

COPY C

STORAGE AND DISPOSAL 10 pt.

STORAGE: Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

DISPOSAL: PRODUCT - Partially filled canister may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

CONTAINER - Do not reuse empty canister. Discard in trash.

CONFIDENTIAL
PROPERTY OF
CROSSLAND MEDICAL COMPANY
DATE RECEIVED BY LPA

