
and the second of the second o

,•

Chevron

# ORTHO HCB 4 Flowable Seed Protectant



# READ THE LABEL

CAUTION: Keep out of reach of children.
See side panel for additional cautions.

**NET CONTENTS 5 GALS LIQUID** 

FOR: Bakeries, Food Plants, Restaurants, Schools, Hotels, Office Buildings, Mills and Food Handling Plants.

# ACTIVE INGREDIENTS

Pyrethrins	1.0° w w
Petroleum distillate ,	 89.0°°
	100.0%

"Equivalent to 8.0". Buty arbityl) (6-propylp;peronyl) ether plus 2.0" related compounds.

CONTAINER DISPOSAL - Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

# 700311 INC. HOUSTON, TEXAS 5 gal Net

KEEP OUT OF REACH

💰 🗗 not spray or store near l ion of feed and foodstuffs. Remo wortums before spraying.

\*hould be removed or covered during treatmen sing surfaces should be covered during treatment or before using. When using the product in these area the facility is not in operation.

NOTICE: Seller warrants that the product conforms to and is reasonably fit for the purposes stated on the label with directions under normal conditions of use, but neith other warranty of MERCHANTABILITY or FITNESS FOR POSE, express or implied, extends to the use of this i instructions, or under abnormal conditions, or under co foreseeable to seller, and buyer assumes the risk of any

This product is toxic to fish. Keep out of lakes, st not contaminate water by cleaning of equipment, or Apply this product only as specified on this label

# DILUTION INSTRUCTIONS

Dilute to 0.10° pyrethrins by adding 1 part by weight a 9 parts of petroleum distillate.

Dilute to 0.25" pyrethrins by adding 1 part by weight a 3 parts of petroleum distillate.

Dilute to 0.50% pyrethrins by adding 1 part by weight a I part of petroleum distillate.

Sep. 19, 1975

ons and direct spraying on the insects are necessary. floor and the responsible specifies is leeping ed for the and proper edges of rogs. Repeated appli-

nfestation accurs.

DIRECTIONS FOR USE

or 0.50% pyrethrins spray.

UITOES, GNATS AND MALL FLYING MOUNTS ist flying insects, use in a good speaker distributed ng insects use either 0.10% or 0.25% apreced

O cultiof space Close all doors and windows Paint

pray mist to all parts of the room, especially

p the room closed for at least 15 minutes: Vicinities

completed. Repeat as necessary, Sweep up **and destroy** 

be made in late evening when inserts are at rest.

ling places contacting as many insects as possible.

Adjust sprayer to produce large wetting-type spray

ILVERFISH, FLEAS, CRICKETS, SPIDERS and ANTS:

whenever possible. Direct spray into hiding places,

as, openings around pipes and sink, under refriger-

ge areas. Spray ant trails, nests and points of entry.

ies of mattresses thoroughly with purticular attention.

Ismantle hed and thoroughly spray bedstead and box

I wall tracks about the bedroom should be thoroughly.

ch attract these insects. Fill the room with with the

or the insects are necessary for control.

RANARY WEEVILS, CONFUSED FLOUR BEETLES, S, CADELLES, RUST RED FLOUR BEETLES, SAW-SPIDER BEETLES, GRAIN MITES, RICE WEEVILS: e area thoroughly after thorough cleanup and prior to icts directly with the spray whenever possible. Lib-

ider pallets to retact the insects directly with the is often as on ascary. Do not apply directly to grain ed stored food products should be fumigated or treated

using an approved podact intended for this purpose. EATED AREAS, VENTILATE THE AREA AFTER ED.

# J-FYCON-I CONCENTRATE

EPA EST. 36301-TX-1 EPA REG 36301-3

DIRECTIONS FOR USE

**)**Ot -----

ld 🕡

lich er ·

HS CALE F

TE:

PULTUES GNATS AND SMALL FLYING MOTHS: For in the second sprayer adjusted to

nich in nom with mist, then nutes. Ventilate and destroy

RANA CONTINUE CONTINUES OF THE TOP

, Style of the second of the William

REATH SELECTION OF CATE THE AREA A TER

and the second of 0.10% or 0.25% spray. Apply at

only doors and windows. Point

1997年 1997年 - 大学校 - 新本東 - 11 東京 - 12 A W

and the second of the second o A second of the The second of the second of the second

# SYNERGIZED PYRETHRINS AREA SPRAY CONCENTRATE

ANK - Annas, Food Plants, Restaurants, Schools Hotels, Office. SILVERO - Follows of the Charles of the Control of : " indling Plants.

# TO A SELVENTS

1 ....

and the first region of the residence of the region of the property of the graph of the second of the second of



CAMMON STATE OF THE PARTY OF THE PARTY

ARELY WOOD ON

Harmful it swallowed. Do Avoid contamination of the concover fish aquariums between a cover

Foods should be a construction of the sing surfaces they have controlled by the controlled before as no Aller and a company the track of a second of the

the state of the s