

↑ THIS SIDE UP
DANGER!
KEEP OUT OF REACH OF CHILDREN!

For use as a SANITIZER, LIQUID BACTERICIDE, DEODORANT, DISINFECTANT, in Food Processing Plants, Farms, Dairy Plants, Taverns, Hotels, Restaurants, as a BLEACH in Laundries, and as a DISINFECTANT for Swimming Pools

If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk or gelatin solution, or if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive. May cause severe skin irritation or chemical burns to broken skin. Causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protection Agency.

STRONG OXIDIZING AGENT. Mix only with water according to label directions. Mixing this product with gross filth such as feces, urines, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes.

Store in cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or residue that cannot be used should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

MFG. BY TEXTILE CHEMICAL CO., READING, PA 19603
EPA REG. NO. 9436-2 EPA EST. NO. 9436-PA-01

NA 1791

SODIUM HYPOCHLORITE SOLUTION
ACTIVE INGREDIENTS

DIRECTIONS FOR USE - GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABEL. This product degrades with age. Use a chlorine test kit and increase dosage as needed to obtain the required level of available chlorine.

MIX 1 gallon SODIUM HYPOCHLORITE SOLUTION to 19 gallons of water. Introduce this solution into your normal laundry process.

SANITIZING UTENSILS AND EQUIPMENT IN DAIRY AND FOOD PROCESSING PLANTS

Clean all utensils in normal manner. Just before use, sanitize all surfaces with a 200 PPM available chlorine solution. Allow at least 5 minutes exposure or contact time specified by regulations. Do not rinse with water after this treatment. Do not soak equipment overnight.

(1) Clean all milking utensils and equipment in the normal manner. Just before use, sanitize all surfaces with a 200 PPM available chlorine dilution of SODIUM HYPOCHLORITE. Allow 2 minutes exposure time - always follow Health Department regulations. (2) PIPELINE - Clean and rinse immediately after milking. Just before next milking, sanitize with dilution of SODIUM HYPOCHLORITE providing 200 PPM available chlorine. Allow 5 minutes exposure time.

(3) BULK TANKS - Flush clean and rinse when empty. Sanitize with a dilution of SODIUM HYPOCHLORITE providing 200 PPM available chlorine just before milking. Allow 2 minutes exposure time.

NOTE: 1 oz. SODIUM HYPOCHLORITE SOLUTION to 4 3/4 gallons of water is equivalent to 200 PPM available chlorine solution.

START OF SEASON OR FOR NEWLY FILLED BULK TANKS

Add 10 oz. / 10,000 gallons of water (equivalent to 1.0 PPM available chlorine). Test with a reliable chlorine test kit and continue adding smaller amounts (1 oz. / 10,000 gallons equivalent to 1.0 available chlorine) if necessary until a residual of 0.6 to 1.0 PPM is established as determined by the test kit and maintain at this level. Keep the pH at 7.2 to 7.6 at all times determined by an adequate pH test kit.

BEST DOCUMENT AVAILABLE

24018 4X1