

\$995



ORTHO

ORTHO

St. Augustine Weed and Feed

St. Augustine Weed and Feed

ACCEPTED

JUN 14 1972

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 239-2348

See Side Panel

Ingredient Statement as Herbicide

Active ingredient	By Wt.
*Atrazine	0.83%
Inert ingredients	99.17%

\$995



ORTHO

ORTHO

St. Augustine Weed and Feed

St. Augustine
Weed and Feed

ACCEPTED
JUN 14 1972
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 234-2348

See Side Panel

Ingredient Statement as a Herbicide

Active Ingredient
*Atrazine
Inert Ingredients

By Wt.
0.03%
99.97%

Feed

JUN 14 1972

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 239-2378

Weed

St. Augustine

Covers 4,000 sq. Ft.

Ingredient Statement as a Herbicide

Active Ingredient	By Wt.
*Atrazine	0.63%
Inert Ingredients	99.37%
*Equivalent to 0.60% (2-chloro-4-ethylamino- O-isopropylamino-s-triazine) and 0.03% related compounds	

U. S. Pat. No. 2,891,855

CAUTION: KEEP OUT OF REACH OF CHILDREN.
SEE BACK PANEL FOR ADDITIONAL CAUTIONS.

Chevron Chemical Company
Ortho Division/San Francisco, Calif. 94120
Lafayette, Calif., Des Plaines, Ill.
Perth Amboy, N.J., Atlanta, Ga.

21-4-4 PLUS IRON NET WT. 29 LBS. 8 OZS.

ORTHO ST. AUGUSTINE WEED and FEED 828

WEEDY BACK GUARANTEE
Chevron Chemical Company, Ortho
Division, guarantees satisfaction or
money back. If you are not satisfied,
return sales receipt to your Ortho Dealer
or to Chevron Chemical Company at any
of the listed addresses.

ORTHO

239-2348

St. Augustine Weed and Feed

ORTHO
St. Augustine
Weed and
Feed

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N)	27%
Nitrate Nitrogen	9.3%
Ammoniacal Nitrogen	11.7%
Available Phosphoric Acid (P ₂ O ₅)	4%
Water Soluble Potash (K ₂ O)	4%
(Total Available Primary Plant Food)	29%
Derr. from: Ammonium Nitrate, Ammonium Sulfate, Ammoniated Superphosphate and Sulfate of Potash	
Iron (Fe) . . . (as Fe ₂ O ₃ - 2.8%)	2.0%
Derived from: Iron Sulfate	
Potential Acidity 800 lbs. Calcium Carbonate Equivalent per ton	
Florida Reg. No. 84-1024	

Ingredient Statement as a Herbicide

Active Ingredient	By Wt.
*Atrazine	0.63%
Inert Ingredients	89.37%
*Equivalent to 0.60% (2-chloro-4-ethylamino-6-isopropylamino-s-triazine) and 0.03% related compounds	
Equivalent to 12.6 lbs. Atrazine per ton	

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.
KEEP PESTICIDE IN ORIGINAL CONTAINER.
KEEP BAG CLOSED WHEN NOT IN USE—STORE IN A DRY PLACE.

DIRECTIONS

- ORTHO St. Augustine Weed & Feed rejuvenates starved and weedy lawns by:
1. Providing a fast-acting fertilizer that will give you a green lawn.
 2. Controlling unsightly broadleaf weeds such as Plantain, Pennywort, Chickweed, Creeping Charlie, Florida Pussley, Lippia, Evening Primrose, Florida Betony, Rabbit Tobacco, Dandelion, Oxalis, Pigweed and Toadflax that compete with your grass for water and nutrients.
 3. Preventing Sedge, Crabgrass, Spotted Spurge and Paspalum from becoming established in your lawn.
- WHEN TO APPLY**
1. To control the broadleaf weeds listed under number 2 above and fertilize grass, apply anytime the weeds are present and actively growing (usually early Spring is best timing). Repeat in two months if needed. Length of time required to control established broadleaf weeds is dependent upon their stage of growth. Mature weeds may take as long as 4 to 6 weeks to completely die.
 2. To prevent the growth of Sedge, Crabgrass, Spotted Spurge and Paspalum and fertilize grass, apply in January, February or March before these weeds germinate. This product will not control these weeds if they are present in the lawn at time of application.