PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or obsorbed through skin. Causes moderate eye injury. Avoid breathing spray mist. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soop and water after handling. Wear a long sleeved shirt and long legged ponts when spraying. Spray with the wind to your back. Do not spray on windy days. If clothing becomes well from spray during use, remove clothing after spraying, wash offected body areas thoroughly with soap and water, and launder clothing before wearing again. Do not use inside the home, Avoid contamination of feed and foodstuffs, Do not use on household pets or humans. Do not allow children or pets to go anto a treated area until the treated area such as grass or soil has dried. Do not contaminate arramental fish pands. Food whensile such as spoons and measuring cups must not be used for food purposes after use in measuring posticides.

STATEMENT OF PRACTICAL TREATMENT: If swallowed, immedi-

ately call a physicion or Polson Control Center. Do NOT make person vomit. Do not give anything by mouth if person is unconscious or convulsing. If inhaled, remove victim to fresh air. Give artificial respiration if necessary, preferably by mechanical means. Get medical treatment. If not breathing, give artificial repiration, preferably by mechanical means. Avoid mouth-to-mouth resuscitation. If on skin, wash with plenty of soop and water. Get medical treatment. If in eyes, hold eyelids open and flush with a steady, gentle stream of water. Get medical and from with a security gentle stream or work. Car instruction treatment immediately. Note to Physicians Emergency Information — call 1-800-457-2022. If symptoms of cholinergic potenting occur, atropine sulfate by injection is antidatal. 2-PAM is also antidatal and may be administered, but only in conjunction with atropine. Do not give morphine, theophylline, aminophylline, phenothiazines, reserpine, furosemide or ethacrynic acid. Admininter i.v. fluids coutiously if necessary to correct dehydration, if product is availowed, lavage stomach contents since inducting vanilting may lead to chemical lung injury.

ENVIRONMENTAL HAZARDS: This pesticide is highly toxic to birds, fish, and other wildlife. Birds, especially waterfowl, feeding

or drinking on treated areas may be killed. Do not exceed maximum premitted label rates. Application rates above those recommended significantly increase potential hazards to birds and waterfowl. Keep out of lakes, streams, ponds, tidal marshes, and estuaries. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring oreas. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab, and other aquatic life are important resources. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

This pesticide is highly toxic to bees exposed to direct treatment or to residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area, or when trees or weeds are in

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a monner inconsistent with its lobeling.
READ ENTIRE LABEL, USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

HOW TO USE: Use 2 transposateful (15 ft. ez.) per gal, of water, Mixes readily with water and may be used in all types of sprayers. Spray plant thoroughly, especially upper and lower leaf surfaces (except dormant Almands). Spray when pests first appear. Applications should be repeated only as directed to maintain control. Numbers in ( ) indicate days required between lest application and harvest. Do not feed treated vines to Rivestock. Do not treat food crops grown in the greenhouse. HOME NUT TREE ORCHARDS: ALMONDS (dermant season) CA enly: Spray almonds only ence to control Son Jass and Parlatoria scale. Welmits CA only (45h Do not apply toWalnuts more than

## Fruit & Vegetable **Insect Control**

Controls Most Fruit Tree and Vegetable Insects

For Outdoor Use on the Tome Surcies Only P T E D

JUN 1 7 1993

Contains 25% Diazin Mader the Federal Insecticide. Fungicide, and Redenticide Act. as amouded, for the posticide registered under EPA Reg. No. 239-2350

## ILLUSTRATION

**Active Ingredient** Diozinon (O,O-diethyl-O-[2-isopropyl-6-methyl-4-pyrlmidinyl] phosphorothicate) \_\_\_\_\_\_ 25% \*Inert Ingredients ..... \*Contains Aramatic Petroleum Derivative Solvent

DO NOT USE IN THE HOME ....

Keep out of reach of children 2 2

CAUTION

See side panel for additional precautionary statements.

NET CONTENTS 1 PT.

3 times per season or after husks crack open. Do not apply more than a gallons of spray per 500 sq. ft, of home almond or walnut orchard. Repeat sprays for walnuts 14 days apart.

HOME FRUIT TREE ORCHARDS: Apricots, Cherries, Nectorines, Peaches, Plums, Prumes (21): Do not apply more than 4 gallons of spray per 500 sq. ft. of home archard. Do not apply more than 3 times per season. Repeat sprays for cherries, plums and prunes 7-10 days aport, for apricats, nectarines and peaches 14 days apart. Note: To protect bees, do not apply to fruit trees when trees or substantial numbers of weeds around the trees

are in bloom.

HOME VINEYARD OR BERRY PATCH: Grapes (28), Strawberries (5): Do not apply more than 3 gallons of spray per 500 sq. ft. of grape vineyard or strawberry patch. Do not apply more than

of grope vineyord of strawaetry porch. On not apply more main 5 times per season for grapes or 3 times per season for straw-berries. Repect sprays 7-10 days apart.

Blackberries, Boysenberries, Dewberries, Loganberries, and Raspberries, CA, OR, WA only (7): Do not apply more than 5 gallons of spray per 500 sq. ft. of coneberry patch. Do not apply more than 5 times per season. Repeat sprays 14 days aport. To Control: Aphids, Cherry Fruit Flies, Dried Fruit Beetles, Fruit-

worms (Maggats), Fruit Tree Leafrollers, Grape Berry Moth, Grope Leaffolders, Leafhoppers, Mealybugs, Mites, Rospberry

Sowlly, Scale Crawlers, Strowberry Leafroller, Tentiform Leaf-miners, Thrips, Walnut Coterpillars.

VEGETABLES AND MRONS: Beonst, fresh only (7), Braccoll (7), Cabbage (21), Contelloupes (3), Carrots (14), Couliflower (7), Cucumber (7), Lettuce (14), Muskmelons (3), Onlans (14), Peast, fresh only (7), Pappers (5), Potatoes (35), Radishes (14), Spinack (14), Summer Squash (7), Sweet Corn (7), Tomatoes (1), Turniya (14), Watermelone (3), and Winter Squash (3). Do not apply more than 3 gallons of spray per 1000 sq. ft. of

home vegetable garden. Do not apply more than 3 times per season for Beans and Peas, or more than 5 times per season for all other vegetable crops. Repeat sprays 7-10 days apart. tNOTE: Do not use on dried bean or pea varieties. To protect

bees, do not apply to bean or pea follage if the crop or weeds in the treatment area are in bloom. Do not apply to corn during the pollen shed period.

To Control: Aphids, Armyworms, Colorado Pototo Beetle, Cucumber Beetles, Diamond Back Moth (larvae), Dipterous Leafminers\*, Flea Beetles, Grasshoppers, Imported Cabbage Worms, Leafhoppers, Mexican Bean Beetle, Mites, Onion Thrips, Thrips, Vinegar Fly, Whiteflies. \*NOTE: Resistant leafminers will not be controlled by diazinon or similar type insecticides. For Disease Control on Fruits and Vegetables — Apply ORTHO Multi-Purpose Fungicide DACONIL 27878. Follow label directions.

## STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked eteroge area. Do not store diluted spray. Keep tightly capped OISPOSAL: PRODUCT — Partially filled bottle may be disposed of by securely, wsopping original container. in several layers of newspaper and discard in trash. CONTAINER — Do not reuse empty bottles Rinse thoroughly before discarding

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions. DACONIL 2787'9 - Regt 4M of ISK Bieter Corp.

Chevron Chemical Company © 1993 Orthe Consumer Products Division P.O. Bex 5047 Sen Remon CA 94583-0947 Product 6018 Made in U.S.A. Form RC447-A EPA Roz. No. 239-2350-AA EPA Est. 239-MO-1