

**NEW GREATER VALUE
3 OZ. MORE**

THAN FORMER 14 OZ. SIZE

**NEW GREATER VALUE
3 OZ. MORE**


THAN FORMER 14 OZ. SIZE

ORTHO

Rose & Floral Spray

Contains SEVIN®

- 1. Kills Aphids
- and Certain Other Insects Quickly
- 2. Protects Rose and Flower Beauty
- from Black Spot and
- the Like.



WARNING: Keep out of reach of children.
See back panel for additional warning statements.

NET CONTENTS 1 LB. 1 OZ.

**ACCEPTED
239-2352**

ORTHO Rose & Floral Spray

READ DIRECTIONS CAREFULLY AND FOLLOW THEM CLOSELY.

DIRECTIONS
ORTHO Rose & Floral Spray protects roses, delphiniums, campanias, asters, geraniums, zinnias, gladiolas, camellias, daffodils and begonias against a broad range of pests. Provides: (1) quick knockdown and kill of listed insects; (2) protection against certain insects for about 1 week; and (3) control of blackspot, powdery mildew on roses.

KILLS FOLLOWING INSECT PESTS AROUND LAWN AND GARDEN

Aphids	Blister Beetles	Japanese Beetles	Rose Chafers
Leafhoppers	Lace Bugs	Brown Marmorated	
Spotted Thrips	Moths	Beetles	Scale Insects

DIRECTIONS

WHEN TO APPLY For insect control—Spray at first sign of pests, before infestation is heavy. Spray in morning when air is still—not in heat of mid-day or in bright sun. Do not spray when temperature is below 60°F. or above 85°F. For disease prevention and control—Spray weekly starting before diseases appear. Not for use on house plants inside the home.

HOW TO APPLY Hold can 10-24 inches from plant. Press button, using brief, one-second bursts. Spray plant parts lightly. Cover both upper and lower leaf surfaces. To spray under leaves, turn can upside down and release spray.

Note: Do not hold can closer than 18 inches from plant when spraying to prevent over wetting and damage to tender foliage.

WARNING: Harmful if swallowed, inhaled or absorbed through the skin. Do not take internally. Avoid breathing spray. Skin contact may be harmful. Avoid skin contact. Wash hands and face before eating.

Note to Physicians: Emergency Information—call (415) 233-3737. Carbaryl is a moderate reversible Cholinesterase inhibitor. Atropine is antidote. **AVOID CONTAMINATION OF FOOD.** Dispose of container promptly when empty.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F. may cause bursting. Never throw container into fire or incinerator.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Active Ingredients

- Carbaryl (Naphthyl-N-methylcarbamate)	50.0%
- Folpet	1.0%
- Pyrethrins	0.5%
- Technical Piperonyl Bioxide	0.25%
- Aluronone	0.05%
- Other Cube Resins	0.25%
- Petroleum Distillate	47.62%

Inert Ingredient

- SEVIN® - trademark of Union Carbide Corporation for the active ingredient: Naphthyl-N-methylcarbamate	0.205%
- N-trichloromethyl-N-phenyl-phthalimide (PNATAM)	0.051%
- Equivalent to 0.205% of ibuprofen-6-propoxypropyl-ether and 0.051% of ibuprofen-2-	0.051%

Manufactured for

Chevron Chemical Company

Ortho Division San Francisco CA 94119 Redwood CA 94604

Product 1000 Made in U.S.A.

Fd & 8925A

EPA Est. 11525-CA-1

EPA Reg No 239-2352-AA

RECEIVED
16/11/81
17/11/81
18/11/81
19/11/81
20/11/81

W **U** **M** **E** **N**

Rose & Floral Spray

Flora Spray

Contains SEVENS

1. Kills Aphids and Certain Other Insects Quickly
 2. Protects Rose and Flowering Plants from Blackspot and Powdery Mildew



DO NOT EAT/FREEZE LABEL UNTIL STRICTLY IN ACCORDANCE WITH LABEL WARNINGS AND
INSTRUCTIONS

1959. Control of Acetosella, Lindernia, Myrsinaceum, Carnation, Others, Personata, Lepturus, Thlaspi, Teucrium, and Begonia against broad range of pests. Provide for 100% protection against listed insects (2) protection against weeds (100%), and (3) control of blackspot, powdery mildew on roses.

DO FOLLOW INSECT PESTS AROUND LAWN AND GARDEN

<u>Adults</u>	<u>Whiteflies</u>	<u>Japanese Beetle</u>	<u>Rose Chafers</u>
<u>Chiggers</u>	<u>Lace Bugs</u>	<u>Bugworms</u>	<u>White Insects</u>
<u>House Fly</u>	<u>Mealybugs</u>		

DIRECTIONS

WHEN TO APPLY for insect control - Spray at first sign of pests before infestation is heavy. Do not spray when air is still - not in heat of mid day or in bright sun. Do not spray when temperature is below 60° F. or above 85° F. for disease prevention and control. Spray weekly防治 before diseases appear. Not for use on house plants inside the home.

HOW TO APPLY: Hold can 18-24 inches from plant. Press button, using brief, one-second burst. Spray both parts lightly. Cover both upper and lower leaf surfaces. To spray under leaves, turn can upside down and release spray.

Note: Do not hold can closer than 18 inches from plant when spraying to prevent over wetting and damage to tender foliage.

WARNING Harmful if swallowed, inhaled or absorbed through the skin. Do not take internally. Avoid breathing spray. Skin contact may be harmful. Avoid skin contact. Wash hands and face before eating.

**Note to Physicians: Emergency Information - call (415) 273-3177. Carbonyl - moderate reversible
respiratory irritant. At low concentrations AVOID CONTAMINATION OF FOOD. Rinse off
skin and clothes when eaten.**

For further information concerning water storage methods or water management practices, contact your local extension agent or write to the Jane C. Brinkley Library, Bureau of Soils, U.S. Department of Agriculture, Washington, D.C. 20250.

WARNING Contents under pressure. Do not puncture. Do not use or store near heat. If the temperature of the bottle rises above 110°F, may cause bursting. Never allow children to drink from this bottle.

RE: DUFF - Please accept my responsibility for safety and is not a cause for alarm.

—
—
—

10. The following is a list of the names of the members of the Board of Directors of the Company:

17. *Leucosia* *leucostoma* *leucostoma* *leucostoma* *leucostoma*

Textron Chemical Company

Digitized by Google on April 19, 2016

THE FEDERAL BUREAU OF INVESTIGATION