


# VOLCK<sup>®</sup> Dormant & Summer Oil Spray



**DORMANT AND GROWING SEASON SPRAY**  
**CONTROLS SCALE INSECTS, MEALYBUGS,**  
**WHITE FLIES, RED SPIDER MITES**

**Active Ingredient** By Wt. 98%  
 Petroleum Oil  
**Inert Ingredients** 2%  
 Petroleum Oil Min. Unsulfonated  
 Residue—92%  
 Petroleum Oil Classification—Unclassified

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS.



KEEP OUT OF REACH OF CHILDREN. CONTAINS FLAMMABLE LIQUIDS. Avoid contact with eyes, nose and mouth. Wash thoroughly with soap and water after use. For use in Western States only.

FOR USE IN WESTERN STATES ONLY.

**DIRECTIONS**


Apply to the undersides of leaves and other parts of the plant. Do not apply to flowers or fruit. Do not spray in strong wind. Do not apply to wet or recently watered plants.

**FOR DORMANT USE—**To Control Scale Insects, Red Spider Mites, Mites, Mealybugs on Deciduous and Coniferous Trees, Shrubs, Woody plants, Fruit Trees, etc. Use 1 quart (4 cups) per 100 gallons of water.

## NET CONTENTS

### LIQUID

**Chevron Chemical Company**  
 Ortho Division, San Francisco, Calif. 94119  
 Richmond, California Lafayette, California Atlanta, Georgia  
 Des Moines, Iowa Perth Amboy, New Jersey  
 Form 8352 Product 2675 Made in U.S.A.  
 EPA Reg. No. 232 2400 AA



### READ THE LABEL

KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR ADDITIONAL CAUTIONS

**CAUTION:** This product is extremely flammable and should be kept away from open flame and heat. Do not use in a confined space. Do not breathe vapors. Avoid contact with eyes, nose and mouth. Wash thoroughly with soap and water after use. Do not use if the spray has become too thick to spray. Oil sprays should be applied when freezing or near-freezing temperatures may be expected. Do not use on Madroñero, Fern, Yucca, Paper Birch, Juniper, Magnolia, Beech, Birch, Hickory, Walnut, etc. Do not use on woody plants unless specified. VOLCK Dormant & Summer Oil Spray may be chlorinated. Do not use on plants that are being treated with or closely following treatment with Roundup Garden Fungicide. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not reuse container. Destroy when empty.

**GROWING SEASON—**To Control Scale Insects, Red Spider Mites, Mites, Mealybugs and White Fly Larvae on Citrus, Fruit Trees, Shade Trees, Evergreens, Camellias, Azaleas, Hardy Shrubs: Use 1 quart (4 cups) per 100 gallons of water. For control of White Fly Larvae on Citrus, Fruit Trees, Shade Trees, Evergreens, Camellias, Azaleas and Hardy Shrubs: Use 1 quart (4 cups) per 100 gallons of water. Do not apply to wet or recently watered plants.

**GREENHOUSES—**To Control Scale Insects, Red Spider Mites, Mites, White Fly, Mealybugs on Hardy Shrubs, Gardenias, Camellias and Azaleas: Use 1 quart (4 cups) per 6 quarts water (14 teaspoons per quart). Allow at least 6 days between oil sprays and limiting to 3 applications per year.

**PALM TREES—**Scale Insects, Mealybugs, Red Spider Mites: Use 1 quart (4 cups) per 6 quarts water (14 teaspoons per quart). **Caution.**

**NOTICE—**Buyer assumes all responsibility for safety and use of this product in accordance with directions.