



**ORTHO**



**ORTHO**

Covers Up To  
12,800 Sq. Ft.



**ORTHO**



**ORTHO**

**WEED-B-GON<sup>®</sup>**  
For Southern  
Grasses

**ACCEPTED**  
DEC 14 1982  
Under the Federal Insecticide, Fungicide, and Rodenticide Act  
EPA Reg. No. 239-2403

**WEED-B-GON<sup>®</sup>**  
For Southern  
Grasses


**WEED-B-GON<sup>®</sup>**  
For Southern  
Grasses

**CONTROLS**  
Black Medic  
Chickweed, Clover  
Cudweed, Dichondra  
Evening Primrose  
Pigweed  
Bracted Plantain  
Purslane  
Shepherdspurse

**FOR CONTROL OF WEEDS**  
in St. Augustine, Bermuda, Zoysia,  
Centipede and Bahiagrass Lawns

Active Ingredients	By Wt
Isooctyl ester of 2-(2-Methyl-4-chlorophenyl) propionic acid	17.74%
Methyl 2-chloro-9-hydroxyfluorene-9-carboxylate	2.23%
Methyl 9-hydroxyfluorene-9-carboxylate	0.65%
Methyl 2,7-dichloro-9-hydroxyfluorene-9-carboxylate	0.49%
Inert Ingredients	78.47%
*Equivalent to 11.65% MCPP 2-(2-Methyl-4-chlorophenyl) propionic acid	
U.S. Pat. Nos. 3,506,434 and 3,598,564	

**CONTROLS**  
Sow Thistle  
Toadflax  
Florida Betony  
Florida Pusley  
Oxalis  
Sensitive Mimosa  
Spurge  
Wild Geranium



**CAUTION:** Keep out of reach of children.  
See back panel for additional cautions.

**NET CONTENTS 1 QT.**

**Chevron Chemical Company**

Ortho Consumer Products Division  
San Francisco CA 94120 7144  
Redmond CA 94041 0036  
Form 8953 G Product 5203  
Made in U.S.A.  
EPA Reg. No. 239 2403

EPA Est. 239 CA 1 239 M-1  
Superscript used is first letter of lot number

**READ ENTIRE LABEL. USE STRICT DIRECTIONS.**  
KEEP PESTICIDE IN ORIGINAL OR FOOD OR DRINK CONTAINERS  
WEED-B-GON For Southern Grasses weeds in southern or warm season. Do not store diluted spray.  
**DIRECTIONS FOR USE ON LAWN:** be applied in the spring or fall when are necessary temporary discoloration. Augustine and other southern grasses. Make one application to control Primrose, Pigweed, Bracted Plantain. Make 2 applications 2 to 3 weeks later. Pusley, Oxalis, Sensitive Mimosa. **HOW TO USE:** For best results, use recommended dilution. If lawn needs for 24 hours after application. Spray when air is calm to 5 mph. Note: The activity of WEED-B-GON after application and complete control. **NEWLY SEEDED LAWNS** may be to Dichondra, Lupine, Clover, Bluegrass.

Area to Treat	Rate
200 sq. ft.	1/2 oz.
1200 sq. ft.	1 oz.

**IMPORTANT:** Do not use this product on shrubs or ornamental plantings. Wait 3 to 4 weeks after use. **CAUTION:** Harmful if swallowed, and clothing in case of contact. Wash hands after use. Keep children and pets away. **Warning to Physicians:** Emergency treatment. **DO NOT USE, POUR, SPILL OR STORE** on susceptible plants as this product kills. Coarse sprays are less likely to destroy. Never reuse. Do not store. When ORTHO Sprayer is used and using WEED-B-GON For Southern Grasses fertilizers to ornamental plants. Keep out of lakes, streams or ponds of wastes.  
**NOTICE:** Buyer assumes all responsibility. Contains Chlorflorene a Product of

# ORTHO

Covers Up To  
12,800 Sq. Ft.



# ORTHO

## WEED-B-GON<sup>®</sup> For Southern Grasses

### WEED-B-GON<sup>®</sup> For Southern Grasses

**CONTROL OF WEEDS**  
St. Augustine, Bermuda, Zoysia,  
and Bahiagrass Lawns

**CONTROLS**  
Sow Thistle  
Toadflax  
Florida Betony  
Florida Pusley  
Oxalis  
Sensitive Mimosa  
Spurge  
Wild Geranium

(2-Methyl-4-chlorophenyl) propionic acid  
9-hydroxyfluorene-9-carboxylate  
fluorene-9-carboxylate  
10-hydroxyfluorene-9-carboxylate

By Wt  
17.74%  
2.10% **2.71%**  
0.65%  
0.49%  
28.47% **78.41%**

5% MCPP 2-(2-Methyl-4-chlorophenyl) propionic acid  
EPA Reg. No. 434 and 3598564

**Chevron Chemical  
Company**

Ortho Consumer Products Division  
San Francisco, CA 94120 7144  
Richmond, CA 94704 0036  
Form 8963 G Product 5203  
Made in U.S.A.  
EPA Reg. No. 239-2403

EPA Est. 239 CA 1 239 300-1  
Superscript used is first letter of lot  
number

Keep out of reach of children.  
See label for additional cautions.

CONTENTS 1 QT.

# ORTHO

## WEED-B-GON<sup>®</sup> For Southern Grasses

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

WEED-B-GON For Southern Grasses containing MCPP and Maintain is designed to control broadleaf weeds in southern or warm season grasses without injuring the lawngrass when used as directed. Do not store diluted spray.

**DIRECTIONS FOR USE ON LAWNS:** For best control WEED-B-GON For Southern Grasses should be applied in the spring or fall when weeds are young and actively growing. If summer applications are necessary, temporary discoloration or injury may occur to St. Augustine Grass, however, St. Augustine and other southern grasses will not be permanently injured if applied as directed.

**Make one application** to control Black Medic, Chickweed, Clover, Dandelion, Dichondra, Evening Primrose, Pigweed, Bracted Plantain, Purslane, Shepherds-purse, Sow Thistle and Toadflax.

**Make 2 applications 2 to 3 weeks apart** to control the following hard weeds: Florida Betony, Florida Pusley, Oxalis, Sensitive Mimosa, Spurge and Wild Geranium.

**HOW TO USE:** For best results, use an ORTHO SPRAYETTE or tank type sprayer. Refer to table for recommended dilution. If lawn needs watering, water thoroughly before application. Do not water for 24 hours after application. Spray entire lawn, wetting weeds and lawn grasses. Do not over spray. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants.

**Note:** The activity of WEED-B-GON For Southern Grasses may not be evident for at least 2 to 3 weeks after application and complete control of listed weeds may take 4 to 6 weeks.

**NEWLY SEEDED LAWNS** may be treated after they have been mowed at least 3 times. Do not apply to Dichondra, Lippia, Clover, Bluegrass or Fescue Lawns.

#### DILUTION TABLE

Area to Treat	Water To Use	Amount of WEED-B-GON For Southern Grasses To Use
200 sq. ft.	1 gallon	1 tablespoonful
1200 sq. ft.	6 gallons	6 tablespoonfuls (3 cupfuls)

**IMPORTANT:** Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Vapors may injure susceptible plants in immediate vicinity. Do not reseed for 3 to 4 weeks after use.

**CAUTION:** Harmful if Swallowed. Do not breathe vapor or spray mist. Avoid contact with skin, eyes and clothing. In case of contact, flush with plenty of water. For eyes, get medical attention. Wash hands after use. Keep children and animals away from treated areas until these areas are dry.

**Note to Physicians:** Emergency Information—call (415) 233-3717.

**DO NOT USE POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.** Avoid spray contact or drift to susceptible plants as this product may injure flowers, shrubs, garden vegetables, fruit trees and other crops. Coarse sprays are less likely to drift. When container is empty, immediately wash thoroughly and destroy. Never reuse. Do not store near feed, foodstuffs, fertilizer, seeds, insecticides or fungicides. When ORTHO Sprayer is used and rinsed thoroughly as directed or sprayer jammed, clean after applying WEED-B-GON For Southern Grasses, it can be used to apply insecticides, fungicides and liquid fertilizers to ornamental plants.

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

Contains Chlorfloreol, a Product of E. Merck, Darmstadt, West Germany.

Mr. W. L. Chase  
Chevron Chemical Company  
Ortho Consumer Products Division  
940 Hensley Street  
Richmond, CA 94804-0036

DEC 14 1982

Dear Mr. Chase:

Subject: Amendment: Updated Confidential  
Statement of Formula: Revised Labeling  
Weed-B-Gon For Southern Grasses  
EPA Registration No. 239-2403  
Your Submission of December 3, 1982

The amendment referred to above, submitted in connection with registration under FIFRA is acceptable, provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- a. Modify the referral statement to read:

See back panel for additional precautionary statements.

- b. Under Directions For Use add:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- c. Add:

Disposal

Do not reuse empty container. Wrap and put in trash collection.

- d. Above CAUTION on the back panel add the headings:

Precautionary Statements  
Hazards to Humans and Domestic Animals

334-3400

-2-

e. Modify "Keep Out of Lakes, Streams or Ponds" to Read:

Do not apply directly to water.

Above this section add the heading:

Environmental Hazards

2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

The updated Confidential Statement of Formula is acceptable and has been included in the files for this product.

Sincerely yours,

Richard P. Mountfort *RFM*  
Product Manager (23)  
Fungicide-Herbicide Branch  
Registration Division (TS-767)

Enclosure

TS-767:RFMOUNTFORT:DCR-04173:WANG-1583C:hk:Raven:479-2013:12/13/82