

ORTHENE® Ornamental Insect Spray

Sprays in Any Direction for Complete Protection

FRESHLY SCENTED

Contains ORTHENE® Systemic Insecticide

KILLS: Aphids, Armyworms, Bagworms, Flower Thrips, Mites, Mealybugs, Diabrotica Beetle, Leafminers, Caterpillars, Scale Crawlers, Whitefly, Sawfly, Leaf Beetles, Spittlebug, Fall Webworms on Roses, Flowers, Ornamentals Shrubs and Ornamental Small Trees.

Kills both by contact and systemic action

SYSTEMIC ACTION PROTECTS against reinfestation for up to 2 weeks on Roses, Flowers, Ornamentals Shrubs and Ornamental Small Trees

Kills Crawling Pests on Contact and as a Spot Spray: Ants, Roaches, Crickets, Spiders, Silverfish, Earwigs, Sowbugs (Pillbugs), Millipedes, Clover Mites, Centipedes and Scorpions.

For Outdoor Residential Use Only

Active Ingredients:

Acephate

*Resmethrin

Other Ingredients

By Wt.

0.25%

0.10%

99.65%

Keep out of reach of children

CAUTION

See back panel for additional precautionary statements.

Manufactured for The ORTHO Group P.O. Box 1749 Columbus, OH 43216

EPA Reg. No. 239-2440 EPA Est. 5590-IL-1

NET WT. 9 OZ.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes eye irritation. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Do not allow children or pets to come into contact with treated surfaces until sprays have dried.

FIRST AID:

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

^{*}Cis/Trans isomers ratio max. 30% (±) cis and min. 70% (±) trans

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physicians: Emergency Information - call (800) 225-2883. Acephate is an organophosphorus cholinesterase inhibitor. If signs and symptoms of cholinesterase inhibition develop, atropine sulfate is antidotal; 2-PAM may also be given in conjunction with atropine, but should never be used alone.

ENVIRONMENTAL HAZARDS: This pesticide is highly toxic to fish. Do not apply directly to water. Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Cover fish aquaria and fish ponds before spraying. This pesticide is toxic to birds. Do not contaminate water by cleaning of equipment or disposal of wastes. Cover or soil-incorporate spills.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting treatment area.

PHYSICAL OR CHEMICAL HAZARDS: Extremely Flammable. Do not use or store near fire, sparks or heated surfaces. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Specially formulated for residential use.

Do not use on edible-fruit or nut bearing trees or shrubs

OUTDOORS-

KILLS: Aphids, Armyworms, Bagworms, Flower Thrips. Mites, Mealybugs, Diabrotica Beetle, Leafminers, Caterpillars, Scale Crawlers, Whitefly, Sawfly, Leaf Beetles, Spittlebug, Fall Webworms on Roses, Flowers, Ornamentals Shrubs and Ornamental Small Trees.

When to Apply-Spray at first sign of pests, before infestation is heavy. Repeat if necessary waiting at least 7 days between applications. Do not apply to wilted plants or to plants that are in direct sunlight.

How to Apply: Hold can approximately 18" from plant. Apply as a light spray, in short bursts, covering both upper and lower leaf surfaces. Do not spray towards face, or put face in mist cloud.

IMPORTANT: Holding aerosol too close to foliage may result in overwetting and damage to tender foliage. This product has not been tested on rare or unusual varieties, therefore it is advisable to test on a few plants before spraying large numbers.

Ants (Outdoors): Apply directly to ants, ant trails or runways, around garbage can storage areas (including inside cans), cracks in pavement, ant hills or mounds, around house foundation and around the outside of doors, windows, or where plumbing enters the home.

Spiders (Including Black Widow Spiders) Crickets, Earwigs, Clover Mites, Sowbugs (Pillbugs), Millipedes, Centipedes, Silverfish, Roaches & Scorpions (Outdoors): Treat localized infestations of these pests in outdoor areas by spraying directly on pests whenever possible. Also spray garbage cans and surrounding area; around house foundations, steps, wood piles, firewood, outside doors and windows or where plumbing enters the house, under the eaves of the roof, cracks in the walls or other places where pests may gain entrance.

STORAGE AND DISPOSAL

STORAGE: Store in a secure, preferably locked storage area away from heat or open flame.

DISPOSAL: Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.