



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

February 11, 2015

Ms. Wendy Hollingsworth-Cox
Sr. Analyst, Federal Registrations
The Scotts Company d/b/a The Ortho Group
P.O. Box 190
Marysville, OH 43040

Subject: Label Amendment – create sub-labels, add optional use directions for the Ready-to-Spray applicator, and other general label revisions/clarifications
Product Name: Ortho Brush-B-Gon Brush Killer
EPA Registration Number: 239-2491
Application Date: November 13, 2014
Decision Number: 497788

Dear Ms. Hollingsworth-Cox:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Continued on page 2

Page 2 of 2
EPA Reg. No. 239-2491
Decision No. 497788

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Beth Benbow by phone at 703-347-8072, or via email at Benbow.bethany@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Mindy Ondish". The signature is written in a cursive, flowing style.

Mindy Ondish
Acting Product Manager 25
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

Enclosure


NOTE:

EPA Reg. No. 239-2491

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

ORTHO BRUSH-B-GON BRUSH KILLER



Alternate Brand Names

- Ortho® Brush-B-Gon® Brush Killer
- Ortho® Brush-B-Gon® Poison Ivy Killer Concentrate
- Ortho® Brush-B-Gon® Poison Ivy, Poison Oak & Brush Killer₁ Concentrate
- Ortho® MAX™ Poison Ivy & Tough Brush Killer Concentrate
- Ortho® Poison Ivy & Tough Brush Killer Concentrate
- Ortho® Weed-B-Gon® Chickweed, Clover & Oxalis Killer Concentrate
- Ortho® Weed-B-Gon® Chickweed, Clover & Oxalis Killer for Lawns Concentrate
- Ortho® Weed-B-Gon® Chickweed, Clover & Oxalis Killer for Lawns Ready-To-Spray
- Ortho® Weed-B-Gon® Creeping Charlie (Ground Ivy) Killer for Lawns Ready-To-Spray
- Ortho® Weed-B-Gon® Ground Ivy (Creeping Charlie) Killer for Lawns Ready-To-Spray
- Ortho® Weed-B-Gon® Tough Weed Killer for Lawns
- Ortho® Weed-B-Gon® Tough Weed Killer for Lawns Ready-To-Spray
- Ortho® Weed-B-Gon® Tough Weed Killer for Lawns Concentrate
- Ortho® Kudzu MAX™ Tough Brush Killer Concentrate
- Ortho® Poison Ivy MAX™ Tough Brush Killer Concentrate
- Ortho® Poison Oak MAX™ Tough Brush Killer Concentrate
- Ortho® Wild Blackberry MAX™ Tough Brush Killer Concentrate

Active Ingredient

Triclopyr, triethylamine salt*	8.0%
Other Ingredients	<u>92.0%</u>
Total.....	100.0%

*5.74% Triclopyr acid equivalent (0.49 lb/gal)

KEEP OUT OF REACH OF CHILDREN CAUTION

See back [back] [side] [other] [panel] [booklet] for additional precautionary statements.

NET CONTENTS XX FL OZ (X [GAL/QT/PT]) XX [L/mL]

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing during and after application. This product may cause skin sensitization reactions in some people. Wear long-sleeved shirt, long pants, shoes and socks when applying this product. Remove and wash contaminated clothing before reuse.

Entry Restriction: [[Reentry icon] Do not enter or allow people or pets to enter treated areas until spray has dried.]

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Wash thoroughly with soap and water after handling.

FIRST AID

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physicians: Emergency Information call 1-800-225-2883

ENVIRONMENTAL HAZARDS: Do not apply directly to water. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This product contains a chemical that has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

STORAGE AND/ & DISPOSAL

Do not contaminate food or feed by storage and disposal.

PESTICIDE STORAGE: Store this product in its original container and keep out of reach of children and domestic animals.

PESTICIDE DISPOSAL AND/ & CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

SUBLABEL 1 – Brush Application

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE PRECAUTIONS:

- Do not spray plants or grasses you like – they may die too. Foliage spray not recommended for weed control in lawns.
- Contact with Poison Oak or Poison Ivy anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and/& rubber gloves in tightly sealed garbage bags.

USE RESTRICTIONS:

- Do not enter or allow people or pets to enter treated areas until spray has dried. [re-entry icon]
- Do not use on or around edible feed or food crops or areas where grazing is allowed.
- Apply when air is calm to prevent drift to desirable plants.
- Do not apply when wind exceeds 10 mph on average or if wind is gusting.
- Do not exceed the maximum yearly application rate of 5.4 fl. oz. product per 100 sq. ft. (9.0 lbs. triclopyr per acre).

APPLICATION RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift.
- Keep people and pets out of the area during application.

HOW IT WORKS/PRODUCT INFORMATION

Ortho Brush-B-Gon Brush Killer/Product Name contains a proven weed killer that targets brush and vine weeds. This herbicide enters the lawn weeds through their leaves and moves throughout the plant to provide control. Wilting or yellowing will occur in 2 to 6 weeks. Hard to kill weeds may require a repeat application if regrowth occurs.

WHERE TO USE:

Ortho Brush-B-Gon Brush Killer/Product Name/This product can be applied around homes, cabins, out-buildings and along fences and/& trails.

HOW MUCH TO USE:

4 fl. oz. per gallon of water for 100 square feet/sq. ft. (dense brush) to 400 square feet/sq. .ft. (lighter brush). If needed, retreatments can be made, however, do not apply more than 5.4 fl oz product per 100 sq. ft. in a year from all applications.

WHEN TO APPLY:

- Apply when weeds are leafed out and actively growing.
- Apply when air is calm to prevent drift to desirable plants.
- Rain 2 hours after application will not reduce effectiveness.
- Wilting or yellowing will occur in 2 to 6 weeks.
- Hard to kill weeds may require a repeat application if regrowth occurs.

OR

NOTE:

EPA Reg. No. 239-2491

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

WHEN TO USE: Apply when weeds are leafed out and actively growing.**WEEDS CONTROLLED [KILLS WEEDS INCLUDING:]***Some or all of the following weeds will appear on the product label*

Arkansas Rose	Giant Ragweed	Red Sorrel
Big Leaf Maple	Ground Ivy (Creeping Charlie)	Salmonberry
Bindweed	Himalayan Blackberry	Sassafras
Black Cottonwood	Honeysuckle, Amur	Speedwell (Veronica)
Black Medic	Honeysuckle, Bush	Spurge, Garden
Black Willow	Honeysuckle, Japanese	Spurge, Spotted
Brazilian Pepper	Ironweed	Scouler Willow
California Rose	Kudzu	Sweet Gum
Carolina Geranium	Lambsquarters	Thimbleberry
Chickweed, Common	Lespedeza	Thistle, Canada
Chickweed, Mouseear	Mackenzie Willow	Trailing Blackberry
Choke Cherry	Maple	Trumpet Creeper
Cinquefoil	Mesquite	Vine Maple
Common Ragweed	Narrow Leafed Willow	Virginia Creeper
Clover, Red	Oak	Wild Blackberry
Clover, White	Oxalis	Wild Grape
Dandelion	Pennywort	Wild Rose
Elderberry	Persimmon	Wild Violet
Elm	Poison Ivy	
Evening Primrose	Poison Oak	
Evergreen Blackberry	Plantain, Broadleaf	
Field Horsetail Rush	Plantain, Buckhorn	
Florida Prickly Blackberry	Raspberry Willow	
Florida Pusley	Red Alder	

HOW TO USE:

- Use coarse spray pattern to reduce drift to desirable plants.
- Spray weeds to thoroughly wet foliage, stems and trunk.
- If weeds are growing around desirable plants, shield plants from drift with a sheet of cardboard or plastic; or cut weeds at base and treat as directed for stumps.
- If desirable plants are accidentally sprayed, rinse off immediately with water.
- Amount of spray needed for brush control will depend on density of brush in areas to be treated. Rate of application may range from 4 fl. oz./gal/100 square feet/sq. ft./ft² for dense areas to 4 fl. oz. /gal/400 square feet/sq. ft./ft² for lighter areas of brush.

[OR]

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

HOW TO USE:

[To Kill Brush/For Brush:]

Mix 4 fl. oz. per gal water and apply to thoroughly wet all leaves, stems, and trunks. Application to mature foliage is preferred. Use low pressure and coarse spray pattern to reduce drift which may damage desirable vegetation. Wilting or other symptoms will occur in 2 to 6 weeks. Certain hard-to-control species, such as Poison Oak, Poison Ivy, Blackberries, and Honeysuckle may require retreatment.

Amount of spray needed for brush control will depend on density of brush in areas to be treated. Rate of application may range from 4 fl. oz./gal/100 square feet/sq. ft./ft² for dense areas to 4 fl. oz./gal/400 square feet/sq. ft./ft² for lighter areas of brush.

To Kill Stumps/For Stumps:

- Apply product undiluted with a paint brush to the entire freshly cut stump, including the cut surface, remaining trunk & exposed roots.
- Do not reuse paint brush. Wrap brush in newspaper and put in trash.

To Kill Vines/For Vines:

- If weeds are growing up poles, fences, or tree trunks with mature bark, spray to thoroughly cover weeds up to a height of 3 to 4 feet/ft. Tree bark is mature if you scratch the bark with your fingernail and do not find any green tissue.
- If weeds are climbing shrubs or green-barked trees, cut weeds at base and treat as directed for stumps.

[OR]

Stump & Vine Killing:

[Stump Killing:] To kill stumps of trees such as Alder, Choke Cherry, Elm, Maple, Oak, Persimmon and Willow. Apply product undiluted with a paint brush to the entire freshly cut stump, including the cut surface, remaining trunk and exposed roots.

Vine Killing: When vines such as Poison Oak and Poison Ivy grow around desirable plants, cut the vine first and treat as directed for stump killing.

Do not reuse paint brush. Wrap brush in newspaper and put in trash collection.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Directions for Use Options Based on Applicator

Option 1 – Tank Sprayer

[Applicator (Device)(Applicator Name) Directions/Instructions]

HOW TO USE:

Add 4 fl. oz. to 1 gallon of water.

[Optional illustrations may be used in conjunction with the above steps]

Option 2 – Dial 'N Spray/Dial 'N Spray with Direct Connect

[Applicator (Device)(Applicator Name) Directions/Instructions]

HOW TO USE:

Set:

- Turn dial to 4 oz.

Fill:

- Pour desired amount of concentrate into sprayer jar.
- Turn sprayer nozzle to preferred spray.
- Do NOT add water.

Spray:

- Connect [garden] hose to sprayer.
- Turn on water.
- Press and hold trigger for continuous spray.
- Spray weeds to thoroughly wet foliage, stems and trunk.

Finish:

- Pour unused concentrate back into its original container.
- To clean: refer to the Ortho® Dial 'N Spray® cleaning instructions.

[Optional illustrations may be used in conjunction with the above steps]

AND/OR

[Applicator (Device)(Applicator Name) Directions/Instructions]

HOW TO USE:

Set: [Applicator Name]

- Turn dial to 4 oz.

Connect:

- Remove jar from [Ortho® Dial 'N Spray®] [applicator name] [applicator/sprayer].
- Remove cap from the concentrate bottle. [Keep cap for storage.]
- Twist [screw] the Ortho® Dial 'N Spray®] [applicator name] [applicator/sprayer] onto concentrate bottle to attach.
- Connect [garden] hose to the sprayer and turn on water.

Spray:

- Press and hold trigger for continuous spray. Apply evenly.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- Spray weeds to thoroughly wet foliage, stems and trunk.

Finish:

- Untwist [unscrew] the [product name] concentrate bottle from the [Ortho® Dial 'N Spray®] [applicator name] [applicator/sprayer].
- Replace cap on the [product name] concentrate bottle.
- [To clean: Refer to the Ortho® Dial 'N Spray® cleaning instructions.]

[Optional illustrations may be used in conjunction with the above steps]

Refer to the Ortho® Dial 'N Spray® label and booklet for additional information.

Important: To prevent sprayer from clogging, always clean after use, as directed.

Option 3 – Ready-To-Spray

[Applicator (Device)(Applicator Name) Directions/Instructions]

HOW TO USE:

Connect:

- [Shake well before using.]
- Connect sprayer to [garden] hose.
- Turn on water
- [User tip: Start at the farthest point in your yard and work back.]

Spray:

- To BEGIN spraying, [Bend small plastic tab back and] move/turn/rotate/slide [color] switch/knob/lever/slider to ON position.
- [Spray weeds to thoroughly wet foliage, stems and trunk.]
- [Spray as directed in the [How Much to Use]/[Section Header] [instructions]

Finish:

- To STOP spraying, move/turn/rotate/slide [color] switch/knob/lever/slider to OFF position.
- Turn off water
- Relieve water pressure by moving/turning/rotating/sliding [color] switch/knob/lever/slider to ON/WATER position.
- After water slows to a drip, move/turn/rotate/slide [color] switch/knob/lever/slider to OFF position.
- Disconnect sprayer from [garden] hose.

[Optional illustrations may be used in conjunction with the above steps]

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

SUBLABEL 2 - Lawn Application

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE PRECAUTIONS:

- Contact with Poison Oak or Poison Ivy anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.
- Bare spots can be planted with grass seed 1 week after application.
- Newly seeded lawn can be sprayed after second mowing.
- If an ornamental shrub or tree is in the lawn, keep spray off foliage and exposed roots.
- Avoid mowing 1 to 2 days after application.
- If lawn needs watering, water thoroughly before application.
- Rain or watering 6 hours after application will not wash away effectiveness.

USE RESTRICTIONS:

- Do not enter or allow people or pets to enter treated areas until spray has dried. [re-entry icon]
- Do not use on Bahiagrass, Bermudagrass, Centipedegrass, Kikuyugrass or St. Augustinegrass lawns.
- Do not use on or around fruits, vegetables or flowers. If an ornamental shrub or tree is in the lawn, keep spray off foliage and exposed roots.
- Do not use on or around edible feed or food crops or areas where grazing is allowed.
- Do not make applications if air temperature is above 90°F.
- Reapplication can be made in 2 to 3 weeks if necessary, however, do not apply more than 5.4 fl oz product per 100 sq. ft. in a year from all applications.
- Apply when air is calm to prevent drift to desirable plants. Do not apply when wind exceeds 10 mph on average or if wind is gusting.

APPLICATION RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift.
- Keep people and pets out of the area during application.

HOW IT WORKS/PRODUCT INFORMATION

Ortho Brush-B-Gon Brush Killer/Product Name contains a proven weed killer that targets lawn weeds. This herbicide enters the lawn weeds through their leaves and moves throughout the plant to provide control.

WHERE TO USE:

Ortho Brush-B-Gon Brush Killer/Product Name/This product can be applied to residential lawns with the following turfgrass types: Buffalograss, Fescues, Kentucky Bluegrass, Ryegrass and Zoysiagrass.

HOW MUCH TO USE:

1 fl. oz. for 200 square feet.

[16 fl. oz. covers 3200 sq. ft.]

[32 fl. oz. covers 6400 sq. ft.]

NOTE:

EPA Reg. No. 239-2491

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

WHEN TO USE: Apply when weeds are actively growing.

WEEDS CONTROLLED [KILLS WEEDS INCLUDING:]

Some or all of the following weeds will appear on the product label

Bindweed	Lespedeza
Black Medic	Morning Glory
Carolina Geranium	Oxalis
Chickweed, Common	Pennywort
Chickweed, Mouseear	Plantain, Broadleaf
Cinquefoil	Plantain, Buckhorn
Clover, Red	Poison Ivy
Clover, White	Red Sorrel
Dandelion	Speedwell (Veronica)
Evening Primrose	Spurge, Garden
Florida Pusley	Spurge, Spotted
Ground Ivy (Creeping Charlie)	Thistle
Ironweed	Wild Violet
Lambsquarters	

Directions for Use Options Based on Applicator

Option 1 – Tank Sprayer

[Applicator (Device)(Applicator Name) Directions/Instructions]

HOW TO USE:

Add 1 fl. oz. per gallon of water for each 200 sq. ft.

[Optional illustrations may be used in conjunction with the above steps]

Option 2 – Dial ‘N Spray/Dial ‘N Spray with Direct Connect

[Applicator (Device)(Applicator Name) Directions/Instructions]

HOW TO USE:

Set:

- Turn dial to 1 oz.

Fill:

- Pour [desired amount of] concentrate into sprayer jar.
- Turn sprayer nozzle to preferred spray.
- Do NOT add water.

Spray:

- Connect [garden] hose to sprayer.
- Turn on water.
- Press and hold trigger for continuous spray.
- Spray only until the surface the weed is wet.

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

Finish:

- Pour unused concentrate back into its original container.
- To clean: refer to the Ortho® Dial 'N Spray® cleaning instructions.

[Optional illustrations may be used in conjunction with the above steps]

AND/OR

[Applicator (Device)(Applicator Name) Directions/Instructions]

HOW TO USE:

Set: [Applicator Name]

- Turn dial to 1 oz.

Connect:

- Remove jar from [Ortho® Dial 'N Spray®] [applicator name] [applicator/sprayer].
- Remove cap from the concentrate bottle. [Keep cap for storage.]
- Twist [screw] the Ortho® Dial 'N Spray®] [applicator name] [applicator/sprayer] onto concentrate bottle to attach.
- Connect [garden] hose to the sprayer and turn on water.

Spray:

- Press and hold trigger for continuous spray. Apply evenly.
- Spray only until the surface of the weed is wet.

Finish:

- Untwist [unscrew] the [product name] concentrate bottle from the [Ortho® Dial 'N Spray®] [applicator name] [applicator/sprayer].
- Replace cap on the [product name] concentrate bottle.
- To clean: Refer to the Ortho® Dial 'N Spray® cleaning instructions.

[Optional illustrations may be used in conjunction with the above steps]

Refer to the Ortho® Dial 'N Spray® label and booklet for additional information.

Important: To prevent sprayer from clogging, always clean after use as directed.

Option 3 – Ready-To-Spray

[Applicator (Device)(Applicator Name) Directions/Instructions]

HOW TO USE:**Connect:**

- [Shake well before using.]
- Connect sprayer to [garden] hose.
- Turn on water
- [User tip: Start at the farthest point in your yard and work back.]

NOTE:

EPA Reg. No. 239-2491

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

Spray:

- To BEGIN spraying, [Bend small plastic tab back and] move/turn/rotate/slide [color] switch/knob/lever/slider to ON position.
- [Spray only until the surface of the weed is wet.] [Spray evenly]
- [Spray as directed in the [How Much to Use]/[Section Header] [instructions]

Finish:

- To STOP spraying, move/turn/rotate/slide [color] switch/knob/lever/slider to OFF position.
- Turn off water
- Relieve water pressure by moving/turning/rotating/sliding [color] switch/knob/lever/slider to ON/WATER position.
- After water slows to a drip, move/turn/rotate/slide [color] switch/knob/lever/slider to OFF position.
- Disconnect sprayer from [garden] hose.

[Optional illustrations may be used in conjunction with the above steps]

SUBLABEL 3 – Alternate Brush and Lawn Applications

Note to PM: Option 1 – Brush Application

Optional “Product Facts” Table

PRODUCT FACTS	
KILLS WEEDS	Including: [Blackberries, Black Cottonwood, Choke Cherry, Elderberry, Elm, Honeysuckle, Horsetail Rush, Kudzu, Maples, Mesquite, Oak, Persimmon, Poison Ivy, Poison Oak, Ragweeds, Raspberry, Red Alder, Sassafras, Sweet Gum, Trumpet Creeper, Virginia Creeper, Wild Grape, Wild Rose & Willows] [as listed] [any or all weeds listed]
WHERE TO USE	<ul style="list-style-type: none"> • Around homes, cabins & other buildings • Along fences & trails
AMOUNT TO USE	4 fl. oz. (1/2 cup) per gal of water [Makes [XX] gallons]
[Reentry icon]	Do not enter or allow people or pets to enter treated areas until spray has dried.
[phone icon] Questions, Comments or Medical Information Call 1-800-225-2883 www.ortho.com	

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Note to PM: Weeds identified on product packaging may include any/all of the following:

WEEDS CONTROLLED

Arkansas Rose	Giant Ragweed	Red Sorrel
Big Leaf Maple	Ground Ivy (Creeping Charlie)	Salmonberry
Bindweed	Himalayan Blackberry	Sassafras
Black Cottonwood	Honeysuckle, Amur	Speedwell (Veronica)
Black Medic	Honeysuckle, Bush	Spurge, Garden
Black Willow	Honeysuckle, Japanese	Spurge, Spotted
Brazilian Pepper	Ironweed	Scouler Willow
California Rose	Kudzu	Sweet Gum
Carolina Geranium	Lambsquarters	Thimbleberry
Chickweed, Common	Lespedeza	Thistle, Canada
Chickweed, Mouseear	Mackenzie Willow	Trailing Blackberry
Choke Cherry	Maple	Trumpet Creeper
Cinquefoil	Mesquite	Vine Maple
Common Ragweed	Narrow Leafed Willow	Virginia Creeper
Clover, Red	Oak	Wild Blackberry
Clover, White	Oxalis	Wild Grape
Dandelion	Pennywort	Wild Rose
Elderberry	Persimmon	Wild Violet
Elm	Poison Ivy	
Evening Primrose	Poison Oak	
Evergreen Blackberry	Plantain, Broadleaf	
Field Horsetail Rush	Plantain, Buckhorn	
Florida Prickly Blackberry	Raspberry Willow	
Florida Pusley	Red Alder	

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Do not use on or around edible feed or food crops or areas where grazing is allowed.

MIXING INSTRUCTIONS

[Amount to Use:]

Tank Sprayer [icon]

- Add 4 fl. oz. (½ cup) to 1 gal of water.

[Amount to Use:]

Ortho® Dial 'N Spray® [icon]

- Set dial to 4 oz.
- For each gal of spray add 4 fl. oz. (½ cup) to sprayer jar.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- **DO NOT** add water.
- After spraying, unused product can be poured back into its original container.

Optional Instructions:

Ortho® Dial 'N Spray® with Direct Connect [Applicator Name] [icon]

[Prepare applicator:] [illustration]

- Set dial to 4 oz.

[Connect:] [illustration]

- Remove cap from the concentrate bottle. [Keep cap for storage.]
- Insert suction tube into bottle opening and twist the Ortho Dial N Spray applicator [applicator name] onto bottle to attach.
- Connect hose to the sprayer and turn on water.

[Spray:] [illustration] *directions will vary by product type*

- Hold sprayer in upright position and apply evenly to area to be treated.
- Spray only until the surface of the foliage is wet.

[Finish:] [illustration]

- After use, untwist to remove the [insert product name] concentrate bottle from the Ortho Dial N Spray applicator [applicator name].
- Replace cap on the [insert product name] concentrate bottle.

Refer to the Ortho Dial 'N Spray applicator [applicator name] booklet for additional information.

Important: To prevent sprayer from clogging, always clean after use as directed.

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl. oz. = 2 Tbs 4 fl. oz. = ½ cup

HOW TO APPLY [icon]

- Use coarse spray pattern to reduce drift to desirable plants.
- Spray weeds to thoroughly wet foliage, stems and trunk.
- Do not spray plants or grasses you like - they may die too. Foliage spray not recommended for weed control in lawns.
- If weeds are growing around desirable plants, shield plants from drift with a sheet of cardboard or plastic; or cut weeds at base & treat as directed for stumps.
- If desirable plants are accidentally sprayed, rinse off immediately with water.
- Amount of spray needed for brush control will depend on density of brush in areas to be treated. Rate of application may range from 4 oz/gal/100 [square feet] [sq. ft.] [ft²] for dense areas to 4oz/gal/400 [square feet] [sq. ft.] [ft²] for lighter areas of brush.

[OR]

HOW TO APPLY [FOLIAGE SPRAY]:

Mix 4 fl. oz. per gal water and apply to thoroughly wet all leaves, stems, and trunks. Application to mature foliage is preferred. Use low pressure and coarse spray pattern to reduce drift which may damage desirable vegetation. Wilting or other symptoms will occur in 2 to 6 weeks. Certain hard-to-control species, such as Poison Oak, Poison Ivy, Blackberries, and Honeysuckle may require retreatment.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Amount of spray needed for brush control will depend on density of brush in areas to be treated. Rate of application may range from 4 oz/gal/100 [square feet] [sq. ft.] [ft²] for dense areas to 4oz/gal/400 [square feet] [sq. ft.] [ft²] for lighter areas of brush.

To Kill Stumps/For Stumps

- Apply product undiluted with a paint brush to the entire freshly cut stump, including the cut surface, remaining trunk & exposed roots.
- Do not reuse paint brush. Wrap brush in newspaper & [and] put in trash.

To Kill Vines/For Vines

- If weeds are growing up poles, fences, or tree trunks with mature bark, spray to thoroughly cover weeds up to a height of 3 to 4 feet [ft.]. Tree bark is mature if you scratch the bark with your fingernail and do not find any green tissue.
- If weeds are climbing shrubs or green-barked trees, cut weeds at base & [and] treat as directed for stumps.

[OR]

Stump & Vine Killing: To kill stumps of trees such as Alder, Choke Cherry, Elm, Maple, Oak, Persimmon and Willow. Apply product undiluted with a paint brush to the entire freshly cut stump, including the cut surface, remaining trunk and exposed roots.

Vine Killing: When vines such as Poison Oak, Poison Ivy, etc., grow around desirable plants, cut the vine first and treat as directed for stump killing.

Do not reuse paint brush. Wrap brush in newspaper and put in trash collection.

[OR]

Apply product undiluted by flipping up the spout on the cap and gently squeezing bottle to cover the entire freshly cut stump. Close spout when finished.

Note: To kill small undesirable woody plants (as listed), cut plant off at ground level and treat freshly cut stump. This prevents regrowth without the unsightliness of the dying plant being present in landscaping. **Keep off desirable plants.**

WHEN TO APPLY [icon]

- Apply when weeds are leafed out and actively growing.
- Apply when air is calm to prevent drift to desirable plants.
- Rain 2 hours after application will not reduce effectiveness.
- Wilting or yellowing will occur in 2 to 6 weeks.
- Hard to kill weeds may require a repeat application if regrowth occurs.

Note: Contact with Poison Oak or Poison Ivy anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants & [and] rubber gloves in tightly sealed garbage bags.

NOTE:

EPA Reg. No. 239-2491

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Note to PM: Optional for Measuring Cap Packaging

MEASURING CAP: The cap has 4 measuring lines indicated inside. Fill cap to appropriate line for fast, easy, accurate measuring. Close cap tightly after use - no need to rinse.

Line 1 = 1 teaspoon (tsp)

Line 3 = 1 fl. oz. (2 Tbs)

Line 2 = 1 Tablespoon (Tbs) = 3 tsp

Line 4 = 2 fl. oz. (4 Tbs)

APPLICATOR	MIXING INSTRUCTIONS	AREA TO TREAT
Tank Sprayer	Fill to Line 4 two times (4 oz. / ½ cup). Add to 1 gal. of water.	Spray leaves, stems and trunks until they begin to drip.
ORTHO DIAL 'N SPRAY Hose-End Sprayer	Pour product into sprayer jar. Do not add water. Set dial to 4 oz. and spray. Pour leftover concentrate back into package when spraying is complete.	Spray leaves, stems and trunks until they begin to drip.

Note to PM: End of Optional Measuring Cap Packaging

Note to PM: Option 2 – Lawn Application

Optional “Product Facts” Table

PRODUCT FACTS	
[Treats 3,200 sq. ft.] [(approx. size of 1½ tennis courts)]	
KILLS WEEDS	Including : [Chickweed, Clover, Ground Ivy, (Creeping Charlie), Oxalis, Speedwell (Veronica), Wild Violet &/and other tough lawn weeds] [as listed] [any or all weeds listed] [illustrations]
WHERE TO USE	ON LAWNS [illustration of lawn] Buffalo, Fescues, Kentucky Blue, Rye &/and Zoysia
AMOUNT TO USE	1 fl. oz. (2 Tbs) / gal of water / 200 sq. ft.
[Reentry icon]	Do not enter or allow people or pets to enter treated areas until spray has dried.
[phone icon] Questions, Comments or Medical Information Call 1-800-225-2883 www.ortho.com	

NOTE:

EPA Reg. No. 239-2491

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Note to PM: Weeds identified on product packaging may include any/all of the following:

WEEDS CONTROLLED

Bindweed	Lespedeza
Black Medic	Morning Glory
Carolina Geranium	Oxalis
Chickweed, Common	Pennywort
Chickweed, Mouseear	Plantain, Broadleaf
Cinquefoil	Plantain, Buckhorn
Clover, Red	Poison Ivy
Clover, White	Red Sorrel
Dandelion	Speedwell (Veronica)
Evening Primrose	Spurge, Garden
Florida Pusley	Spurge, Spotted
Ground Ivy (Creeping Charlie)	Thistle
Ironweed	Wild Violet
Lambsquarters	

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Do not use on or around edible feed or food crops or areas where grazing is allowed.

MIXING INSTRUCTIONS

[Amount to Use:]

[Tank Sprayer] [icon]

- 1 fl. oz. (2 Tbs) per gallon of water for each 200 sq. ft.

Amount to Use:]

[Ortho® Dial 'N Spray®] [icon]

- [When using **Ortho Dial 'N Spray:**] Set dial to 1 oz. Add 6 fl. oz. (12 Tbs) to sprayer jar. DO NOT add water. Spray evenly over 1200 sq. ft. until jar is empty.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Optional Instructions:

Ortho® Dial 'N Spray® with Direct Connect [Applicator Name] [icon]

[Prepare applicator:] [illustration]

- Set dial to 1 oz.

[Connect:] [illustration]

- Remove cap from the concentrate bottle. [Keep cap for storage.]
- Insert suction tube into bottle opening and twist the Ortho Dial N Spray applicator [applicator name] onto bottle to attach.
- Connect hose to the sprayer and turn on water.

[Spray:] [illustration] *directions will vary by product type*

- Hold sprayer in upright position and apply evenly to area to be treated.
- Spray only until the surface of the lawn is wet.

[Finish:] [illustration]

- After use, untwist to remove the [insert product name] concentrate bottle from the Ortho Dial N Spray applicator [applicator name].
- Replace cap on the [insert product name] concentrate bottle.

Refer to the Ortho Dial N Spray applicator [applicator name] booklet for additional information.

Important: To prevent sprayer from clogging, always clean after use as directed.

Tablespoon (Tbs) = 3 teaspoon (tsp)

1fl oz = 2 Tbs

How to Apply [Measure] [icon]

- To treat entire lawn: Use a tank or hose-end sprayer. Measure lawn. Calculate square feet by multiplying length times width. Spray evenly over measured area.
- To spot treat individual weeds in lawn: Use a tank sprayer.

When to Mow & Water [Water] [Mow] [icon]

- For best results avoid mowing 1 to 2 days before or after application.
- If lawn needs watering, water thoroughly before application.
- Rain or watering within 6 hours may reduce effectiveness.

When to Apply [icon]

- Apply when weeds are actively growing.
- Spray when temperature is below 90° F.
- Spray when air is calm to prevent drift to desirable plants. Do not apply when wind exceeds 10 mph on average or if wind is gusting.
- Reapplication can be made in 2 to 3 weeks if necessary, however, do not apply more than 5.4 fl oz product per 100 sq. ft. in a year from all applications.
- Newly seeded lawn can be sprayed after second mowing.

IMPORTANT

If an ornamental shrub or tree is in the lawn, keep spray off foliage and exposed roots. Not for use on Bahia, Bermuda, Centipede, Kikuyu or St. Augustine lawns. Not for use on or around fruits, vegetables or flowers.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Bare spots can be planted with grass seed 1 week after application.

[OR]

FOR BEST RESULTS	
MEASURE [illustration/walking man]	<ul style="list-style-type: none"> • To treat entire lawn: Use a tank or hose-end sprayer. Measure lawn. Calculate square feet by multiplying length times width. Spray evenly over measured area. • To spot treat individual weeds in lawn: Use a tank sprayer.
MOW [illustration/ mower]	<ul style="list-style-type: none"> • Avoid mowing 1 to 2 days after application.
WATER [illustration /hose]	<ul style="list-style-type: none"> • If lawn needs watering, water thoroughly before application. • Rain or watering 6 hours after application will not wash away effectiveness.
WHEN TO APPLY [illustration/weather]	<ul style="list-style-type: none"> • Apply when weeds are actively growing • Spray when temperature is below 90°F • Spray when air is calm (wind is less than 10 mph and not gusting) to prevent drift to desirable plants. • Reapplication can be made in 2 to 3 weeks if necessary, however do not apply more than 5.4 fl. oz. product per 100 sq. ft. in a year from all applications. • Newly seeded lawn can be sprayed after second mowing.

IMPORTANT

Not for use on Bahia, Bermuda, Centipede, Kikuyu or St. Augustine lawns. Not for use on or around fruits, vegetables or flowers. If an ornamental shrub or tree is in the lawn, keep spray off foliage and exposed roots.

Note to PM: Option 1 – Optional Mixing Instructions for Combination Spray

MIXING INSTRUCTIONS
<p>[Amount to Use:] [Tank Sprayer] [icon]</p> <ul style="list-style-type: none"> • 1 fl. oz. (2 Tbs) of this product [+] [and] 2 fl. oz. (4 Tbs) Weed-B-Gon Lawn Weed Killer₂ [Brand Name] per gallon of water for each 400 sq. ft.
<p>Amount to Use:] [Ortho® Dial'N Spray®] [icon]</p> <ul style="list-style-type: none"> • [When using Ortho Dial'N Spray:] Set dial to 3 oz. Add 3 fl. oz. of this product [+] [and] 6 fl. oz. of Weed-B-Gon Lawn Weed Killer₂ [Brand Name] to sprayer jar. DO NOT add water. Spray evenly over 1200 sq. ft. until jar is empty.

[OR]

Note to PM: Option 2 – Optional Mixing Instructions for Combination Spray

MIXING INSTRUCTIONS

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

<p>[Amount to Use:] [Tank Sprayer] [icon]</p> <ul style="list-style-type: none"> • ½ fl. oz. (1 Tbs) of [this product] [Weed-B-Gon Chickweed, Clover & Oxalis Killer] [Brand Name] [+] [and] 1 fl. oz. (2 Tbs) Weed-B-Gon Lawn Weed Killer₂ [Brand Name] per gallon of water for each 200 sq. ft.
<p>Amount to Use:] [Ortho® Dial'N Spray®] [icon]</p> <ul style="list-style-type: none"> • [When using Ortho Dial'N Spray:] Set dial to 1 1/2 oz. Add 3 fl. oz. (6 Tbs) of [this product] [Weed-B-Gon Chickweed, Clover & Oxalis Killer] [Brand Name] [+] [and] 6 fl. oz. (12 Tbs) of Weed-B-Gon Lawn Weed Killer₂ [Brand Name] to sprayer jar. DO NOT add water. Spray evenly over 1200 sq. ft. until jar is empty.

Note to PM: Optional for Measuring Cap Packaging

MEASURING CAP: The cap has 4 measuring lines indicated inside. Fill cap to appropriate line for fast, easy, accurate measuring. Close cap tightly after use- no need to rinse.

Line 1 = 1 teaspoon (tsp)

Line 2 = 1 Tablespoon (Tbs) = 3 tsp

Line 3 = 1 fl oz (2 Tbs)

Line 4 = 2 fl oz (4 Tbs)

APPLICATOR	AMOUNT OF PRODUCT TO USE	AREA TO TREAT (Sq. Ft.)
Tank Sprayer	Fill to Line 3 one time (1 fl. oz.). Add to 1 gal of water.	200 (20 X 10)
ORTHO DIAL'N SPRAY Hose-End Sprayer	Fill to Line 4 three times (6 fl. oz.). DO NOT add water. Set dial to 1 oz and spray.	1200 (20 X 60)

Note to PM: End of Optional Measuring Cap Packaging

Optional Marketing Claims

Brush Application Claims

The following Product Facts format is optional and the information may appear inside or outside of a box.

PRODUCT FACTS	
KILLS WEEDS	Including: [Blackberries, Black Cottonwood, Choke Cherry, Elderberry, Elm, Honeysuckle, Horsetail Rush, Kudzu, Maples, Mesquite, Oak, Persimmon, Poison Ivy, Poison Oak, Ragweeds, Raspberry, Red Alder, Sassafras, Sweet Gum, Trumpet Creeper, Virginia Creeper, Wild Grape, Wild Rose & Willows] [as listed] [any or all weeds listed]

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

WHERE TO USE	<ul style="list-style-type: none"> • Around homes, cabins & other buildings • Along fences & trails
AMOUNT TO USE	4 fl. oz. per gallon of water [Makes [XX] gallons]
[Reentry icon]	Do not enter or allow people or pets to enter treated areas until spray has dried.

The following claims may or may not appear on any label panel or in advertising. Appropriate formula and company specific information will be inserted on Final Printed Label to replace "X"

1. [Ortho Brush-B-Gon® Brush Killer [Brand Name] kills woody plants including stumps and vines around homes, cabins, buildings, fence lines, trails, and home rights-of-way. Controls: Poison Oak, Poison Ivy, Blackberries, Kudzu, Willows, Oak, and other listed woody plants.]
2. [Three Different Ways To Control Brush: Foliar Spray: Treats large areas of unwanted brush. Vine Killing: Spot treats vines growing around desirable trees & shrubs. Stump Killing: Treats freshly cut stumps to prevent regrowth.]
3. Also Kills Blackberries, Kudzu & Stumps
4. Also Kills Blackberries, Kudzu, Stumps & Other Listed Woody Plants
5. Also Controls Lawn Weeds Poison Oak, Poison Ivy, Willows, Oak, Kudzu, Blackberries, & Other Listed Woody Plants
6. Concentrate makes [4/8/16] gallons [of spray]
7. For Outdoor Home Use [Only]
8. [Formulated] for Residential Use
9. It works systemically killing weeds right down to the roots.
10. Kills Over [XX] Types of Tough Brush & Weeds: [Including] Poison Ivy/Poison Oak/Kudzu
11. Kills [Poison Ivy & Poison Oak] [Blackberries] [Kudzu]
12. Controls [Poison Ivy and Poison Oak] [Blackberries] [Kudzu]
13. Works hard so you don't have too
14. Kills [XX] of the toughest weeds⁺
15. Kills hard-to-control weeds⁺
16. Tough weeds⁺ are no problem with Brush-B-Gon [Brand Name]
17. Your/The solution to tough weed problems/The tough weed solution
18. Kills the toughest brushy weeds⁺.
19. Kills Woody Plants, Including Stumps and Vines⁺
20. Makes [4/8/16] Gallon Spray [pint/quart/½ gallon]
21. Makes [XX] Gallons
22. Rainproof in [2] hours [for control that won't wash away.] ***Note to PM: to be used on the brush label.***
23. Value Priced – Concentrate makes[4/8/16] gallons spray

Lawn Application Claims

The following Product Facts format is optional and the information may appear inside or outside of a box.

PRODUCT FACTS [Treats 3,200 sq. ft.] [(approx. size of 1½ tennis courts)]	
KILLS WEEDS	[Including:] [Chickweed, Clover, Ground Ivy (Creeping Charlie), Oxalis, Speedwell (Veronica), Wild Violet &/and other tough lawn weeds] [as listed] [any or all weeds listed]

NOTE:

EPA Reg. No. 239-2491

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

WHERE TO USE	ON Buffalograss, Fescues, Kentucky Bluegrass, Ryegrass &/and Zoysiagrass
AMOUNT TO USE	1 fl. oz./gallon of water/200 sq. ft.
[Reentry icon]	Do not enter or allow people or pets to enter treated areas until spray has dried.

The following claims may or may not appear on any label panel or in advertising. Appropriate formula and company specific information will be inserted on Final Printed_Label to replace "X"

24. Also Kills Creeping Charlie (Ground Ivy) & Other Tough Weeds As Listed
25. Kills Weeds - Chickweed, Clover, Ground Ivy (Creeping Charlie), Oxalis, Speedwell (Veronica), Wild Violet and/& other tough lawn weeds as listed
26. Covers/Treats [XXXX] sq. ft.
27. For Lawns
28. For Home Lawn Use [Only]
29. Formulated for control of tough lawn weeds⁺. Weed-B-Gon Chickweed, Clover & Oxalis Killer for Lawns Concentrate kills weeds right down to the roots without harming lawns^{**}.
30. Helps Ensure a Weed Free Lawn
31. Kills dandelion, clover & other listed broadleaf weeds.
32. Kills/Controls Creeping Charlie (Ground Ivy) & Wild Violet
33. Kills/Controls Ground Ivy (Creeping Charlie) & Wild Violet
34. Kills to the Root
35. Kills Weeds to the Roots
36. Kills Tough Weeds⁺ [in Lawns]
37. Kills Weeds, Not LawnsTM
38. Kills weeds [illustration]
39. Kills Weeds [Systemically]
40. Rainproof in [6] hours [for control that won't wash way.]
41. Systemic
42. The easy way to stop/kill weeds
43. The Tough Weed Formula
44. Tough Weed Killer
45. Won't Harm Lawns^{**}
46. Won't Harm Lawn Grasses^{**}
47. Won't harm lawn grasses when used as directed
48. Won't Harm the Lawn – Guaranteed^{**}
49. Won't Harm Cool Season Lawn Grasses[†] (Buffalo/Buffalograss, Fescues, Kentucky Blue/Kentucky Bluegrass, Rye/Ryegrass or Zoysia/Zoysiagrass) [†]Not for use on Bermuda/Bermudagrass lawns
50. Kills Tough Weeds – Chickweed, Clover, Ground Ivy (Creeping Charlie), Oxalis, Poison Ivy, Speedwell (Veronica), Wild Violet. See inside label for [many more] [other listed] weeds.
51. Kills Wild Violet
52. Kills Creeping Charlie (Ground Ivy)
53. Kills Ground Ivy (Creeping Charlie)

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Applicator Claims

54. Convenient Applicator Top
55. Hands stay dry
56. No messy clean-up
57. One-handed operation [use] [spraying]
58. [Requires] no measuring, [no mixing]
59. The Easy way to spray
60. [Easy] [Ergonomic] [Comfort] [Grip] [Handle]
61. Ergonomic [Design]
62. Easy Grip [Control]
63. [Simply] attach to [garden] hose and spray [go]
64. Easy [Simple] to attach [to [garden] hose]
65. Gentle shower [applicator] [spray pattern]
66. Includes water [only]setting [option]
67. One step prep
68. Ready-Spray®/Ready-To-Spray®/Applicator Name
69. The value of XX [size RTU] in one concentrate
70. Convenient [Simple] Design
71. Easy/Simple/and Simple [to use]
72. Quick & Easy [to Use]
73. Save[s] time [and energy]
74. Easy measure cap [top] [lid] [cup]
75. Mess free cap [top] [lid] [cup]
76. Measure with ease
77. Quick, convenient, and mess free
78. [reusable] [drain-back/measuring] cap
79. Drain-Back [Cap] [Top] [Lid] [Cup]
80. Easy-Measure [Cap] [Top] [Lid] [Cup]
81. Easy Pour Spout
82. Fast & Easy Measuring Cap
83. Now Easier To Measure And Pour
84. Now With Measuring Cap and Pour Spout Included
85. Direct[ly] [Easily] Connects to [the] Ortho® Dial 'N Spray®
86. Direct/Easily connect to Ortho® Dial 'N Spray® [applicator name] [means no more measuring]
87. Exact measurement and improved efficacy with Ortho® Dial 'N Spray® [applicator name]
88. Great Value
89. No concentrate contact with Ortho® Dial 'N Spray® [applicator name]
90. No measure, direct connect capability with Ortho® Dial 'N Spray® [applicator name]
91. No measuring! Attaches directly to the Ortho® Dial 'N Spray® [applicator name]
92. No more measuring concentrates with Ortho® Dial 'N Spray® [applicator name]
93. No over/under application, direct connect capability to Ortho® Dial 'N Spray® [applicator name]
94. No over/under application with Ortho® Dial 'N Spray® [applicator name]
95. Quick and easy to attach to Ortho® Dial 'N Spray® [applicator name]
96. Simple, direct connect capability with Ortho® Dial 'N Spray® [applicator name]
97. With a quick twist, attach directly to the Ortho® Dial 'N Spray® [applicator name]

NOTE:

EPA Reg. No. 239-2491

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

Other

- 98. **when used as directed
- 99. [For] Outdoor Use Only
- 100. For Home Use Only
- 101. Water Based
- 102. Lawn friendly** Weed Control
- 103. +See inside label for [many more] [other listed] weeds

Optional Instructions for Side Clip Tape

Open Resealable Label for Directions & Precautions
Peel open for use directions and further information
PULL HERE TO OPEN LABEL PRESS TO RESEAL
PEEL HERE/PRESS TO RESEAL
Open Resealable Label for Directions & Precautions
SQUEEZE TURN]
To Open: Squeeze cap while unscrewing

Questions & Comments [icon phone] [icon computer]
Call 1-800- 225-2883 or [visit our website at] www.ortho.com

NOTICE: To the extent consistent with applicable law, buyer assumes all risk of use, storage or handling of this product not in accordance with directions.

The ORTHO Guarantee: If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

[Product of] [Made in] [Country Name] [USA]

©2015 The Ortho Group. [Company Name] World rights reserved.

Manufactured [by]/for]/[Sold by]/Distributed by]:
The ORTHO Group
P.O. Box 190
Marysville, OH 43040

EPA Reg. No. 239-2491
EPA Est. 239-IA-3^l, 239-MS-001^M, 58996-MO-1^A
Superscript is first letter of lot number