F3A Hease read instructions on reverse before completing form.

\$EPA

United States

Environmental Protection Agency

Washington, DC 20460

Form Approved, OMB No. 2070-0060	. Approval expires 2-28-95
Registration	OPP Identifier Number
Amendment Other	2 59289
Othor	

1-11-11-11

Cothei				
Application for Pesticide - Section I				
1. Company/Product Number 239-2513	2. EPA Product Manager Tina Levine 3. Proposed Classification Restricted			
4. Company/Product (Name)				
ORTHO-KLOR Soil Insect & Termite Killer	PM# O'			
5. Name and Address of Applicant (Include ZIP Code)	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3)			
The SOLARIS Group of Monsanto	(b)(i), my product is similar or identical in composition and labeling			
P. O. Box 5006	to:			
San Ramon, CA 94583-0906	EPA Reg. No.			
Check if this is a new address Product Name				
Se	ection - il			
Amendment - Explain below.	Final printed labels in repsonse to NOTIFICATION Agency letter dated			
Resubmission in response to Agency letter dated	"Me Too" Application. MAR 1 0 1998			
Notification - Explain below.	Other - Explain below.			
Explanation: Use additional page(s) if necessary. (For section I and Section II.) NOTIFICATION: To add new front panel claims and revise use directions for label subset II. ORTHO-KLOR Insect & Termite Killer. No label text changes were made to label subset I. ORTHO Borer & Leaf Miner Spray. Added text is bold-faced and double underlined; deleted text is stricken through. This Notice is in compliance with 95-2.				
Se	ction - III			
1. Material This Product Will Be Packaged In:				
	ter Soluble Packaging 2. Type of Container			
Yes Yes	Yes Metal			
No No	Plastic			
+ Continuation must If "Yes" No. per If "	Glass Yes" No. per kage wgt container Other (Specify)			
3. Location of Net Contents Information 4. Size(s) Retail Con	Itainer 5. Location of Label Directions			
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions				
6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled	Other			
	ction - IV			
1. Contact Point (Complete items directly below for identification of in				
	T			
Frank Kamienski	Registration Specialist			
Certification	510/355-3335 6. Date Application			
I certify that the statements I have made on this form and all att I acknowledge that any knowlingly false or misleading statemen both under applicable law.				
2. Signature Lannersh 3. Title	Registration Specialist			
4. Typed Name Frank Kamienski 5. Dat	February 11, 1998			
	••••			

NOTIFICATION

MAR 1 0 1998

ORTHO ORTHO-KLOR Soil Insect & Termite Killer, EPA Reg. No. 239-2513 SUBSET I. ABN: ORTHO Borer & Leaf Miner Spray

[ICON] Outdoor Use Only

Contains: DURSBAN® Soil Insecticide

Concentrate

For Use in Tank Sprayers, Hose-End Applicators, Or Sprinkling Cans

Controls All Major Lawn Pests

Kills Insects that Damage Ornamentals, Shade Trees, and Fruit Trees

Kills Borers and Leafminers

Kills Pine Beetles, Bronze Birch & Peachtree Borers, and many other insects.

Kills Insects: Peachtree Borer, Dogwood Borer, Lilac Borer, Leafminers, Needleminers, Leaf Beetles, Twig Borer, Pine Beetles, Elm Bark Beetles

Ideal For Use On Ornamentals, Shade Trees, and Fruit Trees Use on Shrubs & Trees

Can be Applied as a Foliar Spray
Can be Applied as a Trunk Spray
Can be Applied with Ortho Hose-End Applicators

WARNING

KEEP OUT OF REACH OF CHILDREN

See back panel booklet for additional precautionary statements.

NET CONTENTS 64 FL OZ (1/2 GAL) 1.89 L NET CONTENTS 32 FL OZ (1 QT) 946 mL NET CONTENTS 16 FL OZ (I PT) 473 mL

239-2513.EPA

FOR OUTDOOR HOME & GARDEN USE ONLY

An easy to apply product to control borers and leaf miners that attack ornamental plants/trees, fruit trees and shade trees. For use in tank sprayers and hose-end applicators.

Specially formulated for residential use.

Peel open for use directions and further information

SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

PULL HERE TO OPEN LABEL. PRESS TO RESEAL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

tsp = teaspoon
Tbs = Tablespoon
4 fl oz = 1/2 cup
2 Tbs = 1 fl. oz.

SHAKE WELL BEFORE USING

239-2513.EPA

BORERS & LEAFMINERS ON TREES & SHRUBS

Application timing is important. Consult your County Cooperative Extension Agent for proper time to treat.

Extension Agent for pr	oper time to treat.	
		Product to Measure
Pests	Trees Or Shrubs	When To Apply
Beetles (Cottonwood	Cottonwood, Elm,	4 tsp./gal. of
Leaf, Elm Leaf,	Willow	water.
Flea, Willow Leaf)		Apply when pests
,		appear.
	,	Thoroughly wet upper
		and lower leaf
Weevils (Black Vine,	Rhododendron,	surfaces. Reapply at
Yellow Poplar, Pine)	Poplar, Pine	7 to 10 day
,		intervals if needed.
Borers (Ash,	Ash, Lilac, Oak,	1-1/2 fl. oz. (3
Dogwood, Lesser	Dogwood,	Tbs.)/ gal. of
Peachtree, Lilac,	Rhododendron, Birch,	water.
Oak, Rhododendron,	Locust	Spray trunks and
Bronze Birch,	1 20000	lower limbs of trees
Flatheaded	j	and shrubs when
Appletree, Locust,		adults begin to
Red Oak)		emerge.
Leafminers	Elm, Birch, Locust	1-1/2 fl. oz. (3
regininers	EIM, BIICH, LOCUSC	Tbs.)/ gal. of
		, · · · ·
		water.
		Spray when
	1	leafminers appear in
		early and Mid-May.
Needleminers	Pine, Spruce	1-1/2 fl. oz. (3
		Tbs.)/ gal. of
		water.
Beetles (Ambrosia,	Elm, Pine Spruce	10-2/3 fl. oz. (1-
Black Turpentine,		1/4 cups)/gal. of
European Elm Bark,		water
Japanese, June,	}	Apply with tank
Southern Pine,		sprayer only.
Spruce)		To prevent
		infestation, spray
į	1	the tree trunk in
1	1	early Spring. To
		treat infested
<u> </u>	}	trees, spray the
i	}	tree trunk before
1		adult beetles begin
l.	1	to emerge.
ĺ		Avoid contact with
	1	foliage to prevent:
		leaf damage.
		<u> </u>

239-2513.EPA

Note: Do not use on vegetables. Do not use on azaleas, camellias, poinsettias, rose bushes or variegated ivy because of possible injury to these plants.

Application timing is important. Consult your County Cooperative Extension Agent for proper time to treat.

Product to Measure				
Posts	Fruit Trees	: A		
Pests		When to Apply		
Dogwood Borer	Apples	2 fl. oz. (4		
		Tbs.)/gal. of water.		
	Wait 1 month after	Soak tree trunks and		
	last application	the soil around the		
	before harvesting	base of trees in the		
:	fruit.	spring.		
		Apply up to 8 times		
		per season.		
		Wait 3 weeks between		
		treatments.		
Borers (Lesser	Sweet Cherries	2 fl. oz. (4		
Peachtree, Great		Tes.)/gal. of water.		
Peachtree, American	Wait 1 week after	Spray trunks and		
Plum)	application before	lower limbs. Avoid		
	harvesting fruit.	contact with foliage		
		tc prevent leaf		
		damage. Apply up to		
		3 times per season.		
		Amply second		
		application 2 weeks		
		after the first.		
	1	Make third		
J.	J	application after		
		harvest.		
Borers (American	Sour Cherries	2 fl. oz. (4		
Plum, Lesser	1	Tbs.)/gal. of water.		
Peachtree, Pacific	1	Spray tree trunks		
Flatheaded, Peach		and lower limbs.		
Twig, Peachtree,	Wait 2 weeks after	Apply up to 8 times		
Shothole)	application before	per season.		
	harvesting fruit.			
Peachtree Borers	Nectarines, Peaches	4 fl. oz. (8		
		Tbs.)/gal. of water.		
	Wait 2 weeks after	Spray bark from the		
	application before	ground up to the		
4	harvesting fruit.	lower branches.		
		Do not spray fruit.		
		Make only 1		
		application per		
1		year.		

STORAGE AND DISPOSAL

STORAGE: Store in original container in a safe place. Keep from freezing.

DISPOSAL: Do not reuse container. Securely wrap partially filled or empty container in newspaper and put in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed or inhaled. Do not get in eyes, on skin or clothing. Avoid breathing vapor or spray mist. Handle concentrate in ventilated area. Wear long-sleeved shirt, long pants, socks, shoes, rubber gloves and safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. [REENTRY ICON]: People and pets may enter treated area after application has dried.

FIRST AID: IF SWALLOWED: Immediately telephone a poison control center, emergency treatment center or a physician for advice. DO NOT make person vomit. Product contains petroleum distillate. May be an aspiration hazard. If medical advice cannot be obtained, then immediately take person and product container to an emergency treatment center or hospital. IF ON SKIN: Wash with plenty of soap and water. Get medical attention. IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. IF INHALED: Remove person to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

Note to Physicians: Emergency Information call 1-800-225-2883. This product contains an aromatic petroleum solvent and may present an aspiration problem. Chlorpyrifos is a cholinesterase inhibitor. If signs and symptoms of cholinesterase inhibition develop, atropine by injection is antidotal; 2-PAM may also be given in conjunction with atropine, but should never be used alone.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on blooming plants. Do not apply this product if bees are visiting the treatment areas.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

239-2513,EPA

ORTHO®, DIAL 'n SPRAY®, Trademarks of Monsanto Company DURSBAN® Trademark of DowElanco

, **†**

©Monsanto Company 1997

Manufactured For
The Solaris Group of
Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form 0-995-01
Product 5522
EPA Reg. No. 239-2513
EPA Est. 239-IA-3^I, 58996-MO-1^A
Superscript is first letter of lot number
Made in USA

239-2513.EPA

SUBSET II. ABN: ORTHO® HomeDefense® Ortho-Klor® Insect & Termite Killer

[ICON] Outdoor Use Only

FOR OUTDOOR, HOMEOWNER USE ONLY [ICON]

Lawn and Nuisance Pests
Controls Wood-destroying Insects

Concentrate

Makes up to 548 Gallons of Spray [1/2 gal size only] Makes up to 274 Gallons of Spray [1 qt. size only]

For Termite Prevention, Treats 30 Linear Feet of Trench [1/2 gal]

size only]

Treats 15 Linear Feet of Trench [quart]

Contains: DURSBAN® Soil Insecticide

CONTROLS: Ants, Carpenter Ants, , Powder Post Beetles, Crickets, Chinch Bugs, Wood Borers, Carpenter Bees, Grubs, Cutworms, Fleas, Armyworms, Ticks, Mosquitoes, Grasshoppers, European Crane Fly Larvae, Fire Ants, Sod Webworms, Spiders, Boxelder Bugs, Scorpions, and many other soil and home invading pests.

Plus Prevents Termite Infestation For Outdoor, Homeowner Post Construction Use Only

(FOR)USE: Around foundations, outside buildings, lawns,
 woodpiles , stored lumber and fence posts
(For) Use in Tank Sprayers, Hose-End Sprayers, or Sprinkling Cans
Controls All Major Lawn Pests
Kills Lawn Insects
Also Kills/Controls Ticks that Transmit Lyme Disease

Helps Keep Your Lawn Healthy - Controls Insect Pests that Can Cause Unsightly Brown Spots And Dead Grass Kills/Controls Carpenter Ants

Active Ingredient

statements.

KEEP OUT OF REACH OF CHILDREN WARNING See back panel booklet for additional precautionary

NET **CONTENTS** 64 FL OZ (1/2 GAL) 1.89 L NET **CONTENTS** 32 FL OZ (1 QT) 946 mL

NET CONTENTS 16 FL OZ (I PT) 948 mL
NET CONTENTS 16 FL OZ (I PT) 473 mL

239-2513.EPA

PEEL HERE

Open Resealable Label for Directions & Precautions

PRESS TO RESEAL

Easy to apply with

•The Ortho® Dial `n Spray® [or] other hose-end sprayer (picture)

, 4

- •tank sprayer (picture)
- •sprinkling can (picture)

Alternative Sales Copy #1

Illustrate lawn & select lawn pests such as White Grubs, Chinch Bugs, Lawn Moths & Fleas.

Illustrate a Termite

Illustrate damaged wood infested by Carpenter Ants.

Illustrate a house foundation & select pests such as Spiders, Boxelder Bugs & Ticks.

See inside label for many more uses.

Alternative Sales Copy #2

WHERE TO USE	INSECTS/PESTS	
· Lawns	Ants, Boxelder Bugs,	
· · Outdoor Garbage Cans	Carpenter Ants, Carpenter	
. Window Frames & Doorways	Bees, Centipedes, Chiggers,	
· Porches & Patios	Chinch Bugs, Clover Mites,	
· Eaves & Foundations	Cockroaches, Crickets,	
· Fire Ant Mounds	Cutworms, Earwigs, Fleas,	
. Wood Piles & Stored Lumber	Lawn Moths, Millipedes,	
. Trench Around Building	Mosquitoes, Scorpions,	
Foundation	Spiders (including Black	
Treats 15 linear feet of	Widow and Brown Recluse	
Trenchl	Spiders), Subterranean	
	Termites/ Termites (workers	
	& winged), Ticks (including	
	ticks which transmit Lyme	
	Disease), White Grubs &	
	many others.	
See inside label for many more uses.		

239-2513.EPA

16 7 11

For prevention of subterranean termites. Also controls borers, carpenter ants and carpenter bees found outdoors in localized areas of wooden structures, firewood piles and stored lumber. In addition controls many common pests in lawns and other outdoor areas around the home.

Specially formulated for residential use.

ORTHO-KLOR Soil Insect & Termite Killer is an easy to apply product to control lawn insects, home-invading pests, fire ants & wood-destroying insects. When used as directed, it helps lawns stay vigorous, healthy, and green by controlling bugs that cause problems.

DO NOT USE INSIDE DWELLINGS

239-2513.EPA



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1 tsp = teaspoon

1 Tbs = Tablespoon = 3 teaspoons

2 Tbs = 1 fl. oz

4 fl oz = 1/2 cup

SHAKE WELL [BEFORE USING]

LAWN PESTS

•Pests that live & feed underground:

European Crane Fly Larvae, Hyperodes (Turfgrass Weevils), Mole Crickets & White Grubs (Including larvae of European Chafer & Japanese Beetle)

•Pests that live & feed above ground:

Including Armyworms, Chiggers, Chinch Bugs, Clover Mites, Crickets, Cutworms, Dichondra Flea Beetles, Earwigs, Fiery Skipper Larvae (California and Hawaii only), Fleas, Grasshoppers, Lawn Moths (Sod Webworms), Ticks & Tropical Grass Webworms (Hawaii only)

Mixing Instructions for Lawn Pests

Hyperodes, Mole Crickets & White Grubs:

Amount to Use: 2 Tbs (1 fl oz) per gallon (qal) of water for each 75 sq ft

. When using the Ortho® Dial 'n Spray®: Set dial to 1 oz. Add 13 fl oz (26 Tbs) to the sprayer jar. DO NOT add water. Spray evenly over 1000 sq ft until jar is empty.

<u>Pests</u> that live & feed above ground and European Crane Fly Larvae:

Amount to Use: 2 tsp per gallon (gal) of water for each 100 sq ft

.. When using the Ortho® Dial 'n Spray®: Set dial to 2 tsp. Add 3½ fl oz (7 Tbs) to sprayer jar. DO NOT add water. Spray evenly over 1000 sq ft until jar is empty.

How to Apply

•Measure lawn. Calculate square feet by multiplying length times width. [walking man icon]. Spray evenly over measured area.

•Treat entire lawn. Spot treatment may be less effective.

When to Mow & Water

•Apply to lawn that was moved and watered within the last 24 hours.

239-2513.EPA

- •Above Ground Pests: Do not water for 2 to 3 days after application.
- •Underground Pests: Water lawn thoroughly after application to move the insecticide into the soil where these pests live and feed.

When to Apply

•Wait 4 to 6 weeks between applications.

•European Crane Fly Larvae & White Grubs: Treat when pests are small and actively feeding near the soil surface. Consult your County Cooperative Extension Agent for the best time to treat.

FIRE ANT MOUNDS

Mixing Instructions for Fire Ant Mounds Use a Sprinkling Can: Add 2 Tbs (1 fl oz) to 1 gallon (qal) of water for each mound.

How to Apply

Apply evenly over and around each mound in a 4 ft diameter circle. Apply gently to avoid disturbing ants and causing them to move and form new mounds.

When to Apply

For best results apply in early morning or late afternoon when fire ants are most active. Treat new mounds as they appear.

HOME-INVADING PESTS - OUTDOORS

including Ants, Bees, Beetles, Boxelder Bugs, Centipedes, Clover Mites, Cockroaches, Crickets, Earwigs, , Fleas, Flies, Hornets, House Flies, Millipedes, Scorpions, Silverfish, Sowbugs, Spiders (including Black Widow and Brown Recluse Spiders), Springtails, Ticks, Wasps & Yellow Jackets

Mixing Instructions for Home-Invading Pests Amount to Use: 2 tsp per gallon (gal) of water When using the Ortho® Dial 'n Spray®: Set dial to 2 tsp. For 3 gallons(gal) of spray add a minimum of 1 fl oz (2 Tbs) to sprayer jar. * DO NOT add water. Spray. Note: After spraying, unused product can be poured back into its original container. * Note: If you add more product than you need to the Dial'n Spray, pour unused product back into its original container when you're finished spraying.

•How to Apply

239-2513.EPA

•To keep insects from entering the house, spray a 3 foot(ft) band of soil around the house next to the foundation. Also spray the foundation of the house to a height of 2 feet(ft). 3 gallons (gal) of spray treats 60 linear feet.

•Also spray walks, "garbage cans & garbage areas, "window frames & doorways, "porches & patios, "under shrubs and trees but avoid spraying foliage. DO NOT treat pets with this product. DO NOT use indoors.

MOSQUITOES - OUTDOORS

Mosquitoes coming to rest on areas treated for the control of lawn and home-invading pests will be killed for varying periods of time after application, depending on exposure of treated areas to weathering conditions.

CARPENTER ANTS

Plus Carpenter Bees & Wood Boring Beetles (including Powder Post Beetles) -OUTDOORS

Mixing Instructions for Carpenter Ants, Carpenter Bees & Wood Boring
Beetles

Amount to Use:

- . Wood Treatment: 5 1/3 fl oz (10 2/3 Tbs) per gallon (qal) of water
- . Perimeter Treatment: 2 tsp per gallon (gal) of water

How to Apply Wood Treatment:

- Fences & Outdoor Wood Surfaces of Buildings. & Fences. Apply evenly on wood surfaces with a paint brush. Allow to dry and repeat to ensure the insecticide soaks into the wood.
- Wood Piles & Stored Lumber: Use a hose-end or tank sprayer, or sprinkling can to deliver a coarse drenching spray.
 Treated wood can be burned or used for building one month after treatment.

Perimeter Treatment:

To keep insects from entering the house, use a hose-end or tank sprayer to spray a 3 foot <u>(ft)</u> band of soil around the house next to the foundation. Also spray the foundation of the house to a height of 2 feet <u>(ft)</u>. 3 gallons <u>(gal)</u> of spray treats 60 linear feet.

SUBTERRANEAN TERMITES - OUTDOORS

Prevents subterranean termite infestations. For outdoor, homeowner post construction use only. DO NOT use under slabs, in crawl spaces or indoors. If termites are found within the house or structure contact a licensed pest control operator for treatment.

239-2513.EPA

Mixing Instructions for Termites

Use a Sprinkling Can: Add 5 1/3 fl oz (10 2/3 Tbs) to 1 gallon (gal) of water for each 2 1/2 linear feet*.

* 1 quart of HomeDefense® Ortho-Klor® will make 6 gallons (gal) of diluted solution and treat / cover 15 linear feet.

How to Apply

Trench Treatment

- Remove all wood debris and wood forms.
- Poured Concrete Foundations:

 Dig a trench next to the foundation 6 inches wide and 4 inches deep or down to the top of the footing, whichever is less.
- Brick & Block Foundations:
- Dig a trench 6 inches wide and 12 inches deep.
- To avoid shifting your house foundation never dig below the top of the footing.
- Mix diluted product into soil as soil is replaced in the trench.

Fence Posts - (EXCEPT RHODE ISLAND)
Using/use a sprinkling can. Pour ½ gallon (qal) of diluted product into fence post hole and add another ½ gallon to the soil when filling the hole so that all the fill soil is treated to form a protective barrier.

When to Apply

Reapplication for subterranean termites should only be made when there has been a disruption of the chemical barrier in the soil due to construction, excavation, landscaping, etc. Reapplication should be made as a spot treatment to those areas. Annual reapplication of the entire premises must be avoided.

IMPORTANT

Do not treat structures that contain cisterns or wells. Soil in the vicinity of wells, cisterns or ponds should not be treated. For those situations, contact your local County Cooperative.... Extension Agent Service or consult a commercial pest control; service.

239-2513.EPA

- DO NOT treat structures that contain cisterns or wells.
- DO NOT treat soil that is water saturated or frozen or in any conditions where run-off or movement from the treatment area(site) is likely to occur.
- DO NOT apply while it is raining.
- DO NOT use on pets.
- DO NOT use on edible or ornamental plants. Spray drift onto these plants should be rinsed off immediately with water.

239-2513.EPA

STORAGE AND DISPOSAL

STORAGE: Store in original container in a safe place. Keep from freezing.

DISPOSAL: Do not reuse container. Securely wrap partially filled or empty container in newspaper and put in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed or inhaled. Do not get in eyes, on skin or clothing. Avoid breathing vapor or spray mist. Handle concentrate in ventilated area. Wear long-sleeved shirt, long pants, socks, shoes, rubber gloves and safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Reentry icon] People and pets may enter treated area after application has dried.

FIRST AID: IF SWALLOWED: Immediately telephone a poison control center, emergency treatment center or a physician for advice. DO NOT make person vomit. Product contains petroleum distillate. May be an aspiration hazard. If medical advice cannot be obtained, then immediately take person and product container to an emergency treatment center or hospital. IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists. IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. IF INHALED: Remove person to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

Note to Physician: Emergency Information call 1-800-225-2883. Chlorpyrifos is a cholinesterase inhibitor. If signs and symptoms of cholinesterase inhibition develop, atropine by injection is antidotal; 2-PAM may also be given in conjunction with atropine, but should never be used alone.

ENVIRONMENTAL HAZARDS

This product is toxic to birds, fish and other aquatic organisms. Birds feeding in treated areas may be killed. Clean up spilled product to reduce exposure to wildlife. Do not apply directly to any body of water. Do not pour product or rinse water down any drain.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

239-2513.EPA

Ortho-Klor®, Dial 'n Spray®, SOLARIS® HomeDefense® Trademarks of Monsanto Company
DURSBAN® Trademark of DowElanco

©Monsanto Company 1998

Manufactured For
The Solaris Group of
Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form 0-740-05
EPA Reg. No. 239-2513
EPA Est. 239-IA-3^I, 58996-MO-1^A
Superscript is first letter of lot number
Made in USA

239-2513.EPA