

ORTHO Rose & Floral Dust Formula II
EPA Reg. No. 239-2576


COPY A

Malathion: O,O-dimethyl phosphorodithioate
of diethyl mercaptosuccinate

COPY B


This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.



CONFIDENTIAL
PROPERTY OF
CHEVRON CHEMICAL COMPANY
UNTIL ACCEPTED BY EPA

WLC:rm 7/9
5/11/88





ORTHO

Not to be sold, offered for sale, held for sale, shipped, delivered for shipment, or used for delivery or received after December 31, 1988. Not to be used after March 31, 1989.

Rose & Floral Dust Formula II

Controls Insects and Diseases
Aphids, Japanese Beetles,
Powdery Mildew, Black Spot and
Certain Other Flower Garden Pests

ACCEPTED

20 1989

Under the Federal Insecticide, Fungicide, and Rodenticide Act, recommended for the pesticide registered under Reg. No. 274-2576



Active Ingredients	By Wt
*Carbaryl (1-naphthyl N-methylcarbamate)	3.0%
*Folpet	4.0%
Dicofol (1,1-bis (chlorophenyl)-2,2,2-trichloroethanol)	5.0%
Inert Ingredients	1.5%
*SEVIN®— Reg. TM of Union Carbide Corp. for Carbaryl Insecticide	86.5%
*O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate	
*N-(Trichloromethyl)thio phthalimide (PHALTAN®)	

COPY →
A

Keep out of reach of children

CAUTION

See back panel for additional precautionary statements.

NET WT. 1 LB.

WHITE



ORTHO Rose & Floral Dust Formula II

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes eye irritation. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, DO NOT make person vomit unless directed to do so by a doctor. Immediately take person and container of product to, or if not possible, call a doctor or an emergency hospital. If on skin, wash thoroughly with soap and water. If in eyes, flush eyes immediately with fresh water for 15 minutes. If irritation continues, see a doctor. If inhaled, remove person from exposure area.

Note to Physicians: Emergency Information — call (415) 233-3737. Malathion and Carbaryl are cholinesterase inhibitors. If signs and symptoms of cholinesterase inhibition develop, atropine sulfate is antidotal.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Cont
B

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

DIRECTIONS

Skin contact with this pesticide may be hazardous. Wear chemical resistant gloves when applying this product.

Apply as a dust. Apply by dusting in early morning or late evening when the temperature is low and the air is still. Apply so all exposed parts are contacted, especially upper and lower leaf surfaces.

For Insect Control: Treat thoroughly when damage or insects first appear. Repeat as necessary.

For Disease Control: Start regular preventive program of treatments as soon as foliage appears. Under normal conditions, apply every 7 to 10 days during growing season. Treat at least weekly during periods of moderate infection and twice weekly during periods of rapid new growth and severe infection caused by continuous summer rains or high humidity. Reapply after sprinkler or overhead irrigation or rainfall.

NOTE: Do not use on certain ferns including Boston, Maidenhair, and Pteris, as well as on some species of Crassula (example: Jade Plant). Do not use on Boston Ivy. Do not use on Japanese Maple. Do not use within 2 weeks of an oil spray treatment.

Plants	Insects	Diseases
Roses and Other Flowers	Aphids, Spider Mites, Japanese Beetles, Rose Chafer, Rose Leafhoppers, Leafrollers, Rose Slugs, Lacebugs, Boxwood Leafminer, Bagworms and Scale Crawlers	Powdery Mildew, Leaf Spot, Black Spot

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

DISPOSAL: PRODUCT — Partially filled canister may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER** — Do not reuse empty canister. Discard canister in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Chevron Chemical Company © 1987
Ortho Consumer Products Division
P.O. Box 5047 San Ramon CA 94583-0947
Product 5601 Made in U.S.A.
Form CA A
EPA Reg. No. 239-2576
EPA Est. 239-MD-1

