

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460

NOTICE OF PESTICIDE:

_x Registration
____ Reregistration

(under FIFRA, as amended)

EPA Reg.

Date of Issuance:

JUN 2 8 2004

239-2687

Term of Issuance:
Conditional

Name of Pesticide Product:

0.3% Bifenthrin Liquid I&O Concentrate

Name and Address of Registrant (include ZIP Code):

The Scotts Company d/b/a The ORTHO Group 14111 Scottslawn Road Marysville, OH 43041

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product when the Agency requires all registrants of similar products to submit data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 239-2687".
- 3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature	οf	Approving	Official:

Date:

JUN 2 8 2004

0.3% Bifenthrin Liquid I&O Concentrate Refill

[icon] For Residential Indoor and Outdoor Use Only

For Refill Use Only of the ORTHO HomeDefense Indoor & Outdoor Insect Killer5 (EPA Reg. No. 239-2663 Pull N' Spray II applicator)

Active Ingredient
Bifenthrin* 0.3%
Other Ingredients 99.7%

*Cis isomers 97% minimum, trans isomers 3% maximum US Patent No. 4,238,505

KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel booklet for additional precautionary statements.

NET 21 FL OZ (for 1 gallon size) Net 28 FL OZ (for 1.33 gallon size)

OPEN

Resealable Label for Directions & Precautions

PRESS TO RESEAL [Placed on base of label.]

ACCEPTED WAL COMMENTS

JUN 2 8 2004

Under the Federal Inscaticide, Fingleide, and Rodenticide Act is amended, for the posticide registered under EPA Reg. No. 239 - 2667

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL

REFILL INSTRUCTIONS:

This product is intended to be used only as a refill for ORTHO HomeDefense Indoor & Outdoor Insect Killer5 (EPA Reg. No. 239-2663 Pull N' Spray II applicator).

To refill only an empty 1 Gal. [ORTHO HomeDefense Indoor & Outdoor Insect Killer5/EPA Reg. No. 239-2663 - Pull N' Spray II applicator]
Amount to Use: Add 21 fl. oz. of this product to the empty 1 gallon container. Slowly fill with 107 fl. oz. of clean tap water. Follow directions for use on the ORTHO

HomeDefense Indoor & Outdoor Insect Killer5 (EPA Reg. No. 239-2663 - Pull N' Spray II applicator) label.

To refill only an empty 1.33 Gal. [ORTHO HomeDefense Indoor & Outdoor Insect Killer5/EPA Reg. No. 239-2663 Pull N' Spray II applicator]
Amount to Use: Add 28 fl. oz. of this product to the empty 1.33 gallon container.
Slowly fill with 142 fl. oz. of clean tap water. Follow directions for use on the ORTHO HomeDefense Indoor & Outdoor Insect Killer5 (EPA Reg. No. 239-2663 - Pull N' Spray II applicator) label.

INDOOR & OUTDOOR HOME SURFACES [Icon]: house & tree	PESTS CONTROLLED
Floors/Floor Coverings (rugs, carpets, tile, vinyl & wood) & Baseboards Cracks & Crevices in Walls Beneath & Behind Refrigerators, Stoves, Sinks, & Cabinets Around Plumbing Garbage Cans Window Frames & Doorways Porches & Patios Eaves, Exterior Siding & Foundations In Cupboards/Pantries In Garages, Basements or Attics	Ants (including Carpenter Ants, Asian Ladybird Beetle, Harvester Ants & Foraging Fire Ants), Boxelder Bugs, Carpet Beetles, Centipedes, Clover Mites, Crickets, Earwigs, Firebrat, Fleas, Flies (including Houseflies), Grasshoppers, Millipedes, Mosquitoes, Moths, Confused Flour Beetle, Granary Weevil, Indian Meal Moth, Red Flour Beetle, Rice Weevil, Saw-Toothed Grain Beetle, Roaches, Scorpions, Silverfish, Sowbugs (Pillbugs), Spiders (including Black Widow, Brown Recluse, Hobo & Daddy Long Legs Spiders), Ticks (including Ticks that May Transmit Lyme Disease)

DIRECTIONS FOR USE FROM THE ORTHO HOMEDEFENSE INDOOR & OUTDOOR INSECT KILLER

SPRAYER APPLICATOR LANGUAGE SECTION

---Option 1 QUICK CONNECT SPRAYER--

QUICK CONNECT SPRAYER (illustrations)

- Remove sprayer. Pull cord ALL THE WAY OUT.
- meet red plug into spout (on cap) und it clicks.
- Flip up spout. Open nozzle at end of sprayer.

End of Option 1
OPTION 2 (PNS II/ PULL 'N SPRAY II/SPRAYMASTER)

Illustration #1

- Remove sprayer from side carrier and hose completely.
- Insert (color of plug) plug at end of hose into (color of spout) spout on cap until it clicks.
- Flip up spout.

Illustration #2

- Point sprayer away from body.
- · Grasp sprayer by the handle.
- Slowly pull ring at bottom of sprayer handle until it stops to ready the sprayer.

Illustration #3

• Twist nozzle at end of sprayer to adjust spray pattern.


Illustration #4

- Press and hold button on sprayer to begin spraying.
- Pull ring at sprayer bottom again as needed to continue spraying.

End of Option 2--

Indoor Surfaces Outdoors Surfaces In Pantries Before Cover or remove Do not allow Cover or remove exposed food this product to exposed food contact water (including pet food) Apply (including pet food) suppliers Remove all items Cover all food from pantry and clean processing surfaces Do not spray pantry thoroughly and utensils into air Do not allow this product to contact water suppliers HOW TO Shake Well. Set Shake Well. Set spray Shake Well. Set spray nozzle to "indoor" spray nozzle to nozzle to "indoor" Apply "outdoor" setting setting. Spray cracks setting. Hold sprayer and crevices along 12 inches from Hold sprayer 12 surfaces being inches from surfaces shelves in pantries. opray until salgnely being sprayed. sprayed. (Apply a 12 in band wet without soaking. (Apply a 4 in band

along the surfaces being treated.) (Apply a 4 in. band along the interior of your home in areas where insects are a re-occurring problem.) Spray until slightly wet without soaking. along the surfaces being treated.) (Apply a 12 in. band along the exterior perimeter of your home. Spray until slightly wet without soaking. Replace non-infested items once spray has dried







After You Apply People and Pets may re-enter treated area after spray has dried.

- Thoroughly wash all food processing surfaces and utensils with soap and water before reuse
- Repeat as needed. Re-treatment is recommended at least once per season.



Fleas & Ticks (Including ticks that transmit Lyme Disease)
Do not spray animals. Pets resting quarters may be treated with
this product. Spot treat infested areas such as pet resting
quarters and localized areas of floors/floor coverings (rugs,
carpet, tile, vinyl & wood) where pests may be present. Old
bedding of pets should be removed and replaced with clean, fresh
bedding after treatment of the pet area. To control the source of
flea infestation, pets inhabiting the treated premises should
themselves be treated with a product registered for application to
animals.

Ants

Apply directly to ants and [ant] trails.

STORAGE & DISPOSAL

STORAGE: Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

ביאמאסטים שט ממאנאלול ל טלאישלשבול אלונדנציון

CAUTION: Do not apply this product to humans and animals.

CTL 6/8/04

FIRST AID:

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: Emergency Information call 1-800-225-2883.

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Care should be used when spraying to avoid fish and reptile pets in/around ornamental ponds.

This product is highly toxic to bees exposed to direct treatment or residues on blooming plants. Do not apply this product or allow it to drift to blooming plants if bees are visiting the treatment areas.

PHYSICAL OR CHEMICAL HAZARDS: Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

Questions, Comments or Medical Information?
Call: 1-800-225-2883 www.ortho.com
Manufactured for
The ORTHO Group
P.O. Box 190
Marysville, OH 43040
EPA Reg. No. 239-NEW
EPA Est. No. 239-NEW
Made in USA

CTL 6/8/04

APPENDIX 1

Ready to Use

No Mixing Necessary

Easy to Use

Now/4 Month Control

Now/Up To 4 Months Control

Now /4 Month Insect Control

Quick Knockdown and 4 Months Control

Now/4 -Month Ant Control

Up To 4 Months Ant Control

Now/4 Month Roach Control

Now Up To 4 Months Roach Control

Now up to 16 Weeks Roach Control

Now Kills Roaches for up to 16 Weeks

Kills Insects, Spiders & Ticks

Kills Roaches, Ants, Fleas, Ticks, Spiders, Earwigs, Silverfish, and other listed insects.

Kills Home Invading Pests / Insects

Broad-Spectrum

Also Controls [Kills] Ticks (including ticks that May Transmit Lyme Disease)

Fast Acting plus Long Residual

Quick Knockdown plus Extended Residual Control

Kills on Contact

Non-Staining

No Stains

Does Not Stain

No Sticky Mess

Virtually Odor Free

Odor Free

Odorless

Targets bugs in tight places

Kills bugs inside. Keeps bugs out(side)

Use [Can be used] in garages [s] and/or basement [s] and/or attic [s].

Use with confidence in garage [s] and/or basement [s] and/or attic [s].

Use in garage [s] and/or basement [s] and/or attic [s] to keep bugs/insects from coming into [entering] the [your] home.