



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
1200 Pennsylvania Avenue, N.W.
Washington, D.C. 20460

EPA Reg. Number:
239-2720

Date of Issuance:
NOV 16 2011

Term of Issuance:
Unconditional

Name of Pesticide Product:
Ortho ZBP Granules

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(Under FIFRA as amended)

Name and Address of Registrant (include ZIP Code):

The Scotts Company LLC
P. O. Box 190
Marysville, OH 43040

~~Note: Changes in labeling, differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.~~

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is **unconditionally** registered in accordance with FIFRA sec. 3(c)(5). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3).

1. You will make the following label changes before you release the product for shipment:
 - a). Revise the EPA Registration Number to read "EPA Reg. No. 239-2720."
 - b). On page 8, last paragraph replace, "Insect Control – controls chinch bugs, sod webworms (lawn moths) and other lawn insects" with "Insect Control – controls chinch bugs, sod webworms (lawn moths) and other listed lawn insects".
 - c). On page 16, under [Lawn Insect Killer Only] replace, "One application keeps killing lawn bugs for 3 months" with "One application keeps killing listed lawn bugs for 3 months"
 - d). The claim "new" can only be used on labeling for a period of months following approval of a new registration. See 40 CFR 156.10(a)(5)(i) or Label Review Manual, chapter 12, section VII for additional information.

Signature of Approving Official:

Deborah Alexander For
Richard Gebken Product Manager
Insecticide Branch/Registration Division (7505P)

Date:

November 16, 2011

Enclosure

2. Please submit three (3) copies of your final printed labeling before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact BeWanda Alexander at www.alexander.bewanda@epa.gov or (703) 305-7460.

3
19

NOTE:

Bold, italicized text is information for the reviewer and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 239-NEW

ORTHO ZBP GRANULES

Note to PM: Alternate Brand Names

- Ortho Bug B Gon Max Insect Killer Granules for Lawns (2)
- Ortho Max Insect Killer Granules For Lawns (2)
- Ortho Bug B Gon Max Insect Killer for Lawns (2)
- Ortho Max Insect Killer for Lawns (2)
- Ortho Home Defense Max Insect Killer (2)
- Ortho Home Defense Max Insect Killer Granules(2)
- Ortho Bug B Gon Insect Killer for lawns(2)
- Ortho Home Defense Insect Killer Granules(2)
- Ortho Home Defense Max Insect Killer for Outdoor Perimeter(2)
- Ortho Home Defense Insect Killer for Outdoor Perimeter(2)
- Ortho Home Defense Max Insect Killer for Home Perimeter(2)
- Ortho Home Defense Insect Killer for Home Perimeter(2)
- Ortho Home Defense Max Perimeter Insect Killer(2)
- Ortho Home Defense Perimeter Insect Killer(2)
- Ortho Home Defense Max Home Perimeter Insect Killer(2)
- Ortho Home Defense Home Perimeter Insect Killer(2)
- Ortho Home Defense Max Bug Barrier Insect Killer Granules(2)
- Ortho Home Defense Bug Barrier Insect Killer Granules(2)
- Ortho Home Insect Killer Granules(2)
- Ortho Home Invading Insect Killer Granules(2)
- Ortho Perimeter Insect Killer Granules(2)
- Ortho Home and Perimeter Insect Killer Granules(2)

ACTIVE INGREDIENTS:	% BY WT.
Zeta-Cypermethrin ¹	0.029%
Bifenthrin ²	0.115%
OTHER INGREDIENTS:	99.856%
TOTAL:	100.000%

¹ *Cis/trans* isomer ratio: Max 75% (±) *cis* and Min. 25% (±) *trans*
² *Cis* isomers 97% minimum; *trans* isomers 3% maximum.
 U.S. Patent No. 4,238,505 & other US patents pending

Contains peanut by-products

Net weight statement: xxxx lbs. xxxxx kg

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side/back [panel] for additional precautionary statements [and directions for use].

Note to PM: Any or all listed bugs may be represented graphically on Final Printed

Labeling [bug icon] [insect must be listed on fp]



**ACCEPTED
with COMMENTS
In EPA Letter Dated
NOV 16 2011
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
239-2720**

NOTE:

Bold, italicized text is information for the reviewer and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 239-NEW

4
19

PRECAUTIONARY STATEMENTS 
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, socks, shoes and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish, aquatic invertebrates, oysters and shrimp. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

FIRST AID	
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-(800)-225-2883 for Emergency Assistance.	
NOTE TO PHYSICIAN	
This product is a pyrethroid. If large amounts have been ingested, the stomach and intestine should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided.	
For Information Regarding the Use of this Product Call 1-(800)-225-2883.	

STORAGE AND DISPOSAL 

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

Pesticide Disposal and Container Handling: Nonrefillable container: Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTE:

EPA Reg. No. 239-NEW

5
19

Bold, italicized text is information for the reviewer and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

NOTE TO PM: OPTION A. DIRECTIONS FOR USE FOR (LAWN USE ONLY)

For Residential [Lawn] Use Only
(Insert photo/illustration)

[Optional text]

[Ortho ZBP Granules is:]

- [Virtually Odor-free]
- [Fast Acting]
- [Easy-to-Use]
- [Not harmful to grasses]

[Optional Marketing Text]

Ortho ZBP Granules:

- Starts killing immediately after watering or irrigating!
- One application keeps killing listed lawn bugs for 3 months!
- Kills 120+ insects, as listed!

Ortho ZBP Granules works two (2) ways:

Kills- starts working immediately after watering or irrigating
(one application) provides 3 month long control

WHERE TO USE

Use Ortho ZBP Granules on the following areas:

- On Lawns
- On Ornamentals and Flowers
- Vegetable Gardens
- Home Foundations (Perimeter Treatment)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off.

Do not make applications during rain.

Do not apply to hard surfaces such as sidewalks, driveways and streets where the product is likely to wash off into sewers and waterways.

Apply when insect activity or damage is first observed in the lawn (lawn thins and turns brown or moths fly from the grass when you mow)

Do not treat just the browned area of lawn. To prevent further damage, treat entire lawn.

Repeat application is necessary only if there are signs of renewed insect activity, but not sooner than two weeks after first application.

In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

In New York State, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

Optional Placement of Re-entry statement

PRODUCT FACTS	
SURFACE FEEDING LAWN INSECTS	Use Ortho ZBP Granules for the control of: Ants (except Carpenter and Pharaoh), Red Imported Fire ant, Pavement, Odorous, Pyramid, Argentine, Fire Ants, and Foraging Fire Ants), Armyworms, Billbugs, Chinch Bugs, Crickets, Cutworms, Earwigs, European Crane Fly Larvae, Fleas,

NOTE:

6
19

Bold, italicized text is information for the reviewer and is not part of the label.
 [Bracketed information is optional text]. Text separated by / denotes and/or options.

	Grasshoppers, Leaf Hoppers, Mealybugs, Millipedes, Mole Crickets, Sod Webworms (Lawn Moth), Spiders, Ticks (including ticks that may transmit Lyme Disease), and Weevils (including Hyperodes)
HOW TO USE	<p>For: Ants (except Carpenter and Pharaoh), Red Imported Fire ant, Odorous, Pyramid, Argentine, Fire Ants, and Foraging Fire Ants), Armyworms, Billbugs, Chinch Bugs, Crickets, Cutworms, Earwigs, European Crane Fly Larvae, Fleas, Grasshoppers, Leaf Hoppers, Mealybugs, Sod Webworms (Lawn Moth), Spiders, Ticks (including ticks that may transmit Lyme Disease), and Weevils (including Hyperodes):</p> <p>Uniformly apply 1 to 2 pounds over a 1,000 sq. ft. area of lawn using a spreader designed for the application of granular materials. A 10 pound bag will treat [a 5,000 sq. ft. to] [up to a] 10,000 sq. ft. area of lawn. [A 20 pound bag will treat [a 10,000 sq. ft. to] [up to a] 20,000 sq. ft. area of lawn.]</p> <p>Best results are obtained if the treated area is thoroughly watered immediately after application.</p> <p>For Millipedes, Pavement ants, Centipedes: Uniformly apply 4 pounds over a 1,000 sq. ft. area of lawn. Best results are obtained if the treated area is thoroughly watered immediately after application.</p> <p>For Mole Crickets: Uniformly apply 2 to 4 pounds over a 1,000 sq. ft. area of lawn. For best results, treat in late spring and water thoroughly immediately after application.</p>

Note: Food utensils such as tablespoons/teaspoons must not be used for food purposes after use in measuring pesticides.

Note to PM: Models and Application Rate may be changed to reflect Current Product Offerings

SPREADER TIPS				
For best results, Use a Scotts Spreader				
Spreader	Spreader Settings [Covers 5,000 sq. ft.]			Directions
	Pounds of product per 1,000 sq. ft.			
	1lb	2lb	4lb	
Scotts Drop Spreader	XX	XX	XX	Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Operate spreader the longest way of the lawn, Overlap wheel marks to ensure uniform feeding. Shut off spreader when you have reached the header strips or stopped
Scotts EasyGreen® Rotary	XX	XX	XX	Slide shut-off lever to the right; application automatically starts and stops when you do, For complete coverage make each pass about 30 inches from the previous one, so some overlapping occurs.
Scotts SpeedyGreen® Or EdgeGuard® Rotary	XX	XX	XX	Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one so that some overlapping occurs. Avoid applying this product on flower, vegetables, shrub plantings.

NOTE:

EPA Reg. No. 239-NEW

7
19

Bold, italicized text is information for the reviewer and is not part of the label.
 [Bracketed information is optional text]. Text separated by / denotes and/or options.

Note: When using other spreaders, calibrate the spreader settings based on the manufacturer's recommendations.

[Spreader (Application) Tips

Spreader settings are approximate. You may need to adjust for proper coverage. Apply header strips. Then apply product in the longest direction of lawn. For best results, use a Scotts® spreader.]

Note to PM: Models and Application Rate may be changed to reflect Current Product Offerings

(Illustrations to correspond with application tips)

Spreader	Spreader Settings [Covers 5,000 sq. ft.]			Directions
	Pounds of product per 1,000 sq. ft.			
	1lb	2lb	4lb	
Drop Spreader				Overlap wheel marks to ensure uniform coverage.
Scotts® AccuGreen®	XX	XX	XX	
Scotts EasyGreen® Rotary Spreader	XX	XX	XX	Make each pass about 30 inches from the previous one.
Broadcast/Rotary Spreaders				Make each pass about five feet from the previous one.
Scotts® Basic™, Standard™, Deluxe™, EdgeGuard®, Lawn Pro™, or SpeedyGreen®	XX	XX	XX	

Note: When using other spreaders, calibrate the spreader settings based on the manufacturer's recommendations.

NOTE TO PM: END OF OPTION A

NOTE TO PM: DIRECTIONS FOR USE OPTION B (USE ON LAWNS, HOME FOUNDATIONS/PERIMETER TREATMENT, ORNAMENTAL AND FLOWER GARDENS, VEGETABLE GARDENS)

RESIDENTIAL LAWNS, ORNAMENTAL AND FLOWER GARDENS, VEGETABLE GARDENS, LANDSCAPED AREA, [FOR][HOME FOUNDATIONS/PERIMETER TREATMENT

For Residential Lawn, Home Perimeter, Ornamental & Flower Garden, and Home Garden Use Only [tree icon]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply this product directly to the lawn, garden area or non-hard surfaces around the perimeter of your home. Water treated area as directed on this label. Do not water to the point of run-off. Do not make applications during rain.

Do not apply to hard surfaces such as sidewalks, driveways and streets where the product is likely to wash off into sewers and waterways.

NOTE:

EPA Reg. No. 239-NEW

Bold, italicized text is information for the reviewer and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

[Do apply when insect activity or damage is first observed in the lawn (lawn thins and turns brown or moths fly from the grass when you mow)

Don't treat just the browned area of lawn. To prevent further damage, treat entire lawn.]

Note to PM: bracketed text will be added for fpls that contain lawn uses

Repeat application is necessary only if there are signs of renewed insect activity, but not sooner than two weeks after first application.

In New York State, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream wetland, drainage ditch). In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Note to PM: The List beginning "Use Ortho ZBP Granules to Kill and provide 3 month residual control of" will be referred to as Table 1 in the Claims Section. The List beginning "Ortho ZBP Granules Also Kills" will be referred to as Table 2 in the Claims section. When Expanded Kills claims are used the claims section provides instruction on when the "Also Kills" list will appear on the FPL.

INSECTS CONTROLLED

PRODUCT FACTS

Use Ortho ZBP Granules to kill and control: Fleas

[Table 1]

Use Ortho ZBP Granules to Kill and provide 3 month residual control of:

Annual Bluegrass Weevil (adult), Ants (including Acrobat, Allegheny Mound, Argentine, Big Headed, Black Turf, Citronella, Cornfield, Crazy, Ghost, Imported Fire, Lawn, Little Black, Odorous, Pavement, Pyramid, Red Harvester, Small Honey, Sugar, Thief, White Footed), Armyworms (including Fall, Lawn), Beetles (including Black Turfgrass Ataenius Adults, Dichondra Flea, Ground), Billbugs (including Bluegrass, Hunting), Bristletail, Chiggers, Chinch Bugs, Crickets (including Arizona, Common Short Tailed, Eastern Striped, Fall Field, House, Indies Short Tailed, Northern Wood, Sand Field, Southeastern Field, Southern Wood, Spring Field, Texas Field, Tropical, Variable Field, Vocal Field, Western Striped), Cutworms (including Black, Bronzed, Granulate, Variegated), Earwigs, European Crane Fly larvae, Fiery Skipper, Fire Ants, Fire Brat, Frit Fly, Grasshoppers, Greenbug, Ground Pearl, Ladybeetles (including Asian, Convergent, Seven-Spotted, Thirteen-Spotted, Twice-Stubbed), Leaf Hoppers, Lucerne Moths, Mealybugs, Millipedes, Mole Crickets (including Adult, Southern, Tawny), Pillbugs, Scorpions (including Arizona Stripetail, California Common, Eastern Sand, Lesser Stripetail, Northern, Southern Unstriped, Yellow Ground), Seed Maggots, Sowbugs, Spiders (including Brown Recluse, Burrowing Wolf, Longbodied Cellar, Marbled Cellar, Pirate Wolf, Shortbodied Cellar, Thinlegged Wolf), Striped Grassworm, Ticks (including those that transmit Lyme Disease, American Dog, Brown Dog), Two Lined Spittle Bugs, Webworms (including Sod, Tropical Sod), Wireworms

+ **Note to PM: When products is labeled for mound treatments label must state the following: (excluding mound treatments).**

[Table 2]

[Ortho ZBP Granules Also Kills:

Ants, Aphids, Bagworms, Beetles (including Asiatic Garden, European Chafers, Green June, Masked Chafers, May/June, Oriental, Sugarcane), Caterpillars, Centipedes, European Crane Fly adults, Fleas, Fruit Fly, Fungus Gnat Larvae, Lawn Moths, Mites, Mole Cricket nymphs, Omnivorous Leafrollers, Plant Bugs, Scale, Short Winged Crickets, Springtails, Thrips, Weevils (including Annual Bluegrass Larvae, Black Vine Larvae, Root weevil Larvae), Whiteflies]

For grub control, apply "Scotts GrubEx₁₁ Season-long Grub Control" [anytime] from early April to August [spring to (late) summer].

NOTE:

EPA Reg. No. 239-NEW

9
19

Bold, italicized text is information for the reviewer and is not part of the label.
 [Bracketed information is optional text]. Text separated by / denotes and/or options.

<p>WHERE TO APPLY Lawns/ Around Home Foundations [Perimeter Treatment] [Outdoor perimeter]/ Ornamental [and] Flower Gardens/ Vegetable Gardens</p>
<p>WHEN TO APPLY Apply early/proactively [in the Spring/Summer/Fall] to control infestation. Otherwise, apply at the first sign of insect activity or damage.</p>
<p>HOW TO APPLY For best results, treated area should be thoroughly watered immediately after application.</p> <p>On Lawns</p> <ul style="list-style-type: none"> • Using a spreader designed for application of granular materials, uniformly apply 1 to 2 lbs over 1000 sq. ft. <p>Leave a one-foot wide untreated strip of lawn next to hard surfaces (such as sidewalks and driveways) and sewer drains to prevent potential run-off into sewers and waterways. <i>[illustration]</i></p> <ul style="list-style-type: none"> • For mole cricket control, apply 2 to 4 lbs over 1000 sq. ft. area. • For 3 month control, apply 4 lbs of product for every 1000 sq. ft. • [A 10 (20) pound bag will treat up to 10,000 (20,000) sq. ft. of lawn] <p>On Ornamentals & Flowers</p> <ul style="list-style-type: none"> • Apply 0.5 to 1 lb. evenly over each 500 sq. ft. area. Repeat if there are signs of renewed insect activity. • Product can be applied just before planting or after plants emerge. <p>Vegetable Gardens</p> <ul style="list-style-type: none"> • A single application may be applied just prior to planting or after plants emerge and worked into the top 4 to 6 inches of soil. Use 1.0 lb of product for a 500 sq ft area. <p>Home Foundation/Barrier Treatment Evenly apply a 2 foot wide band next to the house/home foundation.</p> <ul style="list-style-type: none"> • Use 0.5 to 1.0 lb for each 500 sq. ft. (2 ft. x 250 ft.). • For 3 month control, apply 2 lbs of product for every 500 sq. ft. Re-apply after 3 months if necessary

Food utensils such as tablespoons/teaspoons must not be used for food purposes after use in measuring pesticide.

[Ortho ZBP Granules can be applied to the vegetables listed below:] [optional table]

CROP	DAYS TO WAIT TO HARVEST
Tomatoes	1
Sweet Corn	3
Green peas, sugar snap peas, snow peas, green beans (wax beans, snap beans), dry beans (black-eyed peas, cow pea), cucumber, gourds, muskmelon, pumpkin, squash, and watermelon	3
Broccoli, Chinese broccoli, cabbage, cauliflower, kohlrabi, mustard greens, eggplant, head lettuce, peppers (bell and non-bell)	7

Note to PM: Models and Application Rate may be changed to reflect Current Product Offerings:

SPREADER TIPS		
For best results, Use a Scotts Spreader		
Spreader	Spreader Settings [Covers 5,000 sq. ft.]	Directions
	Pounds of product per	

NOTE:

Bold, italicized text is information for the reviewer and is not part of the label.
 [Bracketed information is optional text]. Text separated by / denotes and/or options.

10
 19

	1,000 sq. ft.			
	1lb	2lb	4lb	
Scotts Drop Spreader	X	X	X	Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Operate spreader the longest way of the lawn, Overlap wheel marks to ensure uniform feeding. Shut off spreader when you have reached the header strips or stopped
Scotts EasyGreen® Rotary	X	X	X	Slide shut-off lever to the right; application automatically starts and stops when you do, For complete coverage make each pass about 30 inches from the previous one, so some overlapping occurs.
Scotts SpeedyGreen® Or EdgeGuard® Rotary	X	X	X	Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one so that some overlapping occurs.

* 1 lb/1000 sq ft is equivalent to 0.5 lb/500 sq ft

NOTE TO PM: END OF OPTION B

NOTE TO PM: DIRECTION FOR USE OPTION C. (Directions for Use for the Consumer Lawns Business Group with broadcast treatment only)

[BOTTOM FRONT]

Treats XXXXX Square Feet

[Above will be inverted on back of bag]

[Ortho ZBP Granules (XXXX — stock number)]

[LEFT GUSSET]

[UPC Code] Treats ORTHO ZBP GRANULES [XXXX — stock number]
 XX,XXX Square Feet

[LEFT GUSSET]

[UPC Code] Treats ORTHO ZBP GRANULES [XXXX — stock number]
 XX,XXX Square Feet

[BACK PANEL]

[DIAGONAL LINE - SCISSORS ART]

CUT HERE TO OPEN

[Optional Back Panel Claims]

Kills listed lawn-damaging insects, spiders, fleas and ticks. For grub control, apply "Scotts GrubEx₍₁₎ Season-long Grub Control" [anytime] from early April to August [spring to (late) summer].

OR

Insect Control — controls chinch bugs, sod webworms (lawn moths) and other lawn insects. For grub control, apply "Scotts GrubEx₍₁₎ Season-long Grub Control" [anytime] from early April to August [spring to (late) summer].

NOTE:

Bold, italicized text is information for the reviewer and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 239-NEW

11
19

OR

Ortho ZBP Granules is:

- Virtually Odor-free
- Fast Acting
- Easy-in-Use
- Effective in killing Listed Insects, Spiders, Fleas, and Ticks

What to Expect

Ortho ZBP Granules kills these lawn pests:

- Ants (except Carpenter and Pharaoh), Red Harvester, Pavement, Odorous, Pyramid, Argentine,)
- Armyworms Foraging Fire Ants
- Centipedes
- Sod Webworms (lawn moth)
- Chinch Bugs Spiders
- Crickets
- Ticks (including Ticks that may transmit Lyme Disease)
- Cutworms Weevils including Hyperodes
- Earwigs Billbugs
- Fleas Crane Fly Larvae
- Grasshoppers Leaf Hoppers
- Millipedes Mealybugs
- Mole Crickets
- Fire Ants

KEY PRODUCT FACTS

How and When to Apply

DIRECTIONS FOR USE

It is a violation of Federal law to use the product in a manner inconsistent with its labeling.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off. Do not make applications during rain.

Do not apply to hard surfaces such as sidewalks, driveways and streets where the product is likely to wash off into sewers and waterways.

- Apply product to the entire lawn when insect activity or damage is first observed.
- Spread uniformly over your lawn using the suggested spreader settings. For best results, use a Scotts spreader.
- Water-in product after application.
- Do not use any other weed, disease, or insect control products for a least one week after application.
- In New York State, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).
- In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.
- For grub control, apply "Scotts GrubEx_[1] Season-long Grub Control" [anytime] from early April to August [spring to (late) summer].

Spreading tips

Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts® spreader.

Note to PM: Models and Application Rate may be changed to reflect Current Product Offerings

NOTE:

EPA Reg. No. 239-NEW

12
19

Bold, italicized text is information for the reviewer and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

Spreader	Spreader Settings	Directions
Scotts Drop	X	Apply 2 header strips apply longest direction of lawn, overlapping wheel marks.
Scotts EasyGreen® Rotary	X	Make each pass about 30 inches from previous to overlap spread width.
Scotts SpeedyGreen® Rotary	X	Make each pass about 5 feet from previous to overlap spread width.

Additional Spreader Settings
EZ Drop, Republic (#530) XX
EZ Broadcast: Republic (#540) XX

(Non— Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

[Illus. spreading patterns]

When using other spreaders, calibrate the spreader settings based on the manufacturer's recommendations

NOTE TO PM: END OF OPTION C

Note to PM: Use Directions OPTION D

DIRECTIONS FOR USE

It is a violation of Federal law to use the product in a manner inconsistent with its labeling.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off. Do not make applications during rain.

Do not apply to hard surfaces such as sidewalks, driveways and streets where the product is likely to wash off into sewers and waterways.

Ortho ZBP Granules is designed for use as a ready-to-use granular insecticide to control various adult and immature insects above the surface of lawns, ornamental & flower gardens. Read the following "Directions for Use" carefully and fully before applying this product.

The active ingredients in Ortho ZBP Granules have sufficient knockdown and residual activity to provide curative and residual control of surface feeding pests. Applications for control of surface feeding pests can be made when infestations are anticipated based on historical monitoring of the site, previous records or experience, current season adult trapping or presence of insects at economic thresholds as determined by scouting and/or recommendations of local State extension personnel or other qualified specialists.

LAWN AND GARDEN APPLICATIONS

Broadcast Ortho ZBP Granules to provide uniform coverage over the treatment area. Locate the pest to be controlled in the following table and follow the application rate to provide excellent control under typical conditions. When treating for multiple pests, apply the higher of the rates. Retreatment may be necessary to achieve and/or maintain control during periods of high pest pressure. Repeat application is necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per 7 days. Usage rates greater than listed or multiple applications may be made at the applicators discretion, not to exceed 4 lb per 1000 sq ft per application on residential lawns.

NOTE:

Bold, italicized text is information for the reviewer and is not part of the label.
 [Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 239-NEW

13
19

Pest	Lb product per 1000 sq ft	Lb total a.i. per Acre
Armyworms Cutworms Sod Webworms	2	0.125
Annual Bluegrass Weevil (<i>Hyperodes</i>) Billbugs Black Turfgrass <i>Ataenius</i> (Adult) Leafhoppers Mealybugs	2 to 4	0.125 – 0.25
Ants (except Pharaoh and Carpenter) Chinch Bugs Fleas (larvae & adults) Imported Fire Ants (adults) Millipedes Mole Crickets (nymphs, & adults) Scorpions Ticks* Pillbugs Sowbugs	4	0.25

In New York State, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application Ortho ZBP Granules if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

SPREADER EQUIPMENT SETTINGS

Broadcast application should be performed with a calibrated commercial broadcast spreader to evenly distribute the granules. Approximate settings for several models are provided in the table below.

Note to PM: *Following will be a list of application spreaders and appropriate settings. This list will vary depending on market spreaders.*

SPECIFIC PEST INSTRUCTIONS

For optimum control of particular pests, follow procedures outlined below:

Ants: (Except Pharaoh and Carpenter) Mound Treatment, including Fire Ants: Treat ant mounds by applying 1/2 cup of Ortho ZBP Granules per mound. Water with sufficient force to break its apex and allow the insecticide to flow into the ant tunnels, but not sufficient to significantly damage the mound that may lead to relocation. For best results, apply in cool weather (65 to 80°F) or in early morning or late evening hours. Treat new mounds as they appear. Ortho ZBP Granules will provide control of ant mounds within four hours. Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with insecticide. For optimum control or for heavily infested areas, combine both mound and broadcast treatments.

Armyworms, Cutworms, and Sod Webworms: Irrigate the treated area with up to 0.1 inches of water immediately after application to activate (release from the granule) the insecticide.

Annual Bluegrass Weevil (*Hyperodes*) adults: Time application for when adult weevils leave their overwintering sites and move into grass areas.

Billbug adults: Apply when adult billbugs are first observed during April and May.

Black Turfgrass *Ataenius* adults: Apply during May and July to control the first and second generation of black turfgrass *ataenius* adults.

Chinch Bugs: Irrigate the treated area with up to 0.25 inches of water immediately after application to activate (release from the granule) the insecticide. Higher applications rates may be required to control

NOTE:

14
19

Bold, italicized text is information for the reviewer and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

populations that contain both nymphs and adults during the summer. In temperate regions, Spring applications will provide control of over-wintered chinch bugs.

Flea larvae: Irrigate the treated area with up to 0.5 inches of water immediately after application to activate (release from the granule) the insecticide.

Mole Crickets: Apply as late in the day as possible to moist soil (irrigate before application if necessary), and water in with up to 0.5 inches of water immediately after treatment. Treat grass areas that receive pressure from adult mole crickets in the spring immediately prior to peak egg hatch when young nymphs are located near the soil surface. Use higher and more frequent applications to control larger, more damaging, nymphs later in the year.

Scorpions: Treat at dusk to control outdoor scorpions from entering the building. Treat areas where scorpions reside hidden during the day such as in cracks and voids. Remove trash, debris, or firewood that scorpions may use as resting sites prior to treatment.

***Ticks (Including ticks that may transmit Lyme Disease and Rocky Mountain Spotted fever):** For extended control, do not rely on spot applications only. Treat the entire area where exposure to ticks may occur. Use higher application rates when treating areas with dense ground cover or heavy leaf litter. Re-treat if ticks are reintroduced from surrounding areas on host animals. Do not allow public use of treated areas during application.

Deer ticks (Ixodes sp.): Apply in mid to late-spring to control larvae and nymphs that reside in the soil and leaf litter.

American dog ticks: Applications should be made as necessary from mid-spring to early fall to control American dog ticks.

Note to PM: END OF OPTION D

[Optional Placement of Re-entry statements][All Label Options]

OPTIONAL RE-ENTRY STATEMENTS

[People and pets can enjoy the yard (lawn) (area) after application is made. If watering in, allow area (lawn) (yard) to dry before re-entering.



OR

People and pets can enjoy the yard (lawn) (area) once product has been watered in and allowed to dry. (People and Pets icon)

OR

People and pets may immediately re-enter yard (lawn) (area) after area (it) is watered and allowed to dry. (People and Pets icon)

OR

People (children) and pets can enjoy the lawn (yard) (area) immediately after lawn (yard) (area) (it) is watered and dry. (People and Pets icon)

OR

People (children) and pets can enjoy the area (yard) (lawn) once watered and dry. (People and Pets icon)

OR

People and pets may enter treated area (yard) (lawn) after granules have been watered and area (yard) (lawn) has dried. (People and Pets icon)

ORTHO AND YOUR ENVIRONMENT

Your home and yard are places for family and pets to enjoy. That's why Ortho products are designed with care to provide effective solutions to insect problems [inside] and [outside] your home. [For best results] [and a healthy environment], please follow instructions for appropriate usage, storage and disposal.

[OPTION I. (The ORTHO Group)]

NOTE:

Bold, italicized text is information for the reviewer and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 239-NEW

15
19

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

[] Questions, Comments or Medical Information
[call] 1-800-225-2883 www.ortho.com [computer icon]

†THE ORTHO® GUARANTEE

If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

© 20XX, [Licensed by] the Ortho Group. World rights reserved.

[Product of U.S.A.]

Manufactured for [by] /Sold by:
The Ortho Group
P.O. Box 190
Marysville, Oh 43040

[END OF OPTION I]

[OPTION II The Consumer Lawns Group]

[ICON-phone art] Phone toll-free-or-Consumer Helpline-or-[toll-free] consumer hotline
Insert company phone number

[ICON/NYSE symbol] *Insert company name and address*

Questions?/[Information] Call *insert company phone number*

Note to PM: The following guarantee will appear on any packaging which includes the term "Guarantee"

[Scotts No-Quibble][Insert company name] Guarantee®:

If for any reason you, the consumer, are not satisfied [with the results] after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

[Get expert advice for your lawn. [NOW.]

Want information on what to use and when?

Sign up today to get free expert advice specifically for your lawn.

Consumer Helpline/Call [now] *Insert company phone number*

Contact the Experts/Learn more at *insert company phone number*

Insert Company name... the lawn people Marysville, Ohio 43041

"Lawn success made easy" [Call *insert company phone number*]

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

Distributed/Manufactured/Sold [and Guaranteed] by/for:

NOTE:

Bold, italicized text is information for the reviewer and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 239-NEW

16
19

The Scotts Company
14111 Scottslawn Road
Marysville, Ohio 43041

© 20XX, Licensed by The Scotts Company LLC. World rights reserved. Made in the/Product of U.S.A.

[BACK]

Treats xxxxx Square Feet

[Copy will be inverted]

End of OPTION II

EPA Reg. No. 239-xxxx

EPA Est. No. 239-IA-3¹, 58996-MO-1^A, 84064-IA-1^P, 85652-OH-1^W, 239-MS-001^M

[Superscript is first letter of lot number.]

Note to PM: General Optional Marketing Claims: claims may appear on any or all label panels:

Note to PM: The use of the words insects, bugs, pests may be used interchangeably

Efficacy:

[GENERAL]

- [Dual Action Formula][Works two ways]: (1) Kills [and] (2) Controls
 - [Dual Action Formula] Starts to Kill fast and lasts long
- 2 in 1 Action/Formula: (1) Kills [and] (2) Controls
- 2 in 1 Action/Formula: (1) Starts Killing fast [and] (2) lasts long
- SATISFACTION GUARANTEED OR YOUR MONEY BACK †
- Guaranteed kill or your money back! †
- [New!] Fast Acting Formula! (can be used for 6 months after commercial introduction)
- Guaranteed! †
- Kills listed fleas and ticks
- Kills listed lawn invading insects

[General Kills] (*Listed Insects may be any combination of the insects in Table 1 and 2; if insect appears on Table 2 then Table 2 must be present on FPL*)

- Kills All Home Invading Insects Listed
- Kills listed outdoor pests in lawns and around homes [and many other listed lawn insects]
- Kills listed insects by/through contact
- Kills listed lawn-damaging insects, spiders, fleas and ticks.
- For grub control, apply "Scotts GrubEx₍₁₎ Season-long Grub Control" [anytime] from early April to August [spring to (late) summer].
- Kills mole crickets
- Kills (controls) European Crane Fly [Larvae]
- Kills ticks that may transmit Lyme Disease
- Kills [insert listed insect(s)][and many other listed lawn insects]
- Kills all listed insects [like...insert any combination of listed insects] [that commonly harm flowers/shrubs/listed edibles/listed fruits/listed vegetables/ornamentals/lawns]
- Kills ants (except pharaoh and carpenter) [and] spiders [and many other listed pests [listed insects]!]

[General Kills with mandatory Table 2 inclusion on FPL] (*If any claim from the following list are used any where on a FPL then Table 2 must be present*)

- Kills [1,2,3... 100... 120... 126][over 100... 120][100... 120+][up to 120] listed insects
- Kills [listed Insects] [listed Fleas & Ticks]

NOTE:

EPA Reg. No. 239-NEW

Bold, italicized text is information for the reviewer and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

- [Effective in killing] [Fast acting against] listed insects, spiders, fleas, and ticks

[General Kills and Control] (*Listed Insects can only refer to those listed in Table 1*)

- Kills/Controls* [insert any combination of listed insect(s)][and many other listed lawn insects]
- Kills/Controls* all listed insects [like...insert any combination of listed insects] [that commonly harm flowers/shrubs/listed edibles/listed fruits/listed vegetables/ornamentals/lawns]
- Protects/Controls* [against][listed damaging insects] [any combination of listed use sites]
- Provides a protective barrier to keep bugs away 3 months*
- Controls* ants (except pharaoh and carpenter) [any combination of listed ants] (fire ants), chinch bugs, sod webworms (lawn moth), European crane fly [larvae], fleas, ticks (including ticks that may transmit Lyme Disease), mole crickets and many other listed lawn insects (see back)
- Controls* chinch bugs, sod webworms (lawn moth), fleas, ticks (including ticks that may transmit Lyme Disease), and other lawn pests listed on the back

Qualifier: * Refer to booklet/back panel for complete list

[Lawn Insect Kills and Control Only](*Listed Insects can only refer to those listed in Table 1*)

- Kills/controls* listed insects [which destroy lawns/ flowers/ listed edibles] [and/or] [which] [annoy people/kids/pets.]

Qualifier: * Refer to booklet/back panel for complete list

[Lawn Insect Kills Only] (*Listed Insects may be any combination of the insects in table 1 and 2. If insect appears on table 2 then table 2 must be present on FPL*)

- Kills listed [lawn-damaging] [invading] insects that cause your lawn to thin and turn brown
- Kills chinch bugs, mole crickets, cutworms, billbugs, European crane fly larvae, [other listed lawn damaging/destroying insects] [by/through contact]
- Kills listed insects [which destroy lawns/ flowers/ listed edibles] [and/or] [which] [annoy people/pets.]

Speed:

[GENERAL]

- New! (can be used for 6 months after commercial introduction)
- Kills in 24 hours
- Kills overnight

[Speed Kills] (*Listed Insects may be any combination of the insects in table 1 and 2. If insect appears on table 2 then table 2 must be present on FPL*)

- Kills listed insects [by contact/fast/in1 hour/overnight]
 - Kills listed insects by contact
- Fast Acting [Formula] [against/kills] [any combination of listed insects]
- Starts [killing/to kill/working/to work]listed [lawn]insects [immediately] [after watering in](or irrigating)) by/through contact
 - Kills listed [lawn] [insects] [immediately] [after watering in] (or irrigating)) by/through contact

[Speed Kills and Control] (*Listed Insects can only refer to those listed in Table 1*)

- Kills/controls* listed insects [by contact/fast/in1 hour/overnight]
 - Kills/Controls* listed insects by contact

Qualifier: * Refer to booklet/back panel for complete list

Residual:

[GENERAL] (*Listed Insects can only refer to those listed in Table 1*)

- Starts Creating A Bug Barrier In Minutes

NOTE:

EPA Reg. No. 239-NEW

Bold, italicized text is information for the reviewer and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- Provides Long Lasting Control/and Provides 3 Month Control*/and Creates a 3 Month Bug Barrier*
- Starts [working/killing][quick/fast] [and creates a 3 month* bug barrier/and provides 3 month control*/and lasts for 3 months*]
- [One (1) application/apply once] [for] [provides] 3 month control*
- Three (3) month control* on/for [a wide variety of listed insects]
- One (1) application kills/controls* [listed insects] for [up to] 3 months
- [Long lasting!] [up to] [3 month control*] [Guaranteed†]
- [Up to 3 month control*] Kills and/& controls/protects for [up to] 3 months*
- [Kills and/&] / Keeps [on] killing for [up to] 3 months.
- Keeps [on] killing for [up to] 3 months*
- 3 month control* on a [many types of listed insects]
- Creates/Provides a [3 Month* Bug] (insect) Barrier

Qualifier: * Refer to booklet/back panel for complete list

[Lawn Insect Killer Only]

- One application keeps killing lawn bugs for 3 months*

Qualifier: * Refer to booklet/back panel for complete list

[Outdoor Perimeter Insect Killer specific]

- (One application) Keeps listed bugs away/out [for up to 3 months*][guaranteed†]!
- Keeps listed bugs out for up to 3 months*
- (outdoor) (perimeter) granules
- Home perimeter granules
- Outdoor formula
- Formulated for outdoor use
- Kills ants (except pharaoh and carpenter) [and] spiders [and many other listed pests]!
- Creates a barrier that [will kill] [kills] the listed bugs you have and controls new bugs from coming [in] [inside your home]

Qualifier: * Refer to booklet/back panel for complete list

Usage:

[GENERAL]

- [For] [Use on] lawns, ornamentals, home perimeter/foundation, listed edibles/listed vegetables (in vegetable gardens), and flower beds/gardens
- [For] [Use on] residential lawns, home perimeters, ornamental & flower gardens, and listed edibles/listed vegetables (in vegetable gardens)
- Use on lawns, [listed edibles/listed vegetables][vegetable gardens] [&] [as a barrier (perimeter) treatment around home foundations]
- Kills listed [nuisance] insects around home foundations
- Apply at first signs of insect damage or activity
- Use around outside of homes, porches and/& patios
- For residential lawn use only
- Easy-to-use [granules]
- Ready-to-spread granules
- Easy to apply [granules]
- X% more than X size!
- Bonus Size
- Combo Pack
- Wow (Pack)
- Exclusive to Club Stores!
- Exclusive Club (Bonus) Size!
- Value/Bonus Size – 2-pack!

19
19

NOTE:

EPA Reg. No. 239-NEW

Bold, italicized text is information for the reviewer and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

- Low odor formula/virtually odor-free
- Apply at first sign(s) of insect damage or activity
- Outdoor granules
- Light and Easy to Apply
- No Splash Back!

[Lawn Insect Killer Only]

- Can be used on listed edibles/listed vegetables (listed edibles/vegetable gardens)
- A XX lb bag treats up to XXXX sq. ft.
- A 10lb (20lb) bag treats up to 10,000 sq.ft. (20,000 sq. ft.)
- Treats up to XXXX sq. ft. – [up to/over] XX% / X times/x more than XXX sq. ft. bags.
- Treats up to 10,000 sq.ft. — 100%/twice/2 times/2x/ more than 5,000 sq.ft. bags (for 10# bag)
- Treats up to 20,000 sq.ft. — 100%/twice/2 times/2x/ more than 10,000 sq.ft. bags (for 20# bag)
- X x more coverage* - *vs. standard XXXX sq. ft. bags
- 2X More Coverage* - *vs. Standard 5,000 sq. ft. bags. (10# bag)
- 2X More Coverage* - *vs. Standard 10,000 sq. ft. bags. (20# bag)
- Formulated for lawns
- Treats (up to) 5,000 (10,000 / 20,000) square feet for insect control
- Not harmful to/on lawn grasses/lawns

[illustrations] **[Outdoor Perimeter Insect Killer only]** *[illustrations will be accompanied by approved claim] See representation below*

- 1 Bottle = 2 Homes [Illustration] to exemplify the claim "Treats the average 2,000 sq. ft. 2 story home over 2 times!
- 1 Bottle = 3 Homes [Illustration] to exemplify the claim "Treats the average 1,800 sq ft. home up to 3 times"
- Calendar depicting 3 months to exemplify the claims "3 Month Control of Home Invading Listed Insects"
- Image of granules in relation to a quarter which will depict the proper application rate for consumers

[Outdoor Perimeter Insect Killer specific]

- Treats the average 2,000 sq ft 2-story home over 2 times! (Applies to 2.5lb size)
- Treats the average X sq ft X-story home over X times!
- Treats the average 1,800 sq ft home up to 3 times
- Use around home foundation
- Use as an outdoor perimeter treatment

