

ACCEPTED

July 28 1972  
#247-66

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER.

**DANGER!**

**POISONOUS BY SKIN CONTACT, INHALATION OR SWALLOWING**  
RAPIDLY ABSORBED THROUGH SKIN • REPEATED INHALATION  
OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY  
INCREASE SUSCEPTIBILITY TO POISONING

**Do Not Get In Eyes, On Skin, On Clothing**

Wear clean rubber gloves, goggles and clean waterproof or freshly laundered protective clothing (coveralls, rubber boots, cap, etc.). Destroy and replace gloves frequently. Wash thoroughly with soap and warm water before eating or smoking. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before re-use. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water.

**Do Not Breathe Mist**

Wear a mask or respirator of a type approved by the U. S. Bureau of Mines for THIMET protection. If handled indoors, provide mechanical exhaust ventilation. Remove unauthorized persons from operating area.

**Do Not Contaminate Food or Feed Products**

**Not for Use or Storage in or around the Home**

Cover spillage with an absorbent such as a soda ash, lime, clay or sawdust. Sweep up and bury. Wash area thoroughly with a full-strength, liquid household chlorine bleach.

This product is toxic to fish and wildlife. Keep out of any body of water. Treated seeds exposed on soil surface may be hazardous to birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**DISPOSAL OF DRUMS:** Drain drum completely. Add 5 gallons of water, 1 cup of detergent and 2 pounds of lye. Tighten bungs. Rotate drum to wet all surfaces and let stand for at least 15 minutes. Drain completely and rinse several times with water. Tighten bungs. Transport to a professional drum reconditioner having burning equipment for reconditioning.



In case of an emergency endangering life or property involving this product, call collect, day or night, Area Code 201-835-3100.

**Antidote:** Atropine is an antidote. Consult your physician about obtaining a supply of 1 100 grain (0.6 milligram) tablets for emergency use. If symptoms include blurred vision, stomach cramps or tightness in chest, don't wait for a physician but take two tablets at once. Do not take atropine unless symptoms of poisoning have occurred. Anyone who has been sick enough to have taken atropine must be seen by a physician as soon as possible.

**FIRST AID**

**If swallowed,** induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person.

**If inhaled,** remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen.

**In case of contact,** immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.


CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING

**NOTE TO PHYSICIANS:** Warning symptoms include weakness, headache, tightness of chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. Give atropine intramuscularly or intravenously, depending on severity of poisoning, 2 to 4 milligrams (3 to 6 tablets, 1 100 grain each) every 15 minutes until fully atropinized as shown by dilated pupils, dry flushed skin and tachycardia. Twenty to thirty milligrams, or more, may be required during the first 24 hours. Never give opiates or phenothiazine tranquilizers. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for at least 48 hours. Allow no further exposure to any cholinesterase inhibitor until cholinesterase regeneration has taken place as determined by blood tests.

Pralidoxime chloride (2-PAM, PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

Trade mark

Made and Bottled in U.S.A.



IF LEAKING DON'T BREATHE FUMES TOUCH CONTENTS SWALLOW

This is to certify that the contents of this package are properly described by name and are packed and marked and are in proper condition for transportation according to the Regulations prescribed by the Department of Transportation

Shipper's name required hereon for shipments by EXPRESS

**ORGANIC PHOSPHATE COMPOUND, LIQUID, N.O.S.**

**DIRECTIONS FOR USE**

For the control of early season insects (aphids, black cutworms, leafhoppers, thrips, whiteflies) and mites on cotton, use 1 quart THIMET LC-8 to treat 150 lbs. of cotton seed. Wet the seed uniformly and dry immediately after treatment. Sticker may be used to improve adhesion of THIMET.

Plant treated seed at the rate of 15-20 pounds per acre.

Do not use treated seed for food, feed or oil purposes. REFER TO SAMPLE LABEL FOR TREATED COTTON SEED.

**DISCLAIMER**

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use.

Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.

BUYER assumes the risk of any use contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable by American Cyanamid Company.

**AMERICAN CYANAMID COMPANY  
AGRICULTURAL DIVISION  
PRINCETON, N. J. 08540**

**THIS SYSTEM**  
FOR USE ONLY IN T  
**DANG**

See Sig

PELIGRO! AL L

(TO

Active ingredients  
Do not ingest

Net Contents 55

**WARNING**  
**POISON**  
**DO NOT DROP**  
 DO NOT BREATHE FUMES  
 DO NOT TOUCH CONTENTS  
 DO NOT SWALLOW  
 Contents of this package  
 name and are packed  
 proper condition for  
 ing to the Regula-  
 y the Depart-  
 portation.

**POUND, LIQUID, N.O.S.**  
**FOR USE**  
 (black cutworms, leafhoppers, thrips, whiteflies) and  
 150 lbs of cotton seed. Wet the seed uniformly  
 used to improve adhesion of THIMET.  
**WARRANTY**  
 shall be limited to direct damages, and shall not  
 loss of profits or values, etc.  
 s or implied warranty, including any other express  
 ILITY  
 el instructions, or under abnormal conditions, or  
 can Cyanamid Company  
**CYANAMID COMPANY**  
**AL DIVISION**  
**N. J. 08540**



# THIMET<sup>®</sup> LC-8

**SYSTEMIC INSECTICIDE**

**FOR USE ONLY IN THE TREATMENT OF COTTON SEED BY SEED TREATERS**

**DANGER! KEEP OUT OF REACH OF CHILDREN**



See Side Panel for Antidote and Other Warnings

**PELIGRO!** AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.  
 (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you)



**Active Ingredients:**  
 Phorate disopropyl 2-Diisopropyl phosphorothioate  
**Inert Ingredients:**  
 (2 gallons of water per 100 lbs of seed)  
 Etc. See Side Panel

**SAMPLE LABEL FOR TREATED COTTON SEED**

**COTTON SEED**  
**THIS SEED IS NOT FOR HUMAN OR ANIMAL CONSUMPTION AND SHOULD NOT BE USED FOR FOOD, FEED, OR PRESSED INTO OIL**

**PLANTING TREATED SEED INSTRUCTIONS**


This cotton seed has been treated at the rate of \_\_\_\_\_ pounds of THIMET LC-8 per \_\_\_\_\_ pounds of seed and should be planted at a rate of \_\_\_\_\_ pounds per acre. This planting rate should be closely observed.

For the control of early season insects (aphids, black cutworms, leafhoppers, thrips, whiteflies) and mites, use certified (or its equivalent) grade cotton seed correctly treated with THIMET.

The soil temperature should be above 65° F. Soil moisture and tilth should be favorable for good germination and emergence. Under adverse planting conditions, plant stand might be affected.

This product is toxic to fish and wildlife. Keep out of any body of water. Treated seeds exposed on soil surface may be hazardous to birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**PRECAUTIONS: TREATED SEED PLANTED IN HEAVY SOILS MAY RESULT IN REDUCED STAND AND YIELD.**



This cotton seed has been treated with phorate.

POISONOUS BY SKIN CONTACT, INHALATION, OR SWALLOWING. RAPIDLY ABSORBED THROUGH SKIN. REPEATED IRRITATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PRODUCE AN INCREASE IN SUSCEPTIBILITY TO POISONING.

**FOLLOW THESE PRECAUTIONS IN HANDLING THE TREATED SEED. DO NOT GET IN EYES, ON SKIN, ON CLOTHING**

Wear clean rubber gloves, goggles, and clean waterproof or freshly laundered protective clothing (coveralls, rubber boots, cap, etc.). Destroy and replace gloves frequently.

Wash thoroughly with soap and warm water before eating or smoking. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before re-use.

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water.

**DO NOT BREATHE VAPOR**

Load seeder outdoors only while wearing a mask or respirator of type approved by the U. S. Bureau of Mines for THIMET protection.

**DO NOT CONTAMINATE FOOD OR FEED PRODUCTS**

Sweep up spillage; burn empty containers, never re-use. Stay out of smoke or fumes.

Remove domestic animals and unprotected persons from operation area. Take precautions to prevent persons and domestic animals from recovering treated seed from ground.

**ATROPINE IS AN ANTIDOTE— CONSULT PHYSICIAN FOR EMERGENCY SUPPLY**

Pralidoxime chloride (2-PAM, PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

See Side Panel of Container Label for First Aid Treatment