

NET WEIGHT: 50 LBS.

18-46-0 Fertilizer + THIMT<sup>®</sup> Systemic Insecticide  
(Contains 1.0 lb. of Phorate per 100 lbs.)  
FOR USE ON WHEAT

CYANAMID



PLANT FOOD GUARANTEED ANALYSIS

Total Nitrogen (N)..... 18%  
Available Phosphoric Acid (P<sub>2</sub>O<sub>5</sub>)..... 46%  
Soluble Potash (K<sub>2</sub>O)..... 0%

PESTICIDE GUARANTEED ANALYSIS

Active Ingredient:  
Phorate (O,O-diethyl S-[(ethylthio)methyl] phosphorodithioate)..... 1.0%  
Inert Ingredients..... 99.0%

EPA Reg. No. 241-226 AAA

DANGER!  
KEEP OUT OF REACH OF CHILDREN



ACCEPTED  
JUL 26 1972  
U.S. FEDERAL INSECTICIDE  
AND FUNGICIDE ADMINISTRATION  
WASHINGTON, D.C. 20540  
FOR THE REGISTERED SUBJECT  
ED UNDER THE ACT OF 1907  
AS AMENDED  
241-226

See Reverse Side For Antidote and Other Warnings.  
Side.

AL USUARIO: Si usted no lee inglés, no use este producto hasta que la  
etiqueta le haya sido explicada ampliamente.  
(TO THE USER: If you cannot read English, do not use this product until the  
label has been fully explained to you.)

DANGER!

POISONOUS BY SKIN CONTACT, INHALATION OR SWALLOWING. RAPIDLY ABSORBED  
THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS,  
PROGRESSIVELY INCREASE SUSCEPTIBILITY TO POISONING.

Do Not Get In Eyes, On Skin, On Clothing

Wear freshly laundered, long-sleeved work clothing daily. While transferring  
from package to equipment, wear a clean cap and gloves (rubber or cotton). If  
cotton gloves are used, they must be laundered or discarded after each day's  
use. Rubber gloves should be washed with soap and water after each use. Do  
not wear the same gloves for other work. Destroy and replace gloves fre-  
quently.

In case of contact, immediately remove contaminated clothing and wash skin  
thoroughly with soap and water. Launder clothing before re-use. Wash thor-  
oughly with soap and water before eating or smoking. Bathe at the end of the  
work day and change outer clothing.

Do Not Breathe Dust

While emptying bags into equipment, pour downwind and allow as little free fall  
as possible. Do not pour at face level and do not allow dust to reach the  
breathing zone.

Do Not Contaminate Food or Feed Products

Sweep up and bury spillage, whether it occurs indoors or in the field. Once a  
bag has been opened, use it completely or bury the remainder. Make sure that  
the hoppers of equipment are emptied while still in the field.  
Keep all unprotected persons out of operating areas.

Keep Out of Reach of Domestic Animals.

Not For Use or Storage in or Around the Home.

Destroy empty bags and cartons by burning. Stay away from smoke and fumes.

This product is toxic to fish, birds and other wildlife. Keep out of any body  
of water. Do not apply where runoff is likely to occur. Do not contaminate  
water by cleaning of equipment or disposal of wastes.



In case of an emergency endangering life or property involving this product, call collect, day or night, Area Code 201 - 835-3100.

**Antidote:** Atropine is an antidote. Consult your physician about obtaining a supply of 1/100 grain (0.6 milligram) tablets for emergency use. If symptoms include blurred vision, stomach cramps or tightness in chest, don't wait for a physician but take two tablets at once. Do not take atropine unless symptoms of poisoning have occurred. Anyone who has been sick enough to have taken atropine must be seen by a physician as soon as possible.

#### FIRST AID

If swallowed, induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person.  
If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen.  
In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before re-use.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING.

**NOTE TO PHYSICIANS:** Warning symptoms include weakness, headache, tightness of chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. Give atropine intramuscularly or intravenously, depending on severity of poisoning, 2 to 4 milligrams (3 to 6 tablets, 1/100 grain each) every 15 minutes until fully atropinized as shown by dilated pupils, dry flushed skin and tachycardia. Twenty to thirty milligrams or more may be required during the first 24 hours. Never give opiates or phenothiazine tranquilizers. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for at least 48 hours. Allow no further exposure to any cholinesterase inhibitor until cholinesterase regeneration has taken place as determined by blood tests. Pralidoxime chloride (2-PAM; PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

#### DIRECTIONS FOR USE

Do not use this product for any uses other than those specified on this label. THIMET is an effective soil and systemic insecticide for early season insect control which has been combined with fertilizer for efficient and uniform application. Application should be made at planting time. Application at rates higher than those shown on label may result in illegal crop residues.

**WHEAT:** For control of grasshoppers, aphids and Hessian fly, apply at the rate of 100 lbs. (1.0 lb. actual phorate) per acre in the seed furrow at planting time. Do not feed or graze foliage within 45 days of treatment. For aphid and grasshopper control use only in the western and north central states.

#### DISCLAIMER

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc. American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY. BUYER assumes the risk of any use contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable by American Cyanamid Company.

Lot No.

AMERICAN CYANAMID COMPANY  
AGRICULTURAL DIVISION  
PRINCETON, N. J. 08540

D40