

[241-227]

NET WEIGHT: 50 LBS.

0-45-0 Fertilizer + THIMET® Systemic Insecticide
(Contains 1.0 lb. of Phorate per 100 lbs.)
FOR USE ON WHEAT

CYANAMID



ANAL. FACT GUARANTEED ANALYSIS

Total Nitrogen (N)	74
Available Phosphoric Acid (P ₂ O ₅)	44
Soluble Potash (K ₂ O)	22

PESTICIDE GUARANTEED ANALYSIS

Active Ingredient:

Phorate (O,O-diethyl S-[(ethylthio methyl) phosphorothioate])	1.04
Inert Ingredients	99.04

EPA Reg. No. 241-227-AA

DANGER!
KEEP OUT OF REACH OF CHILDREN

See also Side For Antidote and Other Warnings. Use as Directed On Reverse Side.

WARNING: Si usted no lee inglés, no use este producto hasta que se le explique lo que le haya sido explicado ampliamente.

WARNING: If you cannot read English, do not use this product until the label has been fully explained to you.

DANGER!

POISONOUS BY SKIN CONTACT, INHALATION OR SWALLOWING. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOM, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO POISONING.

Do Not Get In Eyes, On Skin, On Clothing

Wear freshly laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves. If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wash the cap or gloves nor other work clothes and equipment in your home laundry.

Do not get on the face, neck, or hands. Immediately wash with soap and water. Launder clothing before reuse. Do not use the same water for washing. Do not use the same water for drinking or bathing.

Not For the Face

While applying, do not get in the face. Do not allow the product to get into the eyes. Do not get it on the face. Do not get it on the face. Do not get it on the face.


Do Not Get On the Face

Do not get on the face. Do not get on the face.

Not For the Face Storage In or Around the Face

Destroy empty bags and cartons by burning. Stay away from smoke and fumes. Do not get on the face. Do not get on the face.

1961



In case of an emergency endangering life or property involving this product, call collect, day or night, Area Code 201 - 835-3100.

Antidote: Atropine is an antidote. Consult your physician about obtaining a supply of 1/100 grain (0.6 milligram) tablets for emergency use. If symptoms include blurred vision, stomach cramps or tightness in chest, don't wait for a physician but take two tablets at once. Do not take atropine unless symptoms of poisoning have occurred. Anyone who has been sick enough to have taken atropine must be seen by a physician as soon as possible.

FIRST AID

If swallowed, induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before re-use.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING.

NOTE TO PHYSICIANS: Warning symptoms include weakness, headache, tightness of chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. Give atropine intramuscularly or intravenously, depending on severity of poisoning, 2 to 4 milligrams (3 to 6 tablets, 1/100 grain each) every 15 minutes until fully atropinized as shown by dilated pupils, dry flushed skin and tachycardia. Twenty to thirty milligrams or more may be required during the first 24 hours. Never give opiates or phenothiazine tranquilizers. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for at least 48 hours. Allow no further exposure to any cholinesterase inhibitor until cholinesterase regeneration has taken place as determined by blood tests. Pralidoxime chloride (2-PAM; PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

DIRECTIONS FOR USE

Do not use this product to any use other than those specified on this label. THIMEI is an effective soil and systemic insecticide for early season insect control which has been combined with fertilizer for efficient and uniform application. Application should be made at planting time. Application at rates higher than those shown on label may result in illegal over residues.

WHEAT: For control of grasshoppers, aphids and Hessian fly, apply at the rate of 100 lbs. (1.0 lb. actual phosphate) per acre in the seed furrow at planting time. Do not feed or graze foliage within 45 days of treatment. For aphid and grasshopper control, use only in the western and north central states.

DISCLAIMER

American Cyanamid Company warrants only that the material contained herein conforms to the description of the material on the label and is reasonably fit for the use thereon described when used in accordance with the directions for use. Any damages arising from a breach of this warranty shall be limited to direct charges and shall not include consequential, commercial damages, such as loss of profits or earnings, etc.

American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY. It assumes the risk of any use contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable by American Cyanamid Company.

Net Weight

 TO BE FURNISHED TO THE USER

AMERICAN CYANAMID COMPANY
 AGRICULTURAL DIVISION
 PRINCETON, N. J. 08540