

PHENOL COEFFICIENT ACTIVE INGREDIENTS

7 A O A C 31 1%

Hydrogen Chloride. Phosphoric acid N-Alkyl (C12, (47%), C14 (18%) C16 (10%) C18 (10%), related to C8 to C15 (15%) Dimethyl Benzyl ammonium chioride Oxalic acid Heptadecyl Hydroxyethylimidazolinum Hydrochloride Dehydrosbietylamine

INERT INGREDIENTS

68 9%

Water Polymerized Vinyl Benzene. Nonylphenoxypolyethoxyethanol DANGER POISON
Harmful or Fatal if swallowed
KEEP OUT OF REACH OF CHILDREN
SEE ANTIDOTE & PRECAUTIONS
ON BACK PANEL

DISTRIBUTED BY

## LANCASTER LABORATORIES DIVISION

BALTIMORE, MARYLAND 21231/LOS ANGELES, CALIF 90013


SHAKE WELL BEFOR PLACE. KEEP AWAY AND DISINFECT TO over bowl Pour on clean bowl and up Rinse mop.

cleaning, Disinfed mop over urinal to cleaner Thoroughly faces, grooves, water move urinal trap scharound drain opening Thoroughly swab is screen. Flush well, tank toilet system hibitor and bleach harm plumbing.

CAUTION: Harmful breathe vapor or fusurface except toile on other than vitred risk. DO NOT GET CAUTION: CONTANTIDOTE: INTERNATE teaspoonful of may wall plaster or small whites.

external: Immediwater, using soap moist baking soda

Made for Industri Contents, Contains U.S.D.A Contents: 1 Liquid Quart



POISON swallowed F CHILDREN PRECAUTIONS

**ISION**LIF 90013

DIRECTIONS

SHAKE WELL BEFORE USING STORE IN COOL PLACE. KEEP AWAY FROM HEAT. TO CLEAN AND DISINFECT TOILET BOWLS: Hold mop over bowl Pour on I to 2 ounces Thoroughly clean bowl and under flush rings. Flush Rinse mop

CLEANING, DISINFECTING URINALS: Put clean mop over urinal trap Saturate mop with cleaner Thoroughly wet and clean all surfaces, grooves, water outlets and at top Remove urinal trap screen. Pour I to 2 ounces around drain opening and into drain outlet Thoroughly swab inside of pipe. Replace screen. Flush well. May be used in septic tank toilet systems. Contains special inhibitor and bleach for whitening. Will not harm plumbing.

16 72 No. 462 B

CAUTION: Harmful if swallowed Do not breathe vapor or fumes. Do not use on any surface except toilet bowls and urinals. Use on other than vitreous ware is done at user's risk. DO NOT GET IN EYES.

CAUTION: CONTAINS HYDROCHLORIC ACID ANTIDOTE: INTERNAL: CALL PHYSICIAN Drink teaspoonful of magnesia, chalk, whiting or wall plaster or small pieces of soap softened with water in milk, mucilage or raw egg whites.

**EXTERNAL**: Immediately flood surface with water, using soap freely. Then cover with moist baking soda or magnesia

CLOSE CONTAINER WHEN NOT IN USE

Made for Industrial & Institutional Use Only
Contents, Container & Printing Product of U.S.A.
U.S.D.A. Reg. No. 257 199